

Remington.







A NEW ERA OF PERFECTION

Two years ago, we introduced sweeping changes across every process and division in every Remington facility. Dramatic upgrades with aerospace standards of precision and new quality protocols resulting in craftsmanship you can see and feel in every product we make. In 2020, we proudly raise the bar – again. With expanded legacy offerings and new models built around a culture of precision, advanced by Remington's unique brand of innovation. The finest products in our 204-year history, and proof of what's possible when perfection is the only goal.

NEW PRODUCTS	04
HOTGUNS	08
ОМРАСТ	42
RIFLES	44
CUSTOM SHOP	76
HANDGUNS	78
MMUNITION	104
ACCESSORIES	162
PARTNERS	190
PECIFICATIONS	192

Rominasin

2020 NEW **PRODUCTS**

America's unstoppable autoloader, the V3 adds two new tactical offerings while the Model 870 - the most popular pump shotgun of all time - expands its family with three new express models. The everpopular Model 700 adds three new rifles, including the distance-dominating Model 700 PCR Enhanced, and the Model 700-CP Arm Brace, the newest addition to our innovative bolt-action pistol platform. It's our most innovative lineup yet, proudly assembled by the most skilled craftsmen in the industry today - for you.

SHOTGUNS











SHOTSHELLS



PREMIER TSS TURKEY LOADS

TACTICAL SHOTGUN PARTS



MODEL 870 SIDE FOLDING STOCK KITS

- Ergonomically designed right-hand folding shotgun stock
- VERSA MAX soft touch adjustable cheek piece insert
- QD cup attachment points
- SuperCell+ recoil pad; Works with adjustable LOP kit
- Strength exceeded LE requirements
- Includes stock, pad, knuckle and fore-end
- MOE M-LOK compatible fore-end

MODEL 870 M-LOK BARREL CLAMP

- M-LOK barrel clamp for unlimited accessory upgrades
- Compatible with 870, 1100 & 11-87 shotguns
- Backwards compatible with all Remington mag tube extensions
- Reduces mag tube creep and listing during extended use



MODEL 870 M-LOK FORE-END

- Fits any 870 12-gauge shotgun
- Single piece construction for the utmost in felt and proven durability
- M-LOK* compatible accessory slots for user customization and aftermarket upgrades
- Beveled edges for a smooth ergonomic feel compared to competitive models
- Same easy installation as with any standard 870 fore-end
- Perfect option for consumer to upgrade their shotguns for style and usability

MAG TUBE EXTENSION KIT

- Optimized for flush mount when used with 181/2" barrel
- Can be utilized for tactical or hunting
- Comes with +3 mag tube extension
- Respective models designed for use with V3 mag tube or any 870, 1100 & 11-87 standard mag tube
- Includes new M-LOK barrel clamp



V3 FIELD SPORT BARREL

- Optimized for tactical/home protection
- Drop-in solution for upgrading or changing barrel length on any V3 shotgun
- Includes a welded rib with bead sight for rapid target acquisition





RIFLES



HANDGUNS






THE VERSA PORT ADVANTAGE

CYCLES ANYTHING. CHANGES EVERYTHING.

AT THE HEART OF EVERY VERSA MAX AND V3 SHOTGUN IS A REVOLUTIONARY GAS PISTON SYSTEM THAT IS CHANGING THE WAY WE THINK ABOUT RECOIL.


The patented VersaPort system is able to reduce the felt recoil of a 12-gauge shotgun to that of a 20-gauge thanks to a series of gas pistons and strategically placed ports that self-regulate gas pressure depending on the length of the shell. The result is consistent, reliable cycling from the sporting clays course to the goose blind.

From light 2%-inch loads to heavy 3½-inch magnums, the VersaPort system cycles every load with flawless consistency because only the precise amount of gas required to operate the rotary bolt is delivered. On top of that, the VersaPort system is self-cleaning, meaning reduced maintenance and more time to shoot.




VERSA MAX

THREE CUSTOM-TUNED ACTIONS INGENIOUSLY DISGUISED AS ONE.




LESS RECOIL.

VERSA MAX produces dramatically less recoil than the competition.



FIELD SPORT


THE V3 DELIVERS DRAMATICALLY LESS RECOIL VERSUS STANDARD AUTOLOADERS.



TWO-CUSTOM TUNED ACTIONS INGENIOUSLY DISGUISED AS ONE.

V3 FIELD SPORT V5. COMPETITOR PRODUCTS

The softest-recoiling auto in the field.



NEVER-SAY-DIE DEPENDABILITY.

Tested and proven with thousands of rounds.

In an extreme torture test, our engineers fed it thousands of rounds without cleaning



VERSA MAX BLACK SYNTHETIC

Left hand also available.



VERSA MAX

OVERSIZED

CONTROLS

ENLARGED

FEEDING PORT AND FLAT FACED CARRIER



VERSA MAX, the new standard for reliability in autoloading shotguns. Powered by our revolutionary VersaPort gas-operated system, VERSA MAX shatters convention and all previous benchmarks for reliability. Proven in extreme endurance tests with thousands of rounds, VERSA MAX cycles any 12-gauge load with flawless consistency, dramatically reduced recoil and less maintenance than any autoloader ever. Equipped to take the flyways by force, the VERSA MAX Waterfowl Pro is decked in Mossy Oak® Shadow Grass Blades camo, and features oversized controls, an enlarged feeding port and more. The VERSA MAX Competition Tactical is outfitted with the features top competitors demand, like a green Cerakote® receiver, oversized controls, an enlarged feeding port and more. And the unstoppable reliability of VERSA MAX now fits comfortably in a southpaw's hands with VERSA MAX Left-Hand models. Available in Realtree® camo or Black Synthetic. Shoulder the ultimate power of VERSA MAX and you'll never look back.



- Most versatile, reliable shotgun on the market
- Reliably cycles 12-gauge rounds from 2³/₄" to 3¹/₂" magnums
- VersaPort gas system regulates cycling pressure based on shell length
- Reduces recoil to that of a 20-gauge
- Self-cleaning continuously cycled thousands of rounds in torture test
- Enlarged trigger guard opening and larger safety for easier use with gloves
- Nickel-plated barrels
- Nickel-Teflon® plated internal components offer extreme corrosion resistance
- Length of pull kit to extend length by 1"
- Fully adjustable stock for drop, cast, and LOP plus comb insert







VERSA MAX ACCESSORIES

We've added several new camo stocks to the VERSA MAX lineup to make finding the perfect pattern for your pursuit easier than ever. (Mossy Oak Duck Blind shown). See page 166.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
VERSA MAX Waterfowl Pro ⁴ Mossy Oak Shadow Grass Blades Camo	83205	12/28"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Black Synthetic ¹	81043 81042	12/26" 12/28"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Competition Tactical ¹	81029	12/22"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Waterfowl Realtree AP Camo ²	81054	12/26"	Vent Rib	Synthetic, w/ Over-Molded Grips

1 Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended ProBore Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator. 4 Supplied with Extended ProBore Choke Tubes – Skeet, Improved Cylinder, Light Modified, Modified and Full.



Groundbreaking VersaPort operating system, featuring multi-port gas system, self-cleaning pistons and rotating bolt-head

- Synthetic stock decorated in Realtree[®] Camo
- Black oxide barrel and anodized receiver
- SuperCell[™] recoil pad for up to 54% less recoil
- Stepped tapered, undercut vent rib







VERSA MAX SPORTSMAN



IVORY FRONT BEAD



PROBORE CHOKE

THE UNSTOPPABLE AMERICAN WORKHORSE.

The engineers at The Rock changed the world of autoloader design forever when they created the VERSA MAX - and then they boldly did it again when they unveiled the VERSA MAX Sportsman. A hard-working, streamlined version of our breakthrough VERSA MAX, yet driven by the same relentless heart. VersaPort. Our revolutionary, self-regulating gas system, that flawlessly cycles any 12-gauge load - from light 2¾" to the heaviest 3½" magnums. Along with its unstoppable, self-cleaning design, it reduces the felt recoil of a 12-gauge load to that of 20-gauge pump gun. Meaning faster, smoother followups, more comfort and simply better shooting. Here to take the woods, fields and flyways by force, the Sportsman is available in five configurations. Get your VERSA MAX Sportsman in standard black with a 26" or 28" barrel, or decked in Mossy Oak® Bottomland or Realtree® Edge camo coverage. The VERSA MAX Sportsman Turkey sports Mossy Oak Obsession camo and a highly maneuverable 22" barrel. Any load. Anywhere. Every time. For every application.



NITRO STEEL

The steel more wingshooters choose, now in higher velocities and higher payloads. Premium, zinc-plated pellets deliver tighter patterns and more dead birds. See page 130.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
VERSA MAX Sportsman Synthetic Stock RealTree Edge Camo¹	81037	12/26"	Vent Rib	Synthetic
VERSA MAX Sportsman Synthetic Stock Mossy Oak Bottomland Camo ²	81038	12/26"	Vent Rib	Synthetic
VERSA MAX Sportsman Black Synthetic ¹	81045	12/28"	Vent Rib	Synthetic
VERSA MAX Sportsman Black Synthetic ¹	81046	12/26"	Vent Rib	Synthetic
VERSA MAX Sportsman Turkey Mossy Oak Obsession Camo ²	81028	12/22"	Smooth Barrel Rifle Sights	Synthetic

1 Supplied with ProBore, modified.

2 Supplied with ProBore Wingmaster Turkey Choke.



TIMBER

NEW



AMERICA. RELIABILITY. PERFORMANCE

In just a few years, the Remington V3 has forever changed the course of firearms history. Its unique, VersaPort gas system delivers flawless cycling and super-soft recoil like no other autoloader, foreign or domestic ever will. In the marshlands, uplands and everywhere dawn-to-dusk reliability matters, the lightweight, 3-inch-capable V3 adapts to every possible hunting or sporting application with supreme balance and pointability. For 2020, the **V3 Waterfowl Pro** adds Realtree® Timber, to its choices of Realtree Max-5, Mossy Oak® shadow Grass Blades. Featuring an oversized bolt handle and safety, and a widened loading port for improved loading ease. With Cerakote® coated receiver and barrel, HIVIZ® fiber-optic front sight and steel mid bead. Includes three extended black chokes. The new V3 Competition Tactical adds a green Cerekote® receiver, and fiber optic front sight to the V3's long list of performance and handling enhancements. The new V3 Tactical Rifle Sights comes with the same oversized bolt handle and fiber optic front sight as V3 Waterfowl Pro, in addition to an M-LOK® barrel clamp and 6+1 capacity. And the new V3 Tactical Bead Sights offers all of the above for those who prefer bead sights. The V3 Turkey Pro sports complete coverage in Realtree Timber camo, and features an adjustable LOP stock with SuperCell+ recoil pad; 21½" Rem choke barrel with TruGlo® Head Banger™ Choke tube. Picatinny rail and TruGlo optic are also included.



OVERSIZED

BOLT HANDLE

V3 TACTICAL ACCESSORIES

Choose from barrel clamps, barrels, tube extensions and more. Upgrade your Model 870 or V3 for any tactical application with Remington original parts. *Page 168*.

V3 WATERFOWL PRO FEATURES:

- VersaPort gas system for flawless, dependable cycling and super-soft recoil
- Reliably cycles all 2³/₄" and 3" 12-gauge loads
- Self-cleaning design promotes extreme reliability
- Perfectly balanced for effortless pointability
- Modernized oversized bolt handle
- Redesigned opened loading port
- Available in Mossy Oak Shadow Grass Blades and Realtree Max-5 + Realtree® Timber
- Cerakote® coated receiver and barrel
- HIVIZ fiber optic front sight and steel mid bead
- Sling included





FRONT SIGHT











SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
NEW V3 Waterfowl Pro RealTree Timber	83439	12/26"	Vent Rib	Synthetic
V3 Waterfowl Pro	83435	12/28"	Vent Rib	Synthetic
V3 Turkey Pro	83445	12/22"	Vent Rib	Synthetic
NEW V3 Competition Tactical	83440	12/22"	Vent Rib	Synthetic
NEW V3 Tactical Rifle Sights	83441	12/18"	Rifle Sights	Synthetic
NEW V3 Tactical Bead Sight	83442	12/18"	Vent Rib	Synthetic

V3 FIELD SPORT

BLACK SYNTHETIC





OUR LAND. OUR AUTOLOADER.

We're proud to say the finest autoloaders in the world aren't made in Italy, Belgium or Japan. They're built right here. With the addition of the lightweight, 3-inch-capable V3 to our lineup, every possible hunting or sporting application is now under the reign of our VersaPort gas system. The V3 incorporates the system's unfailing reliability and super-soft recoil into a sleek platform with the athletic handling and pointability that have made Remington autos an icon in the field. From light 2¾" target loads to the hardest-hitting 3" mags, it cycles them all with the same unrelenting consistency. Choose from durable synthetic stocked models in all black, and now, decked butt to bore in Mossy Oak® Blades or Obsession camo. For traditional good looks, the V3 is also available with American walnut woodwork and a rich satin finish. All models with synthetic stocks are compatible with an adjustable length-of-pull system to create a custom fit for any shooter. It's the next generation of the most enduring, most innovative legacy in autoloaders. Built in the land where the best shotgun wins.



- performance, made in America
- VersaPort gas system for flawless, dependable cycling and super-soft recoil
- Reliably cycles all 2¾" and 3" 12-gauge loads
- Self-cleaning design promotes extreme reliability
- Perfectly balanced for effortless pointability
- Decorated in Mossy Oak® Obsession NWTF
- Crisp target-style trigger
- The combination of any shell performance, light weight and lack of recoil make the V3 the most versatile autoloader you can buy









V3 ACCESSORIES

Choose from several new Mossy Oak camo patterns to give your V3 the ultimate in concealment. (Mossy Oak Break-Up Country shown). See page 164.



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
V3 Field Sport Walnut	83421 83420	12/26" 12/28"	Light Contour Vent Rib	Walnut
V3 Field Sport Camo Realtree® Timber	83409	12/26"	Light Contour Vent Rib	Synthetic
V3 Field Sport Black Synthetic	83401 83400	12/26" 12/28"	Light Contour Vent Rib	Synthetic
NEW V3 Field Sport MO Obsession	83418	12/26"	Light Contour Vent Rib	Synthetic
V3 Field Sport Compact	83402	12/22"	Light Contour Vent Rib	Synthetic



SHOOTING THE -REMINGTON-

MODEL V3 FIELD SPORT TURKEY PRO

- by Brian McCombie | Featured in American Rifleman

THE V3 TURKEY PRO is the latest model in Remington's successful V3 line of shotguns. It is an accurate shotgun, handles 2¾" and 3" shells, cycles and ejects those shells without any difficulties, and features very ergonomic controls.

To create the V3 line, Remington employed its VersaPort gas system, which regulates cycling pressure based on the length of the shell. Remington also did away with the recoil spring in the buttstock common to semi-automatics. Instead, Remington engineers added a pair of recoil springs located on guide rails along the lower inside receiver walls. The springs absorb recoil as the bolt comes back and, on the rebound, pop the bolt and a fresh round into battery. The combination creates one of the softer-recoiling 12-gauges I've ever used.

I used Birchwood-Casey's 12"x18" Turkey Splattering Targets to test out the V3 with the different loads at 25 yards, sitting and using a tripod for a rest. Aiming just below the tom's head, the Federal TSS loads consistently put 20 pellets into the head and neck vitals, the Hornady 12 pellets, and the Winchester loads 11 pellets.

At 40 yards, those same loads did the job very nicely. Again, the TSS load was the winner, with an average of 15 pellets in the head/neck kill zones, while Hornady and Winchester both had 10 pellets. With additional practice, I believe I can increase my pellet counts into the vital areas. The more I used the V3 Turkey Pro, the more I appreciated the thought that went into the controls.

Is it just me, or has anyone else tried to rack back the bolt of a shotgun with wet hands and had the curved bolt handle slip? Such mishaps shouldn't occur with the V3 Turkey Pro. The bolt handle is large and sticks out perpendicular to the receiver, allowing for a steady pull to the rear with excellent leverage. The handle also sports deep lines cut into it for a firm grip with gloves or wet hands.

I rate the trigger on the V3 Turkey Pro as "very serviceable." No, it's nothing like a precision rifle trigger. There is, for example, about ¼" of take up before the trigger begins to engage. Once engaged, the trigger pull is a bit stiff. Yet the trigger pull only measured a surprisingly light three pounds, six ounces, on average, as recorded by my Lyman Digital Trigger Pull Gauge. With a little practice, the trigger on the V3 works more than well enough to help you drop that big tom at 40 to 50 yards. Last, the V3 Turkey Pro comes with several drop and cast adjustment shims to tailor the gun's fit to the individual hunter.

The V3 Turkey Pro is also built in the U.S. at Remington's Ilion, N,Y., facility. For me, it's a plus knowing you can buy a quality hunting shotgun that isn't made overseas.



MODEL 11-87 SPORTSMAN

MODEL 11-87 SPORTSMAN

BLACK SYNTHETIC

COMPACT BLACK SYNTHETIC





No matter the season, the Model 11-87 Sportsman answers the call. Built to our legendary standards for autoloader performance, each features the unrivaled speed, reliability and smooth operation that have made this platform a standout for more than a quarter century. As timeless and versatile as the American sportsman, the Model 11-87 Sportsman Field offers classic looks that are complemented with an all-around versatility for clays, field and upland hunting. It comes with a handsome, satin-finish walnut stock and fore-end with cut fleur-de-lis checkering, and is available in 12- and 20-gauge versions, with 2¾" and 3" capability.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 195.


MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE ¹	STOCK Material
11-87 Sportsman Field Walnut w/ Fleur-De-Lis Checkering	83700 83704	12/28" 20/26"	Vent Rib Rem Choke Mod	American Walnut
11-87 Sportsman Black Synthetic	29879 29881 19827	12/28" 12/26" 20/26"	Vent Rib Rem Choke Mod	Synthetic
11-87 Sportsman Compact Black Synthetic	83626	20/21"	Vent Rib Rem Choke Mod	Synthetic

1 NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with



NITRO PHEASANT LOADS

One of the most potent pheasant loads on the market. Uses our Copper-Lokt shot for deep penetration and consistent patterns. See page 134.





MODEL 1100

THE ULTIMATE COMPETITIVE ADVANTAGE.

Chosen by millions across the nation for its exceptionally soft recoil and sleek pointing characteristics, the Model 1100 has been dominating the competitive scene for over 50 years. The Model 1100 Competition features an action optimized for 2¾" target and light field loads, a fully adjustable stock, plus a handsome nickel finish on the receiver and all internal parts for the smoothest, most reliable cycling possible.

MODEL 1100 COMPETITION FEATURES:

- Twin target-style bead sights
- Polished nickel finish on receiver
- Adjustable comb and cast adjustment options
- Includes full set of five Briley (Target) ProBore choke tubes: skeet, improved cylinder, light modified, modified and full
- Recoil-reducing stock



PREMIER NITRO SPORTING CLAYS

A long-time favorite of trap and skeet shooters thanks to their 1300 fps velocity, pattern uniformity and "reloader-friendly" design. Pair your Model 1100 with this for an extra competitive edge. See page 142.



More than 50 years since it was first introduced, the Remington Model 1100 has cemented its name as the most popular autoloader in history. And it is still the choice of countless competitive shooters nationwide – for its proven-reliable Model 1100 action, superior handling qualities and rich tradition. One of the most successful competitors ever, the Model 1100 Classic Trap provides serious shooters all of the time-tested features of the Model 1100 field guns, but optimized to handle 2¾" target and light field loads. Ivory front bead and steel mid-bead sights provide for ease of target acquisition and improved followups. And it features a B-grade, American walnut stock with handsome high-gloss finish and cut checkering. The Model 1100 Sporting Series shotguns are quick to impress and sweet to shoot. Gold triggers and a custom Premier Sporting hard case complete the package. If you haven't already, shoulder this and you'll soon see why the Model 1100 is America's favorite.

MODEL 1100 CLASSIC TRAP FEATURES:

- Twin bead target sights
- Polished blued receivers and barrels
- Semi-fancy American walnut Monte Carlo stock and fore-end
- High-gloss wood finish with cut checkering
- Gold-plated triggers



MODEL 1100 SPORTING

SPECS AT A GLANCE.


For a complete list of all model specifications, see page 193.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
1100 Competition Synthetic ⁵	82821	12/30"	Vent Rib Pro Bore	Synthetic
1100 Classic Trap	25333	12/30"	Lt. Contour Rib Rem Choke ²	Semi-Fancy Amer. Walnut
1100 Sporting 12	25315	12/28"	Lt. Contour Rib Rem Choke ³	Semi-Fancy Amer. Walnut
1100 Sporting 20 (LT)	25399	20/28"	Lt. Contour Rib Rem Choke ³	Semi-Fancy Amer. Walnut
1100 Sporting 28	29583	28/27"	Vent Rib Rem Choke ³	Semi-Fancy Amer. Walnut
1100 Sporting 410	29549	.410/27"	Vent Rib Rem Choke ³	Semi-Fancy Amer. Walnut

1 Model 1100 Sporting 410 shotguns have 3" chambers and will cycle 2½" and 3" shotshells. 2 These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). 3 NOTE: Model 1100 Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 4 Model 1100 Shotguns have 2¾" chambers, unless otherwise noted. 5 Model 1100 Competition Synthetic shotgun is supplied with Briley Pro Bore chokes (Skeet, Improved Cylinder, Light Modified, Modified and Full). It has approximately 14¼" Length of Pull and is not adjustable.

FULLY ADJUSTABLE STOCK





- Built on the world's strongest, smoothest, and most reliable pump shotgun platform
- Right-hand folding stock assembly designed specifically for shotgun ergonomics
- VERSA MAX soft-touch, adjustable cheek piece insert
- QD cup attachment points
- SuperCell+ recoil pad; works with adjustable LOP kit
- Extremely strong to exceed LE requirements
- Includes stock, pad, knuckle and fore-end
- Magpul M-LOK® compatible fore-end





Our 2020 lineup of tactical shotguns includes some of the most trusted and popular shotguns in the industry, each fine-tuned for your specific tactical application. The new Model 870 Tactical Side Folder adds side-stock versatility and enhanced ergonomics to the Model 870's legendary strength and dependability. Its right-hand folding stock instantly converts for shouldered or non-shouldered shooting, while the VERSA MAX softtouch adjustable cheek piece insert promotes perfect cheek weld. Includes SuperCell recoil pad and adjustable LOP kit. The VERSA MAX Competition Tactical adds a carbonfiber, two-shot extension and several other enhanced features to the VERSA MAX Tactical to meet the demands of avid 3-gunners. Built on the ever-reliable Model 870 platform, the Model 870 Express Tactical Magpul®, Model 870 Express Tactical 20-gauge, and Model 870 Express Tactical 6-Position, round out our lineup of tactical workhorses for 2020. With features like 181/2" barrel, 6 + 1 capacity and adjustable tactical stocks, they deliver the edge you can count on when you need it most.



SIDE FOLDER

CHEEK PIECE

WITH VERSA MAX ADJUSTABLE

M-LOK COMPATIBLE FORE-END



SPECS AT A GLANCE. For a complete list of all model specifications, see page 192.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Tactical Side Folder	81210 81223	12/18½" 20/18½"	Fixed Cylinder Choke	Black Synthetic
VERSA MAX Competition Tactical ¹	81029	12/22"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Tactical ¹	81059	12/22"	Vent Rib	Synthetic, w/ Over-Molded Grips
870 Express Tactical 6-Position Stock	81212	12/181/2"	Fixed Cylinder Choke	Synthetic
870 Express Tactical Magpul	81192	12/181/2"	Fixed Cylinder Choke	Synthetic
870 Express Tactical (w/ XS Ghost Ring Sights)	81198	12/181/2"	Rem Choke ¹	Synthetic

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Synthetic Tactical	25549	12/18½"	Fixed Cylinder Choke	Synthetic
870 Express Synthetic Tactical (7-Round Capacity)	25077 81100	12/18½" 20/18½"	Fixed Cylinder Choke	Synthetic
870 Express Hardwood Home Defense (7-Round Capacity)	25559	12/18½"	Fixed Cylinder Choke	Hardwood
870 Express Hardwood Home Defense	81197	12/181/2"	Fixed Cylinder Choke	Hardwood
870 Marine Magnum²	25012	12/18"	Fixed Cylinder Choke	Synthetic

¹ Supplied with Flush Mount ProBore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Will not accept certain law enforcement accessories.













SPECS AT A GLANCE.

adaptor for 870 Shockwave

13" barrel with fixed-cylinder choke and bead sight
Extended magazine

Technology grip

capacity (5+1)

• No NFA registration or fee required

Reliably cycles 1-oz target

loads or managed recoil loads, 2¾" light-field loads and 3" magnums

For a complete list of all model specifications, see page 193.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
V3 Tac-13	83392	12/13"	Cyl. Bore	Synthetic
870 Tac-14	81230 81145	12/14" 20/14"	Cyl. Bore	Synthetic
870 Tac-14 Marine Magnum	81312	12/14"	Cyl. Bore	Synthetic
870 Tac-14 Arm Brace	81240	12/14"	Cyl. Bore	Synthetic
870 Tac-14 Hardwood	81231	12/14"	Cyl. Bore	Hardwood
870 DM Tac-14	81348	12/14"	Cyl. Bore	Synthetic



TAC-13 / TAC-14

THE SHORTEST ALLOWABLE DISTANCE BETWEEN POWERLESS AND PREPARED.

The V3 Tac-13 delivers 12-gauge firepower with the recoil of a 20-gauge. Its ultrareliable, soft-shooting V3 gas system flawlessly cycles 2¾" light target, 3" magnums and any load in between. Shockwave Technologies Raptor® birds-head style grip provides positive handling, rock-solid recoil control and next-level shooter comfort. Its 13" barrel with fixed-cylinder choke provides optimum close-range patterning with buckshot, or for use with rifled slugs. The Model 870 Tac-14 pump-action delivers devastating, threat-stopping power in five tactical configurations. Our Model 870 Tac-14 Hardwood sports a hardwood grip and fore-end, while the Model 870 Tac-14 Arm Brace offers the sure handling of a Magpul® M-LOK® fore-end. The Model 870 Tac-14 Marine Magnum packs 4+1 rounds of 12-gauge in just 14 inches. Fully nickel-plated internals and externals deliver all-weather durability. For more manageable recoil, the Model 870 Tac-14 20 Gauge brings 20-gauge wallop courtesy of a Mesa Tactical® Lucy™ adaptor. And with its detachable magazine, the Model 870 Tac-14 DM allows for fast reloading via attachable magazine.



ACCESSORY RAIL



BIRDS-HEAD GRIP WITH QD CUP

MODEL 870

WORKHORSE WITH A HEART OF STEEL.




shotgun of all time.

TWIN ACTION BARS

the heart of its popularity, as evidenced by the more than

With symmetrical support on either side of its slide, the Model 870 delivers smooth, sure cycling in even the most adverse conditions. Whether in arctic cold, desert heat or jungle humidity, its twin action bars prevent binding and allow you to drive home the bolt with certainty every time you shuck the fore-end.





WAS INTRODUCED IN 1992.

AND TELEVISION SHOWS SINCE 1967

3" MODELS WERE INTRODUCED IN 1955 AND 3½" GUNS IN 1998.



MILLED FROM A **SINGLE 8.5-POUND**

INTRODUCED

THE SAME YEAR


AS COLOR TELEVISION FROM THE DEER WOODS TO THE TO THE BEAT, NO OTHER SHOTGUN **EVER MADE HAS PROVED AS VERSA-**TILE, DEPENDABLE, AND ENDURING AS REMINGTON'S 870-THE BEST-SELLING PUMP-ACTION SHOTGUN OF ALL TIME.

FIRST DOZEN 870S PRODUCED TO RECORD THE FIRST EVER 100 STRAIGHT IN TRAP DOUBLES WITH A PUMP GUN, AT THE

1950 GRAND NATIONAL.

MODEL 870 DM TACTICAL





- Proven 12-gauge 3" Model 870 shotguns platform fed by a factory detachable 6-round box magazine
- Magpul SGA stock and fore-end, SuperCell recoil pad
- 181/2" barrel with tactical Rem Choke
- XS Ghost Ring sights and tactical rail



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 193.

MODEL	ORDER NO.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
370 DM	81350	12/181/2"	Fixed Cylinder Choke	Synthetic
370 DM Magpul	81352	12/181/2"	Rem Choke	Synthetic
370 DM Predator	81354	12/181/2"	Rem Choke	Synthetic
370 DM Hardwood	81351	12/181/2"	Fixed Cylinder Choke	Hardwood
370 DM Tactical	81360	12/181/2"	Rem Choke	Synthetic
370 DM Tac-14	81348	12/14"	Cyl. Bore	Synthetic

STACK THE ODDS IN YOUR FAVOR.

Introducing the only magazine-fed shotgun built on the pedigree of the world's strongest, smoothest, and most reliable pump shotgun. Featuring a detachable magazine system and fire controls designed from the ground up available with 3- and 6-round mags. It's the fastest response time of any pump shotgun in history, and the ultimate choice for a home defense shotgun. The **Model 870 DM** features a bead sight, black synthetic stock, corn cob fore-end, and SuperCell™ recoil pad, while our Model 870 DM Magpul® sports a Magpul SGA stock and fore-end, 181/2" barrel with Rem Choke, and tactical rail with ghost ring sights. The Model 870 DM Predator's ShurShot® over-molded stock and corn cob foreend deliver exceptional handling and stability. Features a 12-gauge 181/2" Rem Choke barrel with 2 Trulock chokes, and comes with 3- and 6-round mags. The Model 870 DM Hardwood sports a tactical hardwood stock and fore-end. And the Model 870 DM Tactical brings 12-gauge authority courtesy of a Rem Choke barrel with ported tactical choke, corn cob tactical fore-end, pistol grip tactical stock, and XS* Ghost Ring sights with tactical rail.







MODEL 870 WINGMASTER

THE GREATEST OF ALL TIME.

It's the strongest, smoothest and most reliable pump shotgun ever conceived, and it's still ahead of its time 70 years since its introduction. With a receiver machined from a solid billet of steel, the Model 870's sleek, bulletproof design remains the standard by which all other pump guns are measured. The fore-end glides effortlessly on twin action bars for positive chambering and ejection. The gun mounts, swings and points like an extension of your body. Consider that this unmatched combination of form and function has been produced in dozens of versions for every pursuit, and it's no wonder that the Model 870 is the best-selling shotgun in history with more than 13 million made. The **Model 870 Wingmaster Claro** matches the beauty of high-polished metal, and high-gloss claro walnut stock and fore-end with the 12-gauge performance of our light contour 26" barrel that includes 3 chokes.



SPECS AT A GLANCE. For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BORE ¹ BBL LENGTH	BARREL TYPE	STOCK Material
Wingmaster	26927 26929	12/28" 12/26"	Light Contour Vent Rib Rem Choke ²	American Walnut
Wingmaster	26947 26949	20/28" 20/26"	Vent Rib Rem Choke ²	American Walnut
Wingmaster	24983	28 (2¾") 25"	Vent Rib Rem Choke ²	American Walnut

MODEL	ORDER No.	GAUGE/BORE ¹ BBL LENGTH	BARREL TYPE	STOCK Material
Wingmaster	24991	410 Bore (3") 25"	Vent Rib Fixed Modified	American Walnut
870 Classic Trap	24857	12/30"	Light Contour Vent Rib Rem Choke	American Walnut
Wingmaster Claro	82010	12/28"	Vent Rib Rem Choke ²	Claro Walnut

- 1 NOTE: All Model 870 Wingmaster shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes.
- 2 12-gauge Model 870 Wingmaster shotguns have 3" chambers, unless otherwise noted, and will cycle 2¾" and 3" shotshells. 410 bore will cycle both 2½" and 3" shotshells.

MODEL 870 WINGMASTER FEATURES:

- America's most trusted pump shotgun
- Twin-action bars for remarkable action and durability
- The smoothest pump-action shotgun on the market
- Superior balance, handling and looks
- Points, swings and functions better than anything else in its class
- A wide array of barrel and choke options make versatility a Wingmaster hallmark




AMERICAN CLAY & FIELD

A devastating combination of the best features of our worldchampion target loads and on-game performance that's equally effective on feathers and clay. See page 144.

THE LEGEND OF MR. 870

HOW ONE OF THE GREATEST
SHOTGUNNERS EVER POPULARIZED THE
GREATEST PUMP SHOTGUN EVER MADE.

If you were to draw a two-circle Venn diagram, with one circle representing the sport of trap shooting and the other circle representing the Model 870 pump shotgun, you likely would struggle to find many common elements. After all, most trap shooters' shotgun of choice is typically either an over-under or a semi-automatic. However, one man's name is sure to show up in the overlap: Fred R. "Rudy" Etchen, aka Mr. 870.



Etchen, the son of Trap Shooting Hall

of Famer Fred E. Etchen, started his competitive shotgunning career as a teenager in the 1930s. He would go on to win scores of trophies at competitions around the world in the decades that followed, and with a variety of guns. But it was in 1950 when Rudy earned the moniker by which he would come to be known. That year, he took one of the first dozen 870s ever produced to the Grand American Trap Championships and became the first person ever to break a registered 100 straight in trap doubles with a pump gun. As if that feat were not remarkable enough on its own, 32 years later – and with that same 870 – he registered another 100 straight in doubles at the 1982 Louisiana State Shoot.



SUPER MAG

AN AMERICAN ICON, TURNED LONG-RANGE SPECIALIST.

The Model 870 SPS Super Magnum. The most popular slide-action of all time, engineered to deliver long-range payloads to turkeys and deer with deadly precision. It's an all-American icon of reliability taken to the next level of application-specific innovation. The Model 870 SPS Super Magnum Turkey Predator combines full camo concealment and super-magnum range. The ShurShot pistol grip stock with overmolds enables ambidextrous handling and pointability. The 20-inch barrel is topped with a TRUGLO® red/green selectable illuminated sight on a Weaver rail, making it a truly specialized turkey hunting platform. Plus, it handles 24-, 3- and 31/2-inch 12-gauge loads. A black padded sling and a Wingmaster HD Turkey/Predator Rem Choke are included. The 12-gauge Model 870 SPS ShurShot Synthetic Super Slug sets a new standard for deer-pounding accuracy. The one-inch-diameter, 25½-inch-long barrel is pinned to the receiver to control harmonics and shot-to-shot variation. Longitudinal flutes minimize weight and heat buildup while enhancing barrel rigidity. Parabolic Ultragon rifling grooves with 1-in-35-inch twist optimize slug flight. The ambidextrous ShurShot pistol-grip synthetic stock with rubberized overmoldings promotes superior pointability and buttstock includes a SuperCell recoil pad. The receiver is drilled and tapped, and a Weaver® rail and sling swivel studs are included.

NITRO TURKEY

Bird-hammering performance at an outstanding value. See page 133.

SuperCell®





SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 SPS Super Mag Turkey/ Predator w/Scope w/ Overmolded Grips	81062	12 (3½") 20"	Clean Barrel Bead Sight Rem Choke	Synthetic
870 SPS Super Slug	82101	12 (3") 25½"	Fully Rifled Extra Heavy (Fluted)	Synthetic

MODEL 870 SPS

3" chambers handle 2¾" shells and 3½" chambers handle 3" shells.

PREDATOR FEATURES:


- Handles 12-gauge, 2¾", 3" and 3½" shells
- 20" barrel Turkey/Predator Extended Rem Choke included
- ShurShot pistol grip stock
- TRUGLO® 30mm Red/Green Dot Scope (Model TG8030DB) pre-mounted
- Full Mossy Oak® Obsession camo coverage
- 3½ lb. "competition" style spring on trigger assembly
- Sling included

PATTERNING MADE EASY

Because turkey hunting is a one-shot proposition, the patterning of your shotgun is the most important deciding factor of a successful hunt. The process begins on the bench with a rock-solid rest. Starting at 15 yards with three lowbrass game loads, check your point of impact. Next, adjust your sights to leave maximum shot coverage on the turkey's head and spine when aiming at its neck. Depending on your shotgun and choke combination, ammunition payload, velocity and shot-size will pattern on target with different densities. That is why it's critical to work through every variable until you find the shotgun's sweet spot. After sighting in, start at 20 yards and systematically move back in 5- to 10-yard increments, firing one shot from each test load into a clean target to evaluate pattern coverage. A good rule to establishing effective



range is 20-25 holes in the vital head and neck area. While dense patterns at 50 and even 60 yards are possible, it takes roughly 2.5 ft-lb of energy for shot to penetrate a turkey's spine and head. Trust Remington turkey loads for maximum knockdown power and pattern density at every range.







Honored partners with Delta Waterfowl Foundation, working to secure the future of waterfowl hunting across North America. For more, visit Deltawaterfowl.org.



Remington is proud to support Ducks Unlimited, the world leader in wetlands conservation. To learn more, visit ducks.org.

100% ALL-AMERICAN MUSCLE.

No imported parts. No aluminum. Just 100% pure American strength and capability. And with 12 million unleashed into the woods, fields and flyways since 1951, the Model 870's reign as this nation's favorite shotgun continues uncontested. The reason is simple – it remains the most advanced, smoothest shooting pump shotgun on the planet. Shot after shot, the pump slides seamlessly on twin action bars for positive chambering and ejection. And the receiver is machined from solid steel, for unrivaled strength and reliability.



SPECS AT A GLANCE. For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/ BBL LENGTH	BARREL TYPE	STOCK Material
870 Express Super Mag Waterfowl Camo¹	81074	12 (31/2")/28"	Vent Rib Rem Choke ⁸	Synthetic
870 Express	25568 25569	12/28" 12/26"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Magnum w/ShurShot	81114	12/21"	Vent Rib Rem Choke (Turkey Extra Full)	Synthetic
870 Express	25583 25582 25601	20/28" 20/26" 410/25"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Lam. Compact ⁴	25561	20/21"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Synthetic	25587 25589	12/28" 12/26"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Turkey Camo	81115	12/21"	Vent Rib Rem Choke (Turkey Extra Full)	Synthetic
870 Express Compact ¹	81148	20/21"	Vent Rib Rem Choke (Mod)	Synthetic

	ORDER	GAUGE/		STOCK
MODEL	NO.	BBL LENGTH	BARREL TYPE	MATERIAL
870 Express Super Mag Realtree Max ^s	81113	12/28"	Vent Rib Rem Choke	Synthetic
870 Express Compact Jr. ¹	81161	20/18¾"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Compact Pink Blaze Camo ¹	81150	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Left Hand	25577	12/28"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Super Mag Turkey/Waterfowl Camo	81125	12 (3½")/26"	Vent Rib Rem Choke ^{7,8}	Synthetic
870 Express Super Mag	25100	12 (3½")/28"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Super Mag Synthetic	25103 25102	12/28" 12/26"	Vent Rib Rem Choke (Mod)	Synthetic
870 Exoress RC MD VT MOSGB	81074	12/30"	Vent Rib Rem Choke	Synthetic
NEW 870 Express Trap	81063	12/30"	Vent Rib Rem Choke (Mod)	Black

¹ Includes new adjustable LOP kit for up to 1" of extra adjustment. 4 Model 870 Express Super Magnum shotguns have 3½" chambers and will cycle 2¾", 3" and 3½" shotshells. 7 Turkey Extra Full Rem Choke tube. 8 Supplied with Rem Choke "Over-Decoys" choke tube.



MODEL 870 EXPRESS

DEER, WATERFOWL, UPLAND, ALL OF THE ABOVE.

The world's strongest, smoothest, most reliable pump shotgun is also the most versatile. Our fully rifled slug gun offerings deliver the rifle-like performance American deer hunters have depended on for decades. And supplied with either 26", 28", or 21" Youth Rem Choke vent-rib smoothbore field barrels, Remington Combo guns provide all the value a shotgun hunter needs. Smoothbore, rifled, or both, it's the all-around hunter, ready for any season whenever you are.



PREMIER EXPANDER

Delivering 2¾" and 3" of magnumcaliber terminal performance plus AccuTip level accuracy, Premier Expander is the hardest-hitting, most deadly accurate slug load to hit the whitetail woods this season. See page 138.





- 12-gauge fully rifled, heavycontour barrel
- All-weather stock and fore-end
- Ultra-strong Model 870 steel receiver
- Twin-action bars deliver smooth, sure cycling



SPECS AT A GLANCE. For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Synthetic Fully Rifled Deer	25097	12/20"	Fully Rifled	Monte Carlo Synthetic
870 Express Deer	25565	12/20"	Fixed Imp. Cyl. Choke	Monte Carlo Laminate
870 Express Fully Rifled Deer	25575	12/20"	Fully Rifled	Monte Carlo Laminate
870 Express Synthetic Fully Rifled Cantilever	2509	12/23"	Fully Rifled Heavy Contour Fully Rifled	Monte Carlo Synthetic
870 Express Super Mag Extra Barrel Combo	25114 -	12/26" 12/20"	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Hardwood
870 Express Combo ²	25578	12/26" (Vent Rib) 12/20" (Fully Rifled Deer)	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Hardwood
870 Express Combo ²	25597	20/26" (Vent Rib) 20/20" (Fully Rifled Deer)	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Hardwood

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Synthetic Compact Combo ²	25659	20/21"(Vent Rib) 20/20" (Fully Rifled)	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Synthetic
870 Express Synthetic Field and Home Combo ²	81280	12/23" (Fully Rifled) 12/28" (Vent Rib)	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Synthetic
870 Express Field and Home Combo ²	81291	12/26"(Vent Rib) 12/18½" (Vent Rib)	Vent Rib Rem Choke (Mod) Fixed Cyl. Choke	Synthetic
870 Express Field and Home Combo ²	81293	12/28"(Vent Rib) 12/18½" (Vent Rib)	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Flat
NEW 870 Super Mag Pump Action	81113	12-31/2/28"	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Camo

2 Supplied with sling swivel studs. 6 Combo Deer barrel has 3" chamber.



THE INDUSTRY'S FINEST SELECTION OF COMPACT SHOTGUNS AND RIFLES.

Remington is committed to the future of hunting and shooting. And because young shooters are more apt to continue with the shooting sports if they start with a gun that fits them properly, we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. All synthetic compact firearms feature our adjustable length-of-pull kit. This kit grows with youngsters, and also helps smallerframed adults tailor their firearm to their specific builds. These guns feature the world's most effective recoil pad, the SuperCell. It's standard equipment on all Compact firearms to ensure maximum shooting comfort.

SHOTGUNS



V3 FIELD SPORT COMPACT CAMO **REALTREE EDGE FEATURES:**

- Matte black finish
- Includes 1" shorter LOP stock with adjustment shims
- 21½" Rem Choke barrel
- Ivory front bead, steel mid bead
- SuperCell recoil pad
- Comes with cast and drop adjustment shims







SPECS AT A GLANCE. For a complete list of all model specifications, see pages 194-195.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
V3 Field Sport Compact	83402	12/22"	Light Contour Vent Rib	Synthetic
870 Express Compact 1	81148	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Compact Jr.1	81161	20/18¾"	Vent Rib Rem Choke (Mod)	Synthetic
11-87 Sportsman Compact Synthetic ²	83626	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
11-87 Sportsman Compact Camo ²	83630	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
NEW 870 Express Compact Camo RealTree Edge	81167	20/21"	Vent Rib Rem Choke (Mod)	Synthetic

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 783	85852	243 Win	20"	Synthetic
	85853	308 Win	20"	Synthetic
Model 700 SPS	27475	243 Win	20"	Synthetic
	27391	7mm-08 Remington	20"	Synthetic
Model 700 ADL	27092	243 Win	20"	Synthetic
Model Seven	85915	243 Win	18"	Synthetic
	85916	7mm-08 Remington	18"	Synthetic


1 Includes new adjustable LOP kit for up to 1° of extra adjustment. 2 NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.

ADJUSTABLE

OF PULL KITS Included with all Remington compact firearms, kits come with spacers for up to one inch of LOP adjustment, and a SuperCell recoil pad.

LENGTH

See page 174.




MODEL 700 & MODEL SEVEN

CENTERFIRE SUPERIORITY AVAILABLE IN FULL-SIZE AND COMPACT

or 58 years and counting, the benchmark in boltaction reliability, strength, and out-of-the-box accuracy has been the Remington **Model 700**. With more than 5,000,000 sold to-date, no other rifle has been so consistently relied upon to defend our freedoms, protect our communities, and fill our game tags.

That same pedigree of consistency and dependability is also available in a more nimble configuration, the **Model Seven.**Shorter and lighter than the 700, its receiver is based on that of its big brother. And with chamberings up to 300 WSM, it's the ideal choice for tight-quarters handling when sacrificing firepower simply is not an option.



EXTERNALLY ADJUSTABLE TRIGGER

It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro externally adjustable trigger delivers true custom-grade performance in a production trigger and is user-adjustable with readily available tools. Not that you'll feel the need. It comes from the factory user adjustable from 3.5 to 5 lbs. While others use gadgets and add-ons to hide inconsistencies, Remington eliminates them with state-of-the-art manufacturing techniques and the tightest possible production tolerances.

HAMMER-FORGED BARRELS

All Model 700 and Model Seven rifles feature cold hammer-forged barrels. The method of hammer forging produces stronger barrels than any other barrel-making process. It also ensures excellent barrel-to-barrel consistency. All Model 700 and Model Seven barrels have exacting bore and rifling dimensions, as well as a carefully tuned exterior contour.

SUPERCELL RECOIL PAD

The product of more than 10 years of R&D, the SuperCell Recoil Pad found on Model 700 and Model Seven rifles is proven to reduce felt recoil by an astounding 54 percent over standard factory pads. It's one more way we help you focus on your target and eliminate distractions that can rob you of accuracy.

emington's "three rings of steel" envelop the case head in a recessed bolt face, inside the barrel shank, inside the receiver. It's a strong design, widely copied. With Remington's hammer-forged-barrels, it's also a proven path to one-hole groups. During the Model 700's first decades, the trigger could be adjusted for weight of pull (lower front screw).

The rifle's moon-shaped beryllium extractor is stronger than it looks, and unlike the Mauser claw, requires no cut in the receiver or barrel. Remington's clip has won in shear tests against side-mounted hooks and contacts more of the case rim. In 40 years, I've never had a Model 700 extractor fail.

I'm pretty sure I shot the first elk taken with the .300 Short Action Mag. in Idaho's Frank Church Wilderness, after descending into a cliff-rimmed canyon. I crept close to a herd. But the bull had vanished! Then a twig broke above me. Out of position as antlers appeared, I hurried the shot – and muffed it. Charitably, the bull held as I cycled the bolt and sent a bullet true. That short .300 is still one of my favorite big-game rounds.

THE SWEETHEART WITH BY WAYNE 3 RINGS OF STEEL

- Recessed bolt face completely encloses cartridge head for maximum protection against case rupture.
- 2 Barrel surrounds bolt shroud for additional strength.
- 3 Barrel threaded into receiver machined from hardened steel.











- Remington chassis with magazine cut out and dovetail for tripod mounting
- Handguard with M-LOK® attachment and two Picatinny rails
- 24" Barrel with 5R Rifling and LTR flutes
- Threaded muzzle with protector
- Chassis frame and hand-guard Cerakoted tungsten
- Barreled action with black Cerakote® for extra protection
- Adjustable MDT Skeleton carbine stock
- 10-round Magpul detachable magazine
- New oversized bolt knob
- X Mark Pro externally adjustable trigger

SUB-MOA ACCURACY CONFIRMED BY 'CATS' MEASUREMENT.

Every Model 700 PCR is shipped with a printout confirming its sub-MOA accuracy using our Computer Aided Targeting System (CATS), the same system utilized on Remington PSR Rifles for the U.S. Military.







5R BARREL ENHANCEMENT

Specially designed for superior gas seal and reduced bullet deformation, for improved accuracy.

SYSTEMATICALLY ELEVATING THE WORLD STANDARD FOR ACCURACY.

MODEL 700 PCR ENHANCED

More than a rifle, a fully optimized system that'll stretch your effective range and shrink your groups like no other production rifle in the world today. New for 2020, the Model 700 PCR Enhanced adds even more advanced accuracy features to the Model 700 PCR, including our Remington chassis frame, handguard and barreled action - now Cerakoted in black for added all-weather protection, 10-round detachable Magpul magazine and an adjustable MDT Skeleton carbine stock. Both rifles feature M-LOK attachment and pair the strongest action ever conceived - our legendary Model 700 - with an exclusive aircraft-grade aluminum alloy chassis of unmatched rigidity and atmospheric immunity to create the most stable and consistent platform possible for launching long-distance strikes on game. It's a potent combination made even more effective with a 24" barrel with 5R rifling and sub-MOA accuracy confirmed using our advanced CATS (Computer Aided Targeting System) before they ship to you. Available in three popular long-range chamberings including 6mm Creedmoor, 6.5 Creedmoor, and 308 Win.


SPECS AT A GLANCE.

(PRECISION CHASSIS RIFLE)

For a complete list of all model specifications, see page 195.

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
700 PCR	84597	308 Win	24"	Polymer
	84598	6mm Creedmoor	24"	Polymer
	84599	6.5 Creedmoor	24"	Polymer
700 PCR Enhanced	84578	6mm Creedmoor	24"	Polymer
	84579	6.5 Creedmoor	24"	Polymer
	84580	308 Win	24"	Polymer

NEW





MODEL 700 TACTICAL

THE NEXT GENERATION OF TACTICAL PRECISION.

Remington engineers are taking the strength and precision of the Model 700 action to new levels of hair-splitting accuracy with the latest additions to our tactical lineup. Introducing the Remington Model 700 Magpul® Enhanced. Its Magpul Hunter stock with Magpul M-LOK® mount and folding bipod serve as a rock-solid base for your best long-range performance yet. Its 20" heavy barrel with 5R rifling, delivers added stability and precision, and comes with a threaded muzzle and protector for ease in adding a suppressor. The Model 700 SPS Tactical Coyote sports a nails-tough Coyote Tan Cerakote® finish and also comes with a threaded muzzle. And the Model 700 Long Range Stainless, Model 700 Stainless 5R, Model 700 Stainless 5R Threaded, and Model 700 Stainless 5R Threaded Gen 2 deliver the superior accuracy of Remington's exclusive 5R rifling in a variety of stocks and threaded and non-threaded configurations to choose from.





- Suppressor-ready threaded muzzle and protector
- Barreled action is Cerekote® coated black for protection against the elements
- Adjustable mag Magpul® Hunter stock decked in Flat Dark Earth
- 10-round Magpul magazine (5-round on 300 Win Mag)
- M-LOK® bi-pod mount and folding bipod
- X-Mark Pro externally adjustable trigger
- Available in 300 Win Mag, 308 Win, 6.5 Creedmoor and 6mm Creedmoor

XMARK



MODEL 700 STAINLESS 5R THREADED GEN 2

MODEL 700 STAINLESS 5R


Non-threaded models also available

THREADED

SPECS AT A GLANCE.

For a complete list of all model specifications, see pages 195.

MODEL		ORDER NO.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 Magpul Enhanced		84303	6mm Creedmoor	20"	Polymer
		84302	6.5 Creedmoor	20"	Polymer
		84301	308 Win	20"	Polymer
		84304	300 Win Mag	24"	Polymer
Model 700 Long Range Stainless	NEW	85626	6.5 Creedmoor	26"	Bell & Carlson M40 Stoc
		85611	7mm Remington Magnum	26"	Bell & Carlson M40 Stoc
		85624	300 Win Mag	26"	Bell & Carlson M40 Stock
		85625	300 Remington Ultra Magnum	26"	Bell & Carlson M40 Stoc
Model 700 SPS Tactical Coyote		85551	6.5 Creedmoor	22"	Hogue Overmold
Model 700 Stainless 5R		85504	223 Remington	24"	H-S Precision
		29663	308 Win	24"	H-S Precision
		85505	300 Win Mag	26"	H-S Precision
Model 700 Stainless 5R Threaded		85507	223 Remington	20"	H-S Precision
		85200	308 Win	20"	H-S Precision
		85508	300 Win Mag	24"	H-S Precision
Model 700 Stainless 5R Threaded Gen 2		85198	6.5 Creedmoor	24"	H-S Precision
		85196	308 Win	20"	H-S Precision
		85201	308 Win	24"	H-S Precision
		85197	300 Win Mag	24"	H-S Precision



50

5R BARREL ENHANCEMENT

Specially designed

and reduced bullet

deformation, for improved accuracy.

for superior gas seal

MODEL 700 XCR

TACTICAL LONG RANGE



MODEL 700 TACTICAL

Remington rifles built on the Model 700 action continue to make their mark at the front lines of combat and the firing lines of local shooting ranges. The accuracy enhanced bedding block. It's designed to fit any shooter thanks to an adjustable length-of-pull kit and three comb-height inserts. The free-floated, 22" threaded, carbon steel barrel has a 700 Tactical Chassis, equipped with an MDT* TAC21 Chassis System is ergonomic and rifle. The Model 700 XCR Compact Tactical is its short-action counterpart with a 20-inch



BUILDING UPON A TACTICAL LEGACY.

features of the Model 700 Magpul add significantly to that reputation of tactical superiority. Its Magpul Hunter Stock is made of reinforced polymer and features an anodized aluminum Cerakote® finish, and 5R rifling means reduced fouling and improved accuracy. The **Model** highly customizable. Featuring a Cerakote-coated stainless steel barreled action and a Bell and Carlson® stock, the Model 700 XCR Tactical Long Range is a durable extended-range barrel. The Model 700 SPS Tactical offers tack-driving precision in a fast-handling package, threaded models accept AAC flash hiders, muzzle brakes and silencers.





- Magpul[®] Hunter stock
- Adjustable length-of-pull (13-15")
- Three comb-height inserts
- 5-round detachable Magpul magazine
- Carbon steel barreled action with Cerakote® finish
- X-Mark Pro externally adjustable trigger
- 22" free-floated barrel with 5R rifling
- Threaded muzzle with thread protector

ACCEPTS AAC® SILENCERS

Silencers are legal to own in 42 states according to the ASA.







SPECS AT A GLANCE. For a complete list of all model specifications, see pages 196.

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 Magpul	84295	6.5 Creedmoor	22"	Synthetic
	84293	308 Win	22"	Synthetic
	84286	300 Win Mag	24"	Synthetic
Model 700 Tactical Chassis	84474	308 Win	24"	Aluminum
	84475	300 Win Mag	24"	Aluminum
	84477	338 Lapua Mag	26"	Aluminum
Model 700 XCR Tactical Long Range	84461	308 Win	26"	Bell & Carlson Aramid Fiber Reinf.
	84462	300 Win Mag	26"	Bell & Carlson Aramid Fiber Reinf.
	84463	338 Lapua Mag	26"	Bell & Carlson Aramid Fiber Reinf.

	ORDER		BARREL		
MODEL	NO.	CALIBER	LENGTH	STOCK MATERIAL	
Model 700 XCR Compact Tactical	84467	308 Win	20"	H.S. Precision Aramid Fiber Reinf.	
Model 700 SPS Tactical	84474	223 Remington	20"	Hogue Overmolded	
	84207	308 Win	20"	Hogue Overmolded	
Model 700 SPS Tactical AAC-SD	85549	223 Remington	16½"	Hogue Overmolded	
	84204	6.5 Creedmoor	22"	Hogue Overmolded	
	84205	300 AAC Blackout	161/2"	Hogue Overmolded	
	85538	308 Win	161/2"	Hogue Overmolded	
	84203	308 Win	20"	Hogue Overmolded	
Model 700 SPS Threaded	84159	308 Win	20"	Synthetic	
	84161	30-06 SPRG	20"	Synthetic	

EXTERNALLY ADJUSTABLE

SUPERCELL RECOIL PAD

HAMMER-FORGED **BARRELS**

TRIGGER

By Adam Heggenstaller | Featured in American Hunter

pend enough time carrying rifles around the woods, and you'll come to form a notion of what the ideal hunting rifle should be, even though it may exist only in your mind. The Remington Model 700 American Hunter represents such desires based on nearly 140 years of cumulative hunting experience among this magazine's staff. It's more than just a tangible compilation of our tastes in rifles, however. It's a rifle built for hunters, by hunters.

We partnered with Remington and based the rifle on the Model 700 because arguably it's the most popular bolt-action hunting rifle in the United States, perhaps the world, and because it's been serving hunters admirably since 1962. American hunters know it, trust it, love it.

Remington recently invested in new machinery and processes that allow the company to make Model 700 parts with more precision, holding tolerances that approach those of custom rifles. The American Hunter rifle benefits from this improved manufacturing system.

For example, the receiver's face, lug recesses and threads that accept the barrel are all held to custom-level tolerances. To build on that precision, additional machining trues and smooths the rear faces of the bolt's twin locking lugs to ensure an exact fit with their recesses in the receiver.

The cold-hammer-forged barrel has 5R rifling, which places grooves opposite lands around the bore, instead of lands opposing each other. The design lessens bullet deformation as the projectile travels through the bore, promoting accuracy and decreasing fouling. Remington employs a set of processes similar to those used for the U.S. Army's A424 when machining the American Hunter rifle's barrel. The result, in terms hunters who are not engineers can understand, is a bore that's centered in the barrel and aligned with the center of the receiver. Precise alignment of the bore and receiver is optimum since a scope centers over the receiver.

How well a rifle handles is just as important to hunters as how well it shoots. The American Hunter rifle's 20-inch fluted barrel makes it quick and handy, but the heavier contour prevents the gun from becoming 'hippy.' Add a suppressor to the threaded muzzle, and the barrel length makes even more sense.

The 20-inch barrel is also a good match for the rifle's 6.5 Creedmoor chambering. The 6.5 Creedmoor is a supremely efficient cartridge, and a barrel that's a bit shorter than the standard 22-24 inches does not adversely affect muzzle velocity. With three factory hunting loads, muzzle velocities from the American Hunter rifle averaged just 65 fps slower than from 22-inch-barreled rifles. This minimal loss in velocity is a non-issue at typical hunting ranges and even out to as far as 500 yards.


The rifle's Bell and Carlson stock — constructed by the hand lay-up process from a composite that includes fiberglass, aramid fiber and graphite — plays a role in handling as well as accuracy. It helps keep the weight of the rifle less than 7 pounds, and the open curve of its grip makes the rifle responsive for quick offhand shooting.



A Pachmayr Decelerator recoil pad reduces the mild recoil of the 6.5 Creedmoor to a level most hunters can tolerate over hours of practice.

The stock's aluminum bedding block presents a stable and consistent interface for the barreled action. Being a composite, the stock is weatherproof and not as susceptible to dents and scrapes as wood and polymer. And there's no need to worry about rain or snow harming the barreled action: It's finished in matte-black Cerakote. This is a rifle that will hunt over all types of terrain no matter the elements.

The Remington Model 700 American Hunter is a rifle we're proud to present to our readers. We think you'll be proud to hunt with it, too.





THREE RINGS OF STEEL

Enveloping the case head in a recessed bolt face, inside the barrel shank, inside the receiver for legendary receiver strength.

The Remington Model 700 is an icon in every way. Its accuracy and dependability remain the standard more than half a century since it was unveiled. That superior performance is represented in the diverse lineup you see here. A joint effort of the whitetail fanatics at American Hunter and Remington engineers, the new Model 700 American Hunter Limited Edition is built for both long-range precision and thick-woods agility. Combining a blueprinted Model 700 barreled action, Bell & Carlson stock, and host of custom-grade features, it's the ultimate rig for the avid deer hunter. The Model 700 AWR (American Wilderness Rifle) meets extreme weather head-on with extreme precision. A nail-tough Cerakote® finish applied to its stainless steel components provides the ultimate in corrosion resistance. A favorite of the high country, the Model 700 Mountain Rifle SS combines a sleek 22-inch Mountain Contour barrel and a Bell and Carlson® aramid-fiber-reinforced stock for an overall weight of just 61/2 pounds. The ever-popular Model 700 CDL SF showcases a blend of traditional looks with the added performance of a 24" fluted barrel and stainless steel finish. The Model 700 CDL is available in either a high-polish blued finish or our satin finish. More than 50 years old and stronger than ever, the Model 700 BDL is an all-time bestseller. All cataloged models feature our X-Mark Pro externally adjustable trigger.



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 196-197.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 700 AWR	84550	270 Win	24"	Grayboe Fiber & Epoxy
	84552	7mm Remington Magnum	24"	Grayboe Fiber & Epoxy
	84551	30-06 SPRG	24"	Grayboe Fiber & Epoxy
	84555	300 Win Mag	24"	Grayboe Fiber & Epoxy
	84557	300 Remington Magnum	26"	Grayboe Fiber & Epoxy
	84556	338 Win Mag	24"	Grayboe Fiber & Epoxy
	84558	338 Remington Ultra Magnum	26"	Grayboe Fiber & Epoxy
Model 700 BDL	25787	243 Win	22"	American Walnut
	25791	270 Win	22"	American Walnut
	25803	7mm Remington Magnum	24"	American Walnut
	25793	30-06 SPRG	22"	American Walnut
Model 700 CDL	27007	243 Win	24"	American Walnut
	27011	270 Win	24"	American Walnut
	27015	7mm-08 Remington	24"	American Walnut
	27047	7mm Remington Magnum	26"	American Walnut
	27017	30-06 SPRG	24"	American Walnut
	27049	300 Win Mag	26"	American Walnut
Model 700 CDL SF Limited Edition	84036	25-06 Remington	24"	American Walnut
Model 700 CDL SF	84014	270 Win	24"	American Walnut
	84013	270 WSM	24"	American Walnut
	84012	7mm-08 Remington	24"	American Walnut
	84016	7mm Remington Magnum	26"	American Walnut

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
NEW	84038	300 Savage	20"	American Walnut
	84015	30-06 SPRG	24"	American Walnut
	84017	300 WSM	24"	American Walnut
Model 700 NEW American Hunter	84049	6.5 Creedmoor	20"	Bell & Carlson Stock
Model 700 Long Range	84162	25-06 Remington	26"	Bell & Carlson M40 Stoc
	84163	7mm Remington Magnum	26"	Bell & Carlson M40 Stoc
	84166	30-06 SPRG	26"	Bell & Carlson M40 Stoc
	84164	300 Win Mag	26"	Bell & Carlson M40 Stoc
	84165	300 Remington Ultra Magnum	26"	Bell & Carlson M40 Stoo
Model 700 Mountain SS	84272	25-06 Remington	22"	Bell & Carlson Aramid Fib
	84273	270 Win	22"	Bell & Carlson Aramid Fib
	84274	280 Remington	22"	Bell & Carlson Aramid Fib
	84276	7mm-08 Remington	22"	Bell & Carlson Aramid Fib
	84275	30-06 SPRG	22"	Bell & Carlson Aramid Fib
	84277	308 Win	22"	Bell & Carlson Aramid Fibe
NEW	85513	6.5 Creedmoor	22"	Bell & Carlson Synthetic Stock

^{*}Compact and Left-Hand Models also available



MODEL 700 BIG GAME HUNTING RIFLES

WORLD'S MOST UNCONQUERABLE. INFINITELY CONFIGURABLE.

The world's strongest, most accurate bolt-action rifle is adaptable for every application and pursuit. Available with a host of industry-leading features in several SPS and ADL offerings, and a long list of chamberings, there's a Model 700 configuration to match any hunting or shooting purpose and budget. Choose from the sleek, all-weather durability of the Model 700 SPS Stainless, the concealment of the Model 700 SPS Camo, the straightforward styling and reliability of our Model 700 ADL in black oxide, traditional deep blued, or the Model 700 ADL SS in stainless steel.



HTP COPPER


Remington

All copper, pure devastation. Its four cutting petals deliver enormous terminal performance, and near 100% weight retention, every time. See page 110.



MODEL 700 SPS FEATURES:

- Ergonomically designed synthetic stock
- Hinged floorplate
- Short- and long-action caliber offerings feature a 24" clean barrel – Magnum and Ultra Mag offerings feature a 26" barrel
- X-Mark Pro externally adjustable trigger



- scope bases and rings
- SuperCell recoil pad reduces felt recoil by up to 54%



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 196-197.

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 ADL	84601	22-250 Remington	24"	Synthetic
	84600	223 Remington	24"	Synthetic
	27092	243 Win	20"	Synthetic
	27093	243 Win	24"	Synthetic
	85447	6.5 Creedmoor	24"	Synthetic
	27094	270 Win	24"	Synthetic
	27097	7mm Remington Magnum	26"	Synthetic
	85407	308 Win	24"	Synthetic
	27095	30-06 SPRG	24"	Synthetic
	27099	300 Win Mag	26"	Synthetic
Model 700 ADL SS	85486	243 Win	24"	Synthetic
	85488	270 Win	24"	Synthetic
	85490	308 Win	24"	Synthetic
	85491	30-06 SPRG	24"	Synthetic
Model 700 SPS*	27351	223 Remington	24"	Synthetic
	27355	243 Win	24"	Synthetic
	84148	6.5 Creedmoor	24"	Synthetic
	84149	260 Remington	24"	Synthetic
	27361	270 Win	24"	Synthetic
	27331	270 WSM	24"	Synthetic
	27357	7mm-08 Remington	24"	Synthetic
	27385	7mm Remington Magnum	26"	Synthetic

*Compact	and	Left-Hand	Models	also	available

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
	27363	30-06 SPRG	24"	Synthetic
	27333	300 WSM	24"	Synthetic
	27387	300 Win Mag	26"	Synthetic
	27359	308 Win	24"	Synthetic
	27389	300 Remington Ultra Magnum	26"	Synthetic
Model 700 SPS Camo	84185	270 Win	22"	Synthetic w/Overmold
	84186	30-06 SPRG	22"	Synthetic w/Overmold
	84187	7mm Remington Magnum	24"	Synthetic w/Overmold
	84188	300 Win Mag	24"	Synthetic w/Overmold
Model 700 SPS Stainless	27135	22-250 Remington	24"	Synthetic w/Overmold
	27263	243 Win	24"	Synthetic w/Overmold
	27251	25-06 Remington	24"	Synthetic w/Overmold
	27267	270 Win	24"	Synthetic w/Overmold
	27253	270 WSM	24"	Synthetic w/Overmold
	27265	7mm-08 Remington	24"	Synthetic w/Overmold
	27271	7mm Remington Magnum	26"	Synthetic w/Overmold
	27269	30-06 SPRG	24"	Synthetic w/Overmold
	27255	300 WSM	24"	Synthetic w/Overmold
	27273	300 Win Mag	26"	Synthetic w/Overmold
	27136	308 Win	24"	Synthetic w/Overmold
	27140	300 Remington Ultra Magnum	26"	Synthetic w/Overmold

MODEL 700 VTR SS



BECOME A LEGEND IN YOUR OWN RIGHT.

Three-shot groups that drop jaws. Long-range shots that split hairs. True to their reputation, our legendary Model 700 Varmint rifles stack hits and varmints one on top of the other. Each member of this family is engineered to deliver varmint-crushing devastation with tactical efficiency. The Model 700 VTR comes in a Flat Dark Earth stock with black rubberized overmold grip panels, while the Model 700 VTR Stainless Steel has a black stock with gray overmold. Both also include a tactical bolt knob, Picatinny rail and bipod. The Model 700 SPS Varmint has a heavy contour, 26-inch barrel and SPS Varmint stock. The Model 700 Varmint Stainless Fluted (SF) has a heavy contour barrel with six longitudinal flutes for rapid cooling and less weight, with a concave target-style barrel crown for even greater consistency. And the Model 700 VLS features a richly blued finish, heavy contour barrel and a distinctive laminated stock, contributing to its status as a longtime favorite.



BIPOD

OVERSIZED BOLT HANDLE

PREMIER ACCUTIP-V

World-renowned pinpoint accuracy and explosive on-game results take varmint lethality to a new level. See page 109.



- 22" barrel with integrated muzzle brake design and triangular barrel contour
- Available in FDE stock with carbon steel barrel and black overmold grips, or black stock with stainless steel barrel and gray overmold grips
- X-Mark Pro externally adjustable trigger



- Bipod
- Oversized bolt handle
- SuperCell recoil pad reduces felt recoil by up to 54%



SuperCell®





SPECS AT A GLANCE. For a complete list of all model specifications, see page 196.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 700 VTR	84374	223 Remington	22"	Synthetic Overmold Grip Panels
	84376	22-250 Remington	22"	Synthetic Overmold Grip Panels
	84375	260 Remington	22"	Synthetic Overmold Grip Panels
	84377	308 Win	22"	Synthetic Overmold Grip Panels
Model 700 VTR SS	84356	223 Remington	22"	Synthetic w/Hogue Overmold Grip Pane
	84358	308 Win	22"	Synthetic w/Hogue Overmold Grip Pane
Model 700 SPS Varmint	84214	204 Ruger	26"	Synthetic Overmolo Grip Panels
	84216	22-250 Remington	26"	Synthetic Overmold Grip Panels
	84215	223 Remington	26"	Synthetic Overmold Grip Panels
	84217	243 Win	26"	Synthetic Overmold Grip Panels
	84218	308 Win	26"	Synthetic Overmolo Grip Panels

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 700 Varmint SF	84342	22-250 Remington	26"	Synthetic w/Hogue Overmold Grip Panels
	84343	223 Remington	26"	Synthetic w/Hogue Overmold Grip Panels
	84344	220 Swift	26"	Synthetic w/Hogue Overmold Grip Panels
	84345	308 Win	26"	Synthetic w/Hogue Overmold Grip Panels
Model 700 VLS	27467	204 Ruger	26"	Brown Laminate
	27491	223 Remington	26"	Brown Laminate
	27489	22-250 Remington	26"	Brown Laminate
	27495	243 Win	26"	Brown Laminate
	27499	308 Win	26 "	Brown Laminate

READNOT ON A

MODEL 700 LEFT-HAND

LEFT-HANDED CONFIGURATIONS OF THE MOST POPULAR BOLT-ACTION EVER CONCEIVED.

Nowhere will you find as broad a selection of left-handed centerfires, and Remington is proud to offer these specially-configured Model 700 rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. Along with our unrivaled standard for out-of-the-box accuracy, all come equipped with the X-Mark Pro externally adjustable trigger for the ultimate shooting experience. The Model 700 SPS Left-Hand features a black matte finish and rugged synthetic stock. Our Model 700 SPS Compact Left-Hand is the industry's first and only left-handed rifle made specifically for youth and small-stature shooters, with an inch shorter length of pull and a swift-handling 20" barrel. The Model 700 SPS Varmint Left-Hand sports a 26" heavy-contour barrel, black matte finish and durable synthetic stock with a vented beavertail fore-end to facilitate rapid cooling.



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 198.

MODEL	ORDER NO.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 SPS Left Hand	84177	270 Win	24"	Synthetic
	84179	7mm Remington Magnum	26"	Synthetic
	84178	30-06 SPRG	24"	Synthetic
	84180	300 Win Mag	26"	Synthetic
Model 700 SPS Compact Left Hand	84150	243 Win	20"	Synthetic
	84151	7mm-08 Remington	20"	Synthetic
Model 700 SPS Varmint Left Hand	84226	22-250 Remington	26"	Synthetic w/Overmold Grip Panels
	84227	223 Remington	26"	Synthetic w/Overmold Grip Panels
	84228	243 Win	26"	Synthetic w/Overmold Grip Panels
	84229	308 Win	26"	Synthetic w/Overmold Grip Panels

MODEL 700 SPS LEFT-HAND FEATURES:

- Improved, ergonomically designed synthetic stock stainless steel contour barrel
- Hinged floorplate magazine
- Standard and long-action caliber offerings feature a 24" clean barrel — Magnum and Ultra Mag offerings feature a 26" barrel
- X-Mark Pro externally adjustable trigger
- Drilled and tapped for scope mounts
- SuperCell recoil pad reduces felt recoil by up to 54%

HYPERSONIC BONDED

Lightning fast. Hits like a sledgehammer. With up to 200 fps more velocity and the pinnacle of bonded-bullet design, HyperSonic Bonded gives you less bullet drop, more speed and devastating on-game performance. See page 112.



SuperCell'



THE LEGENDARY MODEL 700

IT'S CARVED A REPUTATION FOR ITSELF OUT OF THE SPORTING LANDSCAPE OF AMERICA. THE MOST ACCURATE, MOST POPULAR PRODUCTION RIFLE EVER CONCEIVED.

THE UNITED STATES ARMEI FORCES HAVE USED OVE

> MODEL 700-BASED SNIPER RIFLES SINCE VIETNAM WAR

USED TO TAKE EVERY SPECIES OF BIG-GAME, PREDATOR & VARMIT ON FARTH





CHAMBERINGS &

MODEL 700 LSS

ULTIMATE MUZZLELOADER



DOUBLE YOUR LETHAL RANGE.

The muzzleloader has been redefined, with super-magnum power and 300-yard lethal range as achieved by the revolutionary UML Ignition System and .50-caliber Premier AccuTip bullets. The Model 700 Ultimate Muzzleloader doubles your effective range with half the effort. Pre-primed cases load with the ease of centerfire cartridges, and super-hot magnum rifle primers ignite loads up to 200 grains with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup. This innovative system is paired with a Model 700 receiver, a vault of strength and the most trusted in bolt action history. It's a superior rifle in every way, built to match most centerfires for precision, power and performance. The muzzleloader has been reinvented, as only America's most innovative gunmaker can.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 199.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 700 Ultimate Muzzleloader	86950	50 Caliber	26"	Laminate Wood
	86960	50 Caliber	26"	Bell & Carlson Medalist M40 Synthetic

MODEL 700 ULTIMATE MUZZLELOADER FEATURES:

- UML Ignition System the patented breech technology that handles 200-grain magnum charges for 300-yard performance
- Primed centerfire brass with Remington 9½M large magnum rifle primer
- Built from the legendary Model 700 receiver that is machined from solid-steel bar stock for uniformity and strength
- Power, accuracy, and handling comparable to most centerfire rifles
- Bell and Carlson® Medalist M40 synthetic stock or gray laminate stock with peep sight (LSS only)
- 26" stainless steel fluted barrel
- Barrel twist: 1 in 26" right-hand
- 13/8" drop comb, 13/8" drop heel
- 47" overall length, 9½ lb. weight
- 133/8" length of pull
- Ships in hard case with 24 pieces of primed brass and 24 Barnes T-EZ saboted projectiles

JET ENGINE OF PROGRESS UML Ignition System. (Ultimate Muzzleloader) For maximum burn and efficiency of ultra magnum charges up to 200 grains. Primed centerfire brass with Remington 9½M large magnum rifle primer


UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles a 200-grain magnum charge resulting in lethal 300-yard performance.



BURNS 200-GRAIN CHARGES AND 300-YARD BUCKS

The Ultimate Muzzleloader makes in-line muzzleloaders truly primitive, with performance equal to most centerfires. Goes farther. Hits harder. With greater precision.



specifications, see page 199.

Muzzleloader

86950 50 Caliber 26" Laminate wood

Ultimate Muzzleloader
(200 grain ultra magnum charge)

MODEL SEVEN STAINLESS H-S







MODEL SEVEN SYNTHETIC THREADED MOSSY **OAK BOTTOMLAND CAMO FEATURES:**

- 16.5" barrel
- Threaded muzzle with thread protector
- Stock decorated in Mossy Oak® Bottomland camo
- SuperCell recoil pad
- 20 MOA Picatinny rail
- X-Mark Pro user adjustable trigger
- Capacity -4+1 in 308 Win and 6.5 Creedmoor, -5+1 in 300 AAC Blackout



SuperCell®





HANDLES LIKE A SPORTS CAR, HITS LIKE A FREIGHT TRAIN.

The Model Seven puts game-dropping precision and power in a lightning-fast platform perfect for blinds and treestands, or covering ground on foot. These rifles are equipped with 20" light-contour barrels in a wide range of chamberings. All deliver the breaks-like-glass feel of our X-Mark Pro externally adjustable trigger. All new for 2020, the Model Seven Threaded Mossy Oak® Bottomland adds one of Mossy Oak's most effective patterns to its stock for unmatched concealment, along with a threaded muzzle with thread protector, and 20 MOA Picatinny rail. The Model Seven Stainless H-S is not only impervious to the elements but also features a custom-grade, hand-laminated H-S Precision composite stock with an internal, CNC machined bedding block and free-floated barrel for higher-level accuracy. Our Model Seven Synthetic features a rugged, black synthetic stock, while the Model Seven Stainless provides the all-weather durability of stainless steel. For increased durability and stunning looks, the **Model Seven Laminate** features a brown laminate wood stock. Our Model Seven CDL is the quintessential short-action hunting rifle, sporting its classic, satin-finished walnut stock and a sleek stain-blued barreled action.





H-S PRECISION STOCK WITH ALUMINUM **BEDDING BLOCK**

SPECS AT A GLANCE. For a complete list of all model specifications, see pages 199-200.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model Seven Stainless H-S Precision Stock	85970	308 Win	20"	Composite
	85971	6.5 Creedmoor	20"	Composite
	85972	7mm-08 Remington	20"	Composite
	85968	243 Win	20"	Composite
Model Seven	85911	243 Win	20"	Synthetic
	85913	7mm-08 Remington	20"	Synthetic
	85914	308 Win	20"	Synthetic
Model Seven Stainless	85904	223 Remington	20"	Synthetic
	24739	243 Win	20"	Synthetic
	24751	260 Remington	20"	Synthetic
	24741	7mm-08 Remington	20"	Synthetic

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model Seven Stainless (cont.)	24743	308 Win	20"	Synthetic
	85905	300 WSM	20"	Synthetic
	85907	6mm Remington	20"	Synthetic
Model Seven CDL	26419	260 Remington	20"	American Walnut
	23421	7mm-08 Remington	20"	American Walnut
	26423	308 Win	20"	American Walnut
NEW Model Seven Synthetic Threaded MO Bottomland Camo	85925	308 Win	161/2"	Synthetic
	85926	300 AAC Blackout	161/2"	Synthetic
	85927	6.5 Creedmoor	20"	Synthetic



ADVANCED VARMINT-CRUSHING ACCURACY, WELL WITHIN REACH.

Ironclad reliability and custom-grade accuracy that the workingman (or woman) can afford. The Model 783 is a rifle built to hunt, stand up to abuse and place your shots with astounding precision. The new **Model 783 Varmint** not only carries on that tradition, it advances it. A longer, heavier, free-float barrel provides increased rigidity for enhanced shot-to-shot consistency. A stronger, hardwood laminated stock adds uncompromising stiffness and rock-solid stability. With an oversized bolt handle, Picatinny rail and a host of other accuracy enhancing features, the Model 783 Varmint Laminate plants a flag in a new frontier of affordable, ultra-precision. The **Model 783 HBT** sports a heavy 16½" or 24" barrel for added accuracy and a threaded muzzle that's suppressor ready. A Picatinny rail, oversized bolt handle, flat dark earth synthetic stock and metalwork finished in black oxide complete a long list of tactical features. Our **Model 783 Camo** features a synthetic stock, covered in Mossy Oak® Break-Up Country.



PICATINNY RAIL

LAMINATE STOCK

CORE-LOKT

The world's best-selling big game ammunition, and the most proven of all time. See page 114.



- 26" heavy barrel
- Adjustable CrossFire trigger
- Steel, detachable magazine
- Black oxide finish
- Laminate stock with beavertail forend
- Oversized bolt handle
- Picatinny rail
- Total weight is 8½ lb.
- 223 Remington,
 22-250 Remington,
 243 Win, 308 Win and
 6.5 Creedmoor



SuperCell°

SIGHT-IN TIPS

rest and the bolt removed, look through the bore at a target 25 or 50 yards distant. Adjust the rest until the target's bullseye is centered in the bore. Next, adjust the windage and elevation of your reticle until it covers the bullseye and you see roughly the same picture through both the scope and the bore. (Note: Rifles with semi-auto, lever, and pump actions will require a collimator or laser boresighter to complete this step.)

GET ON PAPER. Shoot a three-shot group at a fresh target at 50 yards. Find the center point of the three shots and adjust your windage and elevation from that point to the desired point of impact. Repeat this process until your shots consistently group at that desired point of impact. Next, hang

a fresh target at 100 yards (if your desired zero) and shoot groups and adjust your scope until your shots consistently group at your desired point of impact at that range.

MODEL 783 HBT

REAL-WORLD PRACTICE. It's not often that you'll find a rock-solid rest in the field, so be sure to practice shots at the range that you might encounter when hunting. Shoot prone, either with a bipod or using your pack as a rest. Shoot from sitting and kneeling positions. Shoot off-hand. The more familiar you become with the different shooting positions, the more confident you'll be at the moment of truth.

It's good to know that select Model 783s come equipped with a premounted and bore-sighted 3-9x40mm riflescope. Simply check your zero at the range, and you're ready to hunt.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 201.

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 783 Varmint Laminate	85738	22-250 Remington	26"	Laminate
	85737	223 Remington	26"	Laminate
	85734	243 Win	26"	Laminate
	85748	6.5 Creedmoor	26"	Laminate
	85735	308 Win	26"	Laminate
Model 783 HBT	85764	223 Remington	161/2"	Synthetic
	85770	223 Remington	24"	Synthetic
	85767	6.5 Creedmoor	161/2"	Synthetic
	85773	6.5 Creedmoor	24"	Synthetic
	85766	300 AAC Blackout	161/2"	Synthetic

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 783 HBT (cont.)	85765	308 Win	161/2"	Synthetic
	85771	308 Win	24"	Synthetic
NEV	V 85772	450 Bushmaster	16.5"	Synthetic
Model 783 Camo	85750	223 Remington	22"	Synthetic
	85751	243 Win	22"	Synthetic
NEV	V 85777	6.5 Creedmoor	22"	Synthetic
	85752	270 Win	22"	Synthetic
	85755	7mm Remington Magnum	24"	Synthetic
	85754	308 Win	22"	Synthetic
	85753	30-06 SPRG	22"	Synthetic
	85756	300 Win Mag	24"	Synthetic

MODEL 783 BLACK SYNTHETIC





IT'S NOT DRESSED TO IMPRESS, IT'S DRESSED FOR WORK.


It's a tool. Designed by America's bolt-action experts. Assembled by American workers. And engineered with the precision, durability and performance-enhancing technology to get the job done. Period. A dual-pillar bedding platform that free-floats the barrel and our crisp, adjustable CrossFire trigger system ensures hair-splitting accuracy right out of the box. The **Model 783 Walnut** features a traditional wood stock and comes in popular biggame calibers from 243 Win to 300 Win Mag. The **Model 783 Synthetic** comes in offerings with, or without, the same pre-mounted and bore-sighted 3-9x40mm riflescope you'll find on our **Model 783 Compact**. Simply grab some Remington ammo, check your zero at the range, and you're ready to hunt.





- 100% Made in the USA
- American black walnut stock
- Select models come with a Vortex Crossfire II 3-9x40mm scope
- Cylindrical receiver and small ejection port for strength
- Reliable and robust detachable magazine
- CrossFire user adjustable trigger
- Magnum contour barrel





SPECS AT A GLANCE. For a complete list of all model specifications, see page 201.

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 783 Walnut	85884	243 Win	22"	American Walnu
	85870/85886	270 Win	22"	American Walnu
	85888	30-06 SPRG	22"	American Walnu
	85874/85890	308 Win	22"	American Walnu
	85826/85892	7mm Remington Magnum	24"	American Walnu
	85866	6.5 Creedmoor	22"	American Walnu
	85894	300 Win Mag	24"	American Walnu
Model 783	85845	22-250 Remington	22"	Synthetic
	85840	223 Remington	22"	Synthetic
	85842	243 Win	22"	Synthetic

MODEL	ORDER NO.	CALIBER	BARREL Length	STOCK MATERIAL
Model 783 (cont.) NEW	85826	6.5 Creedmoor	22"	Synthetic
	85844	270 Win	22"	Synthetic
	85835	7mm-08 Remington	22"	Synthetic
	85848	7mm Remington Magnum	24"	Synthetic
	85847	308 Win	22"	Synthetic
	85846	30-06 SPRG	22"	Synthetic
	85849	300 Win Mag	24"	Synthetic
Model 783 Compact	85852	243 Win	20"	Synthetic
	85853	308 Win	20"	Synthetic

control. See page 113.

HOG HAMMER

Go whole-hog on deep penetration, energy transfer and terminal performance, with Hog Hammer – America's first choice in feral hog



MODEL 7600

MODEL 7600 FEATURES:

- Action, slide release and safety based on the design of the Model 870, America's most popular pump shotgun, for instantaneous end user familiarity
- Weight distribution and slim line design result in shotgun-like balance and pointability
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options
- American black walnut stock and fore-end

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 7600	24655	270 Win	22"	American Walnut
	24657	30-06 SPRG	22"	American Walnut
	24659	308 Win	22"	American Walnut
Model 7600 Carbine	24661	30-06 SPRG	181/2"	American Walnut

SHOULD YOU NEED ANOTHER SHOT AT THAT SHOT OF A LIFETIME.

Hunts don't always unfold like you see on TV, and when the heat of the moment finds you looking for a follow-up, our famous Model 7600 can deliver with outstanding speed and accuracy, time and time again. The twin steel action bars and rotary bolt lockup of its pump action provide smooth operation, ultrapositive chambering and ejection and rock-solid strength. For accuracy rivaling that of the best bolt guns, the barrel is free floated. Hunters who rely on the Model 870 in other pursuits will love that the action, slide release and safety are based on the best-selling pump shotgun of all time. Its weight distribution and sleek design provide shotgun-like pointability. Equipped with a 22" barrel with iron sights, the rifle's receiver is also drilled and tapped for scope mounts.



PREMIER SCIROCCO

Leading the industry in bone-crushing power and long-range precision, Premier Scirocco combines bonded-core technology with a ballistically superior profile for unparalleled accuracy and knockdown energy on big game. See page 108.







For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	ACTION TYPE (CALIBER)	BARREL LENGTH	STOCK MATERIAL
552 BDL Deluxe Speedmaster	25594	Auto (22, S, L, LR)	21"	American Walnut
572 BDL Deluxe Fieldmaster	25624	Pump (22, S, L, LR)	21"	American Walnut

MODEL 572 BDL

DELUXE FIELDMASTER

MODEL 552 / MODEL 572

CLASSIC DESIGNS THAT CONTINUE TO LEAD THE WAY.

For those who still love the look and feel of a classic rimfire rifle, our Model 572 BDL Deluxe Fieldmaster and Model 552 BDL Deluxe Speedmaster may be the finest available today. Their tack-driving accuracy and quick follow-ups have made them a customer favorite. So much so, the Model 572 Fieldmaster has been an American standard since its introduction in 1955, and the Model 552 Speedmaster a mainstay since it hit the scene in 1957. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut stocks and fore-ends. Both feature big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounting. The Model 572 Fieldmaster is the most popular pump-action 22 rimfire made in America today, and handles 22 Short, 22 Long and 22 Long Rifle cartridges interchangeably. Our Model 552 Speedmaster is now in its 53rd year of production, carrying forward this classic design for future shooting enthusiasts.

COMPLETE YOUR SHOOTING EXPERIENCE

mounts for precision shooting

Features an autoloading action

with optics

for serious plinking

For years of optimal performance, pair your Model 552 BDL Speedmaster or Model 572 BDL Fieldmaster with our full range of 22 Short and 22 Long Rifle cartridges. One of the most complete lineups in the industry, all our rimfire ammo is made to the highest standards of quality, delivering reliability, accuracy and consistency with every shot. See pages 162-163.





REM SQUEEG-E

This revolutionary gun cleaning system quickly cleans lands and grooves in one pass. And with no patches needed, you'll save money and time. Cleans bores from .22 - 12-gauge. See page 182.



RIMFIRE

The Model 547 Custom Classic Rimfire rifle is the benchmark choice for the classic rimfire connoisseur, passionate rimfire hunter or dedicated rimfire competitor who wants a lifetime of unsurpassed performance in a classically-crafted firearm. It's a one-of-a kind masterpiece, hand-built to your specifications.



CLASSIC SERIES RIFLES

Discover a higher level of craftsmanship and precision. Built on the most popular bolt-action of all time, the Model 700, or the lightning-quick agility afforded by the compact Model Seven.

Our world-class craftsmen will hand-build the custom rifle of your dreams for your chosen pursuit.



MODEL 40X

Our custom Model 40-X series rifles are designed to deliver five-shot groups you can cover with a dime. Customizable with a wide variety of options including caliber, barrel contours, metal finishes as well as options for stocks, chassis and optics.



TACTICAL SHOTGUNS & SPECIALTY FIREARMS

It's the strongest, smoothest and most reliable pump action of all time, elevated to custom-grade craftsmanship and tactical features. You choose the sights; stock and forearm; Cerakote* or polished blued finish; and extended magazine tube.



MODEL 1911 R1 CUSTOM

Choose a customized Model 1911 R1, or order one built to your exact specifications. The Remington Custom Shop offers a wide variety of accurizing upgrades and exotic finishes, and custom options, including hand-checkered grips and more.









REMINGTON RM380 EXECUTIVE

MODEL 1911 R1 ULTRALIGHT

MODEL 1911 R1 LIMITED DOUBLE STACK



SHOOTS FASTER, FLATTER AND FARTHER THAN ANY BOLT-ACTION HANDGUN IN HISTORY.

Engineered for drilling big game, varmints, steel silhouettes and targets from a couple football fields away. Built around the Remington 700 action and chassis system, the **Model 700-CP** gives hunters and shooters an accurate and compact platform for backcountry hunting and long-range competition where the targets may be set 300, 500, 700 yards and beyond. The legendary Model 700 action provides the industry's fastest locktime (2.5 to 3.0 milliseconds), which minimizes the effects of shooter movement meaning greater shot-to-shot consistency. The Model 700-CP's X-Mark Pro externally adjustable trigger is set from 3.5 to 5 lbs. at the factory and is user-adjustable with readily available tools. Bringing Remington bolt-action pistols into the tactical age, the Model 700-CP's Remington Chassis comes equipped with a rear stock QD plate and an M-LOK* compatible free float handguard. The forged aluminum chassis is lightweight, extremely durable and allows for detachable magazines and many MSR-based accessories. New for 2020, the **Model 700-CP Arm Brace** brings the added stability and inherent precision of an SB Tactical arm brace to the bolt-action platform's accuracy equation.

NEW MODEL 700-CP ARM BRACE FEATURES:

- Remington 700 action
- Hard coat anodized, forged aluminum, Remington Precision Chassis
- Light contour carbon steel, 223 Win. 300 AAC Blackout (10½"), 308 Win (12½") and 6.5 Creedmoor
- X-Mark Pro externally adjustable trigger



- 10-round magazine
- QD sling plate adapter
- One-piece cantilever optics rail
- M-LOK adaptable free-float tube
- Threaded barrel with thread protector
- SBA3 adjustable arm brace





SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

MODEL	ORDER No.	CAPACITY*	CALIBER	BARREL LENGTH	FRAME MATERIAL
Model 700-CP	96814	10+1	300 AAC Blackout	101/2"	Aluminum
	96815	10+1	308 Win	121/2"	Aluminum
	96816	10+1	223 Remington	101/2"	Aluminum
Model 700-CP Chassis Pistol Arm Brace	96818	10+1	6.5 Creedmoor	121/2"	Aluminum
	96810	10+1	300 AAC Blackout	121/2"	Aluminum
	96811	10+1	223 Remington	121/2"	Aluminum

^{*}Magazine and chamber



MODEL 1911 R1 ULTRALIGHT

When ounces equal pounds, go ultralight with the Model 1911 R1 Ultralight Commander. Featuring a lightweight, yet extremely durable aluminum frame that weighs 30% less than a standard steel frame, with a high performance adjustable trigger, fiber optic front sight and a PVD finished slide.



MODEL 1911 R1 HUNTER

Now hunters can bring championship accuracy and 10mm-punch to bear on big game. With its match-grade, stainless steel barrel and host of precision-enhanced features, the new Model 1911 R1 Hunter is more than ready for the hunt.



MODEL 1911 R1 LIMITED

Born of the same competitive spirit that set the Model 1911 apart from all others more than a century ago, the Model 1911 R1 Limited Double-Stack is built for performance, match after match. With a capacity up to 19 + 1, it provides you with max firepower between reloads.



MODEL 1911 R1

It's America's favorite pistol, engineered with a host of advancements to deliver new levels of accuracy and reliability. A crisp trigger, and ultra-tight slide/ frame lockup are just a few of its standout features.



MODEL 1911 R1 ENHANCED

Take your competitive spirit to the next level. Every aspect of the Model 1911 R1 has been precision-tuned with tighter tolerances that result in tighter groups on the range.



MODEL 1911 R1 TACTICAL

Engineered to perform and built to adapt, the Model 1911 R1 Tactical's host of enhancements deliver sure handling in any scenario. Its tactical rail makes adding accessories fast and easy. And with Trijicon® front and rear night sights, it's ready to serve in any light.





HIGH CAPACITY AND PERFORMANCE DOUBLE-STACKED IN YOUR FAVOR.

The Model 1911 R1 Limited Double-Stack has been engineered end-to-end for elevated firepower and precision. With its tough PVD DLC finish, the 5-inch match-grade stainless steel barrel, slide and frame deliver silky smooth operation, even in heavy-use scenarios. Its machined VZ G10 grips and extended beavertail grip safety guarantee sure handling, and the oversized magwell promotes lightning-fast reloads. Equipped with fiber optic front sight and fully adjustable LPA target rear sight, it's purpose-built for rapid target acquisition, and spectacular, on-target results. Test fired and personally inspected by World and National IPSC/USPSA shooting champion, Travis Tomasie, the Model 1911 R1 Limited Tomasie Custom comes with a signed letter from the Captain of Team Remington, and a level of quality assurance unmatched in the industry. Built to deliver higher capacity in a hard-hitting carry caliber.





TOMASIE'S TIPS

WORLD-CHAMPION SHOOTING STANCE

Learn the shooting stance used by Travis Tomasie in his world-championship win.

- Place your firing-side foot back (for most, this is your right foot).
- Weight should be evenly distributed on both feet with 75% of your weight toward the ball of each foot to counter recoil.
- Knees are bent for even weight distribution on both feet.
- Upper torso slightly bent forward at the waist, again to counter recoil, and squared toward target.
- Both elbows bent slightly to act as shock absorbers.
- Head squared to target.
 Don't duck head or roll up shoulders.







MODEL 1911 R1 LIMITED DOUBLE-STACK FEATURES:

- 19+1 round capacity in 9mm Luger
- $\bullet \ \ \text{Match grade trigger} \text{adjustable}$
- Full-length, 1-piece guide rods
- Fiber optic front sight
- Fully adjustable LPA target rear sight
- Wide front and rear cocking serrations
- Oversized mag well for lightning-fast reloads
- 5" ramped, match-grade barrel
- Stainless steel frame, slide, and barrel
- PVD coating delivers the smoothest operation and unparalleled durability
- Ambidextrous extended thumb safety for easy operation in either hand
- Machined G10 VZ operator grips
- Checkered front strap and mainspring housing
- Two double-stack magazines

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

MODEL	ORDER No.	CAPACITY	CALIBER	BARREL LENGTH	FRAME MATERIAL
1911 R1 Limited Double-Stack	96713	19+1	9mm Luger	5"	Stainless Steel
	96715	16+1	45 Auto	5"	Stainless Steel
	96714	18+1	40 S&W	5"	Stainless Steel
1911 R1 Tomasie	96725	18+1	40 S&W	5"	Stainless Steel

DOUBLE-STACK MAGAZINE



1911 R	I DOUBLE	-STACK	MAGAZINES
ORDER NO.	CALIBER	CAPACITY	MATERIALS
17794	9mm Luger	19	Aluminum Base
17802	40 S&W	18	Aluminum Base
17828	45 Auto	16	Aluminum Base

SINGLE-STACK MAGAZINE



1911 F	RI SINGLE	-STACK M	AGAZINES
ORDER NO.	CALIBER	CAPACITY	MATERIALS
17793	9mm Luger	9	Stainless Steel
17803	40 S&W	8	Stainless Steel
19623	45 Auto	7 (flush)	Blued
19624	45 Auto	8 (extended)	Blued
19660	45 Auto	7 (flush)	Stainless Steel
19661	45 Auto	8 (extended)	Stainless Steel



LEGENDARY 1911 PERFORMANCE. LIGHTWEIGHT NEW DESIGN.

America's all-time favorite .45-caliber pistol, re-engineered with significantly less weight than ever before. Originally manufactured by Remington during World War I and re-launched in 2012, this year's breakthrough 1911 R1 Ultralight Commander delivers the high reliability and performance you expect from a 1911, while shedding a difference-making 7.5 oz. from a standard steel frame. Chambered in 45 Auto, the Ultralight Commander weighs just 31 ounces when empty, a remarkable 30% weight-reduction. It features a match-grade 41/4-inch stainless steel barrel and a powerful 8+1 magazine capacity, an adjustable trigger system, a checkered laminate grip and PVD slide, adjustable rear sights and fiber optic front sight. For maximum 1911 performance and minimum ounces - plus the added advantage of greater visibility in low light conditions - the Model 1911 R1 Ultralight Executive is optimized for performance with night sights, a 3½-inch bull barrel and G10 laminate grips.



TOMASIE'S TIPS

DRAWING FROM CONCEALMENT


Understanding proper sequence and grip used by world champion pistol competitor, Travis Tomasie.

Keys to understanding the sequence:

- Keep both eyes focused on target.
- Both hands move in unison; Support hand grabs garment while firing hand grabs gun. Keep your finger off the trigger.
- Griping the gun here is key, look for two indexes:
- 1) Top of middle finger touching underside of trigger guard.
- 2) Web between thumb and index finger (up as high as possible), that will be indexing the top of beaver tail.
- Release garment and support hand goes toward gun while support hand meets gun same place as when you clap.
- keep finger off trigger.
- Support hand meets gun with a good grip.
- toward target.
- Place finger on trigger once muzzle is pointed safely down range at target.







- Both hands move out and up




MODEL 1911 R1 ULTRALIGHT EXECUTIVE FEATURES:

- Aluminum frame offers 30% weight reduction from standard steel
- 31/2" stainless match barrel for superb accuracy
- XS® 3-dot Tritium night sights
- G10 grips
- Adjustable trigger for a smooth, clean and crisp break
- Extended beavertail grip safety for enhanced shooter control
- Wide rear cocking serrations for increased control regardless of field conditions
- Tough PVD DLC finish for durability in all conditions
- Skeletonized hammer
- Rounded frame and mainspring housing


SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

MODEL	ORDER No.	CAPACITY	CALIBER	BARREL LENGTH	FRAME MATERIAL
1911 R1 Ultralight Executive	96493	8+1	45 Auto	31/2"	Aluminum
1911 R1 Ultralight Commander	96492	8+1	45 Auto	41/4"	Aluminum







REMINGTON'S —ULTRALIGHT— EXECUTIVE R1

EDC PERFECTION

by Richard Mann | Featured in Gun Digest

oes the world really need another 1911? After all, the 1911 is the most prolific handgun design of all time. It's the most customizable, and it's manufactured by more companies and in more configurations than any other pistol. So, the answer to that question is probably, "No"... unless, of course, it's a really, really good 1911.

For the past 10 years, Remington has offered a variety of 1911 pistols (such as the R1 Enhanced, R1 Centennial, R1 Carry and R1 Commander). The company even offers an R1 Limited Single Stack model for competition and a long-slide version of the R1 chambered in I0mm for hunting. The R1 Ultralight Executive is the best 1911 that Remington offers for concealed carry, and it just might be the best R1 1911 it's ever turned out.

THE FRAME

The Ultralight Executive is built on an anodized Commander-sized aluminum frame. The aluminum frame reduces weight by 4 ounces (12 per-cent). This might not seem like much, but when you carry a pistol all day, that's substantial. The front strap of the frame has been checkered at 20 lines per inch. But the neatest features are the bobbed grip and smooth mainspring housing.

THE BARREL

For this platform, Remington paired a Commander-sized frame with an Officer's model-sized barrel. Combined with the radiused grip, the result is a very-concealable, easy-to-hold-onto pistol that's chambered for the .45 ACP. What you have is a pistol that's, well, perfectly sized: It has just as much grip as it does barrel. It fits well in your hand, points well on target and moves comfortably under recoil.

THE SLIDE

But there's more goodness to this pistol than just its size. The steel slide has a rugged and element-resistant PVD coating. It also has six deep, grasping grooves at the rear. All the sharp edges have been knocked off, and the front of the slide is drastically radiused to allow for smooth holstering. The Remington logo is proudly cut into the left side of the slide, and the "R1" and "EXECUTIVE" are tastefully engraved onto the right.


Most importantly, the slide is fitted with a proprietary set of 3-dot tritium sights from XS Sights. The rear sight is tall and ledged to help with one-handed operation on a belt or boot heel, and it has a wide U-notch to mate with a

substantial white-dot surrounding a tritium vial on the front sight. These sights are bold and fast on target.

AT THE RANGE

After about 50 rounds – just to get used to the pistol – I chronographed five different loads with bullets ranging in weight from 135 to 230 grains. After that exercise, I fired five five-shot groups from the offhand standing position at 10 yards with each of the five loads I'd chronographed. The average group size for all 25 groups fired was 1.76 inches. I wouldn't expect to win a bullseye match with this 1911, but it shoots very well, considering its barrel length and sight radius. If you miss at defensive handgun ranges with this pistol, you should probably schedule your immediate attendance at the 250 Pistol Course at Gunsite Academy.

I think the UltraLight Executive is the best R1 Remington has created to date, and I consider it one of the top 1911s you can buy at any price. You can do a lot worse for a lot more money, and you're cheating yourself if you don't give one a try. With street prices of less than a grand, this gun is a steal and one I'd bet my life on ... which is why it's been on my side for several months now.





The same reliability that made it America's favorite pistol has now been enhanced for hunting. Match-grade accuracy and game-dropping power are yours with the all-new, Model 1911 Hunter. Guided by LPA fully adjustable match sights, its 6-inch stainless match-grade barrel delivers 10mm-punch with breath-taking precision. Its nail-tough PVD DLC finish provides all-weather durability. And VZ® Operator II G10 grips, wide rear and front cocking serrations and extended beavertail grip safety assure a positive hold regardless of field conditions.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 202.

ORDER No.	CAPACITY	CALIBER	BARREL LENGTH	FRAME MATERIAL
96679	8+1	10mm Auto	6"	Carbon Steel
	NO.	NO. CAPACITY	NO. CAPACITY CALIBER	NO. CAPACITY CALIBER LENGTH

MATCH-GRADE PRECISION, ADAPTED FOR THE HUNT.

MODEL 1911 R1 HUNTER FEATURES:


- 10mm Auto
- 6" stainless match-grade barrel for superb accuracy
- Accessory rail MIL-STC-1913 for light or laser attachments
- Wide rear and front cocking serrations – for positive grip regardless of field conditions
- LPA fully adjustable match sights for precision shooting
- Extended beavertail grip safety for sure grip in the field
- Adjustable skeletonized trigger for a clean crisp break
- Tough PVD DLC finish for durability in all conditions
- Operator II VZ G10 grips for solid hold while firing
- Two 8-round stainless steel magazines
- Stainless steel frame and slide





HOG HAMMER HANDGUN

It's one-piece copper performance, total domination. Delivering unmatched Barnes on-game performance powered by Remington. See page 155.



Available in both 9mm Luger and 45 Auto, the **Model 1911 R1 Recon Commander Double-Stack** is the pinnacle of hard-use precision and performance. It features a high capacity double-stack magazine, an adjustable match-grade trigger, and its 4½-inch match-grade stainless steel barrel, frame and slide tuned for consistent accuracy and performance. PVD coating delivers reliably smooth operation and unparalleled durability. The ambidextrous extended thumb safety allows easy operation in either hand, while its machined VZ® Operator G10 grips, wide front and rear cocking serrations and checkered mainspring housing provide sure handling. And with Tritium front and rear night sights, it's ready to serve in any light.







REMINGTON SUBSONIC HANDGUN

Combines consistent velocity control and enclosed-based bullet technology for cleaner, quieter shooting with suppressed pistols. See page 158.

MODEL 1911 R1 RECON FEATURES:

- 18+1 round capacity in 9mm Luger, 15+1 round capacity in 45 Auto
- Match grade trigger adjustable
- 41/4" ramped, match-grade barrel
- Wide, front and rear cocking serrations
- Stainless steel frame, slide and barrel
- Accessory rail
- PVD coating delivers the smoothest operation and unparalleled durability
- Ambidextrous extended thumb safety for easy operation in either hand
- Machined G10 VZ operator grips
- Checkered mainspring housing



TACTICAL MAGAZINES 45 Auto - 15+1 -Order No. (17827) 9mm Luger - 18+1 -Order No. (17795)

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	CAPACITY*	CALIBER	BARREL LENGTH	FRAME MATERIAL
1911 R1 Recon	96490	18+1	9mm Luger	41/4"	Stainless Steel
	96489	15+1	45 Auto	41/4"	Stainless Steel
1911 R1 Double Stack	96486	15+1	45 Auto	5"	Stainless Steel
1911 R1 Double Stack Threaded	96488	15+1	45 Auto	5"	Stainless Steel

*Magazine and chamber



A time-proven design without equal, America's favorite pistol has been precision-machined for match-winning performance. Its engineering advancements and tight tolerances provide unrivaled shot-to-shot consistency that continues to win over a growing following of serious competitors. The Model 1911 R1 Enhanced is a clear competitive standout. Its long list of accuracy-enhancing features includes adjustable rear sight with red fiber-optic front sight and trigger. Front and rear slide serrations, flat-checkered mainspring housing and custom grips promote sure handling. Optimized to provide maximum firepower, the Model 1911 R1 Enhanced Double-Stack gives shooters a double-stack capacity advantage, plus ultimate precision and control for personal protection. The Model 1911 R1 Enhanced Stainless delivers the same advanced performance features with the durability and stately looks of a stainless steel finish. Our Model 1911 R1 Enhanced 9mm Luger offers all of the Model 1911 R1 Enhanced features, chambered in popular 9mm Luger. Two 9-round magazines with bumper pads are included. And the Model 1911 R1 Enhanced Threaded Barrel ups the ante of the R1 Enhanced's features with an extended barrel and tall, two-dot rear sight for use with a suppressor.









MODEL 1911 R1 ENHANCED DOUBLE STACK FEATURES:

- Match-grade stainless steel
 5" barrel and bushing
- Double stack magazines with 15+1 round capacity in 45 Auto
- Satin black oxide finish
- Combat Adjustable rear sight with fiber optic front sight
- Machined G10 VZ operator grips
- Flat checkered mainspring housing (20 LPI)
- Beveled magazine well
- Aluminum trigger
- Enhanced hammer and wide thumb safety
- Flared and lowered ejection port
- Front and rear slide serrations

SPECS AT

A GLANCE.

For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	CAPACITY	CALIBER	BARREL LENGTH	FRAME MATERIAL
1911 R1 Enhanced Double Stack	96491	15+1	45 Auto	5"	Carbon Steel
1911 R1 Enhanced	96364	9+1	9mm Luger	5"	Carbon Steel
1911 R1 Enhanced Commander	96359	8+1	45 Auto	41/2"	Carbon Steel
1911 R1 Enhanced Stainless Commander	96360	8+1	45 Auto	41/2"	Stainless Steel
1911 R1 Enhanced Stainless	96329	8+1	45 Auto	5"	Stainless Steel
1911 R1 Enhanced Threaded	96339	8+1	45 Auto	53/4"	Carbon Steel



For more than 100 years it has served justice, protected families and defended freedom. Now it's once again a

tolerances using state-of-the-art technology, it features a crisp trigger, dovetailed rear and front sights, precision-

of a 4.25-inch barrel with the Model 1911 R1 Commander.

Remington. The finest blend of exacting craftsmanship and out-of-box performance available today, the Model 1911 R1

machined slide and frame, and fine-checkered American walnut grips. Get the high-speed and concealability advantage

is a sweet-shooting advancement of America's most reliable, accurate and enduring handgun. Produced to ultra-tight

DESIGN, BUILT BY AMERICA'S

MOST TRUSTED GUNMAKER.





HANDGUN ACCESSORIES

For the complete line of handgun accessories, see page 176.

MAGAZINES



TOMASIE'S TIPS

THE RIGHT GRIP FOR A 1911

Tips on the proper Model 1911 pistol grip by world-champion, Travis Tomasie.

Some common mistakes made by shooters:

- 1. Firing hand isn't high enough on the gun
- 2. Bad geometry of the support hand

Five pointers on proper grip for maximum control:

- Proper geometry of the support hand is key. Make sure all fingers are together, wrapped around firing hand and making contact with the trigger guard.
- Maximum contact with the palm of support hand and grip. The more skin on gun, the better recoil management you will have.
- Rotate support hand wrist forward, so that left thumb points at target. This locks all tendons in place.
- Make sure your hands are as high as you can get them.
- The goal is to get hands as close to the barrel as you can. The higher your hand, the less muzzle flip.









- Match-grade stainless steel 5" barrel and bushing
- Stainless steel finish
- Two-dot dovetailed rear sight with single dot dovetailed front sight
- Checkered double diamond walnut grips
- Flat mainspring housing
- Beveled magazine well
- Solid aluminum trigger
- G.I. thumb safety, grip safety and hammer
- 7+1 round capacity (includes two 7-round magazines)




HIGH TERMINAL PERFORMANCE (HTP)

For hunting or personal defense, the shear stopping power of Remington High Terminal Performance delivers like nothing else. See page 153.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

	ORDER			BARREL	
MODEL	NO.	CAPACITY	CALIBER	LENGTH	FRAME MATERIAL
1911 R1 Stainless	96324	7+1	45 Auto	5"	Stainless Steel
1911 R1	96323	7+1	45 Auto	5"	Carbon Steel
1911 R1 Commander	96336	7+1	45 Auto	41/4"	Carbon Steel



The Remington RM380 sets a bold new standard for concealed carry performance. Built to deliver superior shootability when you need it most, with optimized grip angles for more intuitive pointing, the longest barrel in its class for maximum precision and muzzle velocity, and smooth, crisp trigger pull to aid in safety and shot placement. The **Model RM380 Executive** adds to The RM380's long list of enhanced features with a light, smooth DAO trigger for improved accuracy; low profile slide stop and ambidextrous magazine release; and replaceable laminate grip options. The **Model RM380 Light Blue** upgrades the aluminum frame, replaceable grips and magazine finger extension with a stylish light-blue accent color. The RM380 models are designed for everyday carry. Built for life.





COMPATIBLE HOLSTERS AVAILABLE

www.remington.com/shop







REMINGTON RM380 MICRO EXECUTIVE FEATURES:

- 6+1 round capacity in 380 Auto
- 2.9" ramped, match-grade barrel; the longest in its class
- Wide front and rear cocking serrations
- Stainless steel frame, slide and barrel
- Low-profile slide stop and ambidextrous mag release
- Replaceable laminate grip panels
- Macassar laminate grips 2 tone stainless black finish





SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	CAPACITY	CALIBER	BARREL LENGTH	FRAME FINISH
RM380 Micro Executive	96246	6+1	380 Auto	2.9"	Anodized
RM380 Micro Light Blue Stainless Cerakote	96457	6+1	380 Auto	2.9"	Anodized
RM380 Micro Light Blue / Black	96453	6+1	380 Auto	2.9"	Anodized



DESIGNED FOR EVERYDAY CARRY. BUILT FOR LIFE.

Never before has a handgun so compact been built to such high standards for performance and reliability. From its easy, tool-less takedown; to the grip angle optimized for comfort, and shootability; to its fully ambidextrous, low profile magazine release; every feature of the RM380 has been fine-tuned to deliver unfailing function with unrivaled accuracy and control in the most extreme conditions on earth - the fight of your life. It's simply the most complete fusion of confidence and concealment to ever hit the everyday-carry category.



MACASSAR

ROSEWOOD LAMINATE (not shown)

Order No. 17368

LAMINATE Order No. 16149



SPECS AT A GLANCE. For a complete

list of all model specifications, see page 201.

MODEL

RM380

RM380 Crimson Trace

CAPACITY CALIBER

380 Auto

2.9"

96454 6+1 380 Auto




Much more than a high, double-stack magazine capacity, the new **Remington RP9** and **RP45** embody our engineers' commitment to shootability – designed end-to-end to deliver a level of shooter control and accuracy superior to every full-sized polymer framed handgun on the market. So much so, it'd be a design marvel with a fraction of the capacity, but with 18+1 (9mm Luger) and 15+1 (45 Auto) rounds at your absolute command, it equips you for the most demanding personal defense scenarios. The **Remington RP45 with Night Sights** comes optimized with Tritium 3 Dot night sights for high visibility in low light, and a whole new level of personal protection preparedness.







- Smooth, light and crisp singleaction trigger – consistent and smooth, with short tactile reset
- Ergonomic polymer frame fits 95% of all shooters
- Ambidextrous slide control
- "Fighting surface" on rear sight for one-hand slide operation
- Optimized grip angle reduces felt recoil and increases shootability
- Trigger guard undercut allows higher hand hold for increased control
- Drift adjustable sights easily adjusts sights to user preference
- Easy loading, double-stack magazines
- PVD finish on slide and barrel for maximum durability
- Small, medium and large replaceable backstrap





ULTIMATE DEFENSE FULL SIZE HANDGUN

Specially designed for controlled expansion and optimal energy transfer. Engineered to deliver massive knockdown power in all full-sized handguns. See page 152.

REMINGTON RP SIGHTS



FIBER OPTIC Order No. (17834)



TRITIUM NIGHT Order No. (17835)

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	CAPACITY	CALIBER	BARREL LENGTH	FRAME MATERIAL
RP45	96464	15+1	45 Auto +P	41/2"	Polymer
RP45 Restricted	96474	10+1	45 Auto +P	41/2"	Polymer
RP 45 RP9 Night Sights	96257	15+1	45 Auto +P	41/2"	Polymer
	96256	15+1	9mm Luger +P	41/2"	Polymer
RP9	96466	18+1	9mm Luger +P	41/2"	Polymer
RPQ Restricted	96476	10+1	9mm Luger +P	Δ1/ ₂ "	Polymer







REMINGTON SUBSONIC

	PR	H	Ш	E	łТ	S	М	U	R	K	4	4	Į(0)	A	D	5
1		1	Ø		ø			á								l	

HYPERSONIC BONDED	HOG HAMMER

Remington.

PREMIER SCIROCCO

Rifle 1	106
Muzzleloading	124
Shotshell 1	126
Reloading Components 1	146
Handgun1	148
Rimfire1	162





PREMIER FAMILY

THE TOUGHEST POLYMER-TIPPED BULLET PERIOD.

PREMIER SCIROCCO BONDED. The remarkable Premier Scirocco® Bonded bullet by Swift® maintains its status as the industry leader in bonded, tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, Premier Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When ultimate accuracy and performance is needed, turn to Scirocco.

Expands reliably over a wide range of terminal velocities



100 yards

106



200 yards







300 yards

400 yards

CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
243 Win	29320	90	Swift Scirocco Bonde
270 Win	29322	130	Swift Scirocco Bonde
7mm Remington Magnum	29316	150	Swift Scirocco Bonde
7mm Remington Ultra Magnum	29335	150	Swift Scirocco Bonde
30-06 Sprg	29318	150	Swift Scirocco Bonde
30-06 Sprg	29328	180	Swift Scirocco Bonde
300 WSM	29345	180	Swift Scirocco Bonde
300 Win Mag	29330	180	Swift Scirocco Bonde
300 Remington Ultra Magnum	27950	150	Swift Scirocco Bonde
300 Remington Ultra Magnum	27936	180	Swift Scirocco Bonde
308 Win	29332	165	Swift Scirocco Bonde
6.5 Creedmoor	29344	130	Scirocco

For more information on ballistics, see pages 206-210.





5 SHOTS, .8" @ 100 YDS. 30-06, 180-gr. Premier Scirocco Bonded

A TIPPED BULLET THAT POWERS THROUGH.

 PRECISION-SHAPED **POLYMER TIP**

Initiates expansion

2 JACKET AND CORE LOCKED TOGETHER

> With proven Swift bonding technology

3 SLEEK PROFILE

For optimum ballistic coefficient

4 BOAT TAIL BASE **DESIGN**

For improved downrange performance



Remington. **PRECISELY** THE HUNTING **BULLET OF YOUR DREAMS.**

PREMIER ACCUTIP. It's the perfect advancement of match-grade accuracy and deer-stopping terminal results. Optimized to deliver superior match-grade accuracy and maximum downrange energy whenever, and wherever you need it, every time. AccuTip bullets expand quickly - producing an awesome level of transferred energy - to dispatch game with lightning authority. And specially engineered for varmint hunting, AccuTip-V bullets are optimized for match-grade accuracy and explosive on-game results. At impact, its gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently.

ONE SERIOUSLY LETHAL HUNTING TIP.

POLYMER TIP

Eliminates nose deformation, improves long range ballistics, initiates rapid expansion

2 SLEEK PROFILE

Optimizes ballistic coefficient for flat trajectory

3 JACKET THICKNESS Tuned for violent terminal performance on medium-sized game

4 MATCH-GRADE **ACCURACY**

> Center of gravity adjusted rearward to maximize accuracy

 $\langle 4
angle$



PREMIER MATCH.

Ever hear the phrase, "You could drive tacks with 'em?" Well, they're probably talking about Remington Premier Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure worldclass performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then, we'll continue to prove it on paper.





5 SHOTS, .6" @ 100 YDS. 308 Win, 168-ar. Premier Match

PREMIER ACCUTIP				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
17 Remington	29162	20	AccuTip-V	
17 Remington Fireball	29165	20	AccuTip-V	
204 Ruger	29218	32	AccuTip-V	
	29220	40	AccuTip-V, Boat Tail	
22 Hornet	29154	35	AccuTip-V	
221 Remington Fireball	29172	50	AccuTip-V, Boat Tail	
222 Remington	29174	50	AccuTip-V, Boat Tail	
	29184	50	AccuTip-V, Boat Tail	
	29192	55	AccuTip	
22-250 Remington	29186	50	AccuTip-V, Boat Tail	
243 Win	29194	75	AccuTip-V, Boat Tail	
	29196	95	AccuTip	
270 Win	29200	130	AccuTip, Boat Tail	
280 Remington	29202	140	AccuTip, Boat Tail	
7mm Remington Magnum	29204	140	AccuTip, Boat Tail	
	29206	150	AccuTip, Boat Tail	
30-06 Sprg	29208	150	AccuTip, Boat Tail	
	29210	165	AccuTip, Boat Tail	
	29226	180	AccuTip, Boat Tail	
300 Win Mag	29212	180	AccuTip, Boat Tail	
308 Win	29214	165	AccuTip, Boat Tail	
450 Bushmaster	27943	260	AccuTip	

PREMIER MAICH				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
6mm Creedmoor	27651	112	Barnes Open Tip Match Boat Tail	
223 Remington	22106	62	HP, Match	
223 Remington	27680	69	MatchKing Boat Tail Hallow Point	
223 Remington	27686	77	MatchKing Boat Tail Hallow Point	
260 Remington	27665	140	Barnes Open Tip Match Boat Tail	
6.5 Creedmoor	27661	140	Barnes Open Tip Match Boat Tail	
6.8mm Remington SPC	27676	115	MatchKing Boat Tail Hallow Point	
300 AAC Blackout	21503	125	MatchKing Open Tip Match	
308 Win	21485	168	MatchKing Boat Tail Hallow Point	
308 Win	21486	175	MatchKing Boat Tail Hallow Point	
NEW 6.5 Grendel	27647	120	Barnes Open Tip Match Boat Tail	

For more information on ballistics, see pages 206-210.

BACK TO BASICS

FIELD TESTING REMINGTON'S HTP COPPER AMMUNITION

By Alfreo Rico | Featured in Guns & Ammo

returned to Texas and found myself in the middle of roughly 10,500 acres near San Angelo, Texas, that provided the backdrop for my field evaluation of Remington High Terminal Performance (HTP) Copper ammunition loaded with Barnes' famous TSX projectiles. The last time I was in these parts, I chased aoudad up its mountainous landscape. This time, free-range whitetail were my quarry.

I carried a Remington Model 700 American Wilderness Rifle (AWR) that's based on a rifle first manufactured in 1962. 1 selected one chambered for the century-old .30-'06 Springfield. Of course, Remington has been making firearms for over 200 years.

Besides harvesting some venison, I used this hunt to further evaluate Remington's High Terminal Performance (HTP) ammunition, which is loaded with Barnes' 168-grain Triple-Shock X bullet (TSX). Barnes' TSX is a projectile that's sometimes overshadowed by the recent trend toward hunting with long-range, ballistic-tipped expanders.

As time has proven, there are several benefits of using a monolithic bullet over a jacketed bullet with a lead core. Monolithic bullets are lighter than their jacketed-lead counterparts and achieve higher velocities when similar loads are compared. They also retain almost 100 percent of their weight and don't require bonding technology to stay together.

Jacketed lead-core bullets are known to lose an average of one-third of their weight while penetrating due to core-jacket separation and other contributing factors. As a result, many of us have found that monolithic copper bullets will have greater terminal performance than their jacketed-core counterparts.

The series of grooves found on the TSX bullet provide a space for the displaced copper to flow as the bullet travels down the bore rather than accumulating on the bearing surface. This feature reduces friction and fouling, while improving accuracy.

Day one started in the late afternoon as my guide, Ruben Cantu of Wildlife Systems, put me in a box blind nestled in a small valley. With my camera placed on a chair next to me, I watched the sky turn deeper shades of blue before the golden hour. I saw a silver fox chasing moths through the dry grass before deer slowly emerged seemingly out of nowhere. The scene begged the photographer in me to grab my camera. Before I realized it, the field was brimming with deer.

During the next couple of days, we alternated hunting from a blind to heading out safari-style, which meant that we'd explore the expansive landscape on an ATV and walk into areas where Cantu thought we'd find deer. We hid under thickets of Manzanita trees and rattled deer using plastic antlers. Cantu's strategy worked; at one point we had three deer within 20 yards inspecting the noise, leaving us in awe as we silently observed the trio.

As we kept rattling, a beautiful eight-pointer entered my field of view and presented his broad side in my scope as he scrounged the ground. I traced the back of his front leg with the center of the duplex crosshair until I was above the crease. I locked in on


him and pulled the trigger. The busy field quickly emptied.


The Barnes TSX performed beautifully. The bullet dumped most of its energy inside the animal causing the exit wound to be as small as the entrance wound. There was some blood at the impact area, but not a drop for another 20 yards. Following the trail,

we found him a short 10 yards later. Unfortunately, I was unable to locate the projectile.

Collecting the buck, we headed back to the lodge to inspect the internal effectiveness of the TSX. On the inside of the rib cage where the bullet entered, we found that it had rapidly expanded and shattered two

ribs. The bullet continued through the chest cavity traumatizing both lungs before exiting. "This was a classic two-lung hit," Cantu said. "This deer wasn't going anywhere."





HIGH TERMINAL PERFORMANCE (HTP) **COPPER**

UNMATCHED BARNES PERFORMANCE, POWERED BY REMINGTON.

HTP COPPER. Engineered for maximum terminal performance in the field, HTP Copper is built to the highest industry standards with premium components to provide hunters with the fullest measure of copper-powered confidence. Its Barnes TSX bullet is precision engineered with four cutting petals that deliver massive expansion, deep penetration and near 100% weight retention, every time. It's tremendous terminal performance and integrity only a one-piece bullet can provide.



MODEL 700 AWR

The most accurate production rifle in history, built to endure anything. See page 57.

ARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	27699	62	Barnes TSX BT
22-250 Remington	27726	50	Barnes TSX BT
6.5 Creedmoor	27716	120	Barnes TSX BT
270 Win	27717	130	Barnes TSX BT
270 WSM	27715	140	Barnes TSX BT
7mm Remington Magnum	27718	140	Barnes TSX BT
7mm Remington Ultra Magnum	27719	150	Barnes TSX BT
300 AAC Blackout	27710	130	Barnes TSX FB
30-30 Win	27711	150	Barnes TSX FN
30-06 Sprg	27707	168	Barnes TSX BT
308 Win	27708	168	Barnes TSX BT
300 Win Mag	27720	180	Barnes TSX BT
300 Remington Ultra Magnum	27722	180	Barnes TSX BT
45-70 Govt	27736	300	Barnes TSX FN
NEW 450 Bushmaster	27739	250	Barnes TTSX FN

For more information on ballistics, see pages 206-210.

ALL COPPER. **PURE DEVASTATION.**

HOLLOW POINT CAVITY

2 SLEEK BULLET PROFILE Laser-flat trajectory

3 ACCU-GROOVE™ Decreased fouling and excellent accuracy


4 PRECISION HEEL **RADIUS**

Extreme accuracy




THE CUTTING EDGE OF MASSIVE **WOUND CHANNELS.**

It's the most devastatingly powerful performance in big game hunting. Constructed with an all-copper Barnes TSX Bullet, HTP Copper generates deeper penetration than standard lead-core bullets while delivering rapid, 2X+ expansion – on even the thickest-skinned animals. Hands down, the toughest and deadliest expansion bullet in the industry.



Massive expansion initiated



Uniform wound channel with bullet exiting intact



Full pass-through with devastating trauma



HYPERSONIC BONDED

THE MOST LETHAL BIG-GAME AMMUNITION EVER DEVISED.

With hyper-charged velocities up to 200fps faster than standard loads, HyperSonic Bonded delivers more than just laser-flat trajectories and higher downrange energies. It plows through hide, meat and bone with unrivaled devastation thanks to the ingenuity of Remington engineers who took today's most advanced bonded bullet design – Core-Lokt Ultra Bonded – and paired it with a proprietary blend of propellants to find the perfect, lethal match. No other high-velocity load on the market can measure up.



HYPERSONIC BONDED				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
223 Remington	28919	62	Core-Lokt Ultra Bonded, PSP	
243 Win	28923	100	Core-Lokt Ultra Bonded, PSP	
270 Win	28955	140	Core-Lokt Ultra Bonded, PSP	
30-06 Sprg	29007	150	Core-Lokt Ultra Bonded, PSP	
30-06 Sprg	29009	180	Core-Lokt Ultra Bonded, PSP	
300 Win Mag	29033	180	Core-Lokt Ultra Bonded, PSP	
308 Win	29119	150	Core-Lokt Ultra Bonded, PSP	

For more information on ballistics, see pages 206-210.

HOG HAMMER

WAGE WAR ON FERAL SWINE WITH DEEPER PENETRATION AND RAPID ON-HOG EXPANSION.

For whacking and stacking swine, nothing delivers a bigger pig-pulverizing punch than Hog Hammer. It penetrates even the thickest-skinned pigs with a Barnes TSX Bullet. With all-copper construction for deeper penetration than standard lead-core bullets, this is the toughest expanding bullet in the industry, offering near 100% weight-retention on-hog. Expands rapidly to 2X the diameter to carve massive wound channels.





Remington


Hyper accurate and super compact, the ultimate bolt-action trail gun engineered for drilling big game, varmints and targets from the next zip code. See page 80.

HOG HAMMER				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
223 Remington	27700	62	Barnes TSX Boat Tail	
6.5 Creedmoor	27797	120	Barnes TSX Boat Tail	
270 Win	27798	130	Barnes TSX Boat Tail	
300 AAC Blackout	27701	130	Barnes TSX Flat Base	
30-30 Win	27702	150	Barnes TSX Flat Nose	
30-06 Sprg	27703	168	Barnes TSX Boat Tail	
308 Win	27705	168	Barnes TSX Boat Tail	
45-70 Govt	27807	300	Barnes TSX Flat Nose	
NEW 450 Bushmaster	27809	250	Barnes TTSS Boat Tail	

For more information on ballistics, see pages 206-210.

GAME-CHANGING VELOCITY MEETS GAME-LEVELING BULLET DESIGN.

THE FLATTEST TRAJECTORIES.




— Hypersonic Bonded (30-06 Sprg 150 gr.) – – – Other (30-06 Sprg 150 gr.)

OUR DEADLY FORMULA.

BONDED CORE
 DESIGN carries
 boosted velocities and energies through heavy

boosted velocities and energies through heavy bone with absolute lethal command.

PROPRIETARY
PROPELLANT
BLEND delivers
velocities up to
200 fps faster than
standard loads.










THE WORLD'S BEST-SELLING CENTERFIRE HUNTING AMMUNITION.

Since 1939, more hunters have relied on Remington Core-Lokt than any other big-game ammunition, and rightfully so. It's filled more tags on more continents than any other load. Core-Lokt is the original controlled-expansion bullet. Its time-proven performance has made it hunting's first choice for over 79 years. The tapered copper jacket is locked to a solid lead core delivering massive 2X expansion, high weight retention and consistent on-game results. It's available in soft point, hollow point and pointed soft point versions, and in a range of bullet weights for virtually every centerfire hunting caliber made. Trust your next hunt to the best-selling centerfire hunting ammunition of all time.



THE DEADLIEST MUSHROOM IN THE WOODS

- **CONSISTENT 2X EXPANSION**For large terminal wound channels
- 2 DEEP PENETRATION
 And high weight retention
- **3 PROVEN LETHAL**The original controlled-expansion bullet



CORE-LOKT SOFT POINT CORE-LOKT POINTED SOFT POINT



Provides broad frontal area for high-energy impact and rapid expansion

- 2 SPITZER PROFILE
 For improved velocity and flatter trajectory
- **3 BULLET CORE "LOKT" IN PLACE**To provide deep penetration
- 4 JACKET DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION

To almost twice the original diameter

CORE-LOKT

WE'VE PUSHED ITS TECHNOLOGY THROUGH MILLIONS OF DEER.


Amid the comings and goings of countless imitators and emulators, Remington Core-Lokt has remained the bestselling centerfire hunting ammunition the world has ever seen for eight decades.

The most trusted among generations of American big game hunters. The most common thread, and end, to more hunting stories throughout the modern sporting era. It's the product of constant innovations and improvements to materials and manufacturing processes.

Since 1939, the original controlled-expansion bullet, and deadliest mushroom in the woods, has only grown stronger. And it's not about to let up.








TESTED. PROVEN FOR TERMINAL DEVASTATION.

Creating explosive cavities in ballistic gelatin, Remington engineers have devised the ultimate performer for devastating wound channels.







		BULLET WT.	
CARTRIDGE	ORDER NO.	(GR.)	BULLET TYPE
300 WSM	29489	150	Pointed Soft Point
308 Win	27842	150	Pointed Soft Point
	21479	180	Pointed Soft Point
300 Wby Mag	29279	180	Pointed Soft Point
7.62 x 39mm	29125	125	Pointed Soft Point
300 Remington SA Ultra Magnum	27954	165	Pointed Soft Point
300 Remington Ultra Magnum	27641	180	Pointed Soft Point
30 Remington AR	29485	150	Pointed Soft Point
338 Remington Ultra Magnum	27942	250	Pointed Soft Point
338 Win Mag	22189	225	Pointed Soft Point
	22191	250	Pointed Soft Point
35 Whelen	21495	200	Pointed Soft Point
CORE	-LOKT SOFT	POINT	
		BULLET WT.	
CARTRIDGE	ORDER NO.	(GR.)	BULLET TYPE
257 Roberts	28335	117	Soft Point
270 Win	27810	150	Soft Point
280 Remington	28417	165	Soft Point
30 Carbine	28322	110	Soft Point
80-30 Win	27818	150	Soft Point
	27820	170	Soft Point
30-06 Sprg	21407	180	Soft Point
	27830	220	Soft Point
308 Marlin Express	27848	150	Soft Point
308 Win	27844	180	Soft Point
303 British	21471	180	Soft Point
32 Win Special	21489	170	Soft Point
35 Remington	27852	200	Soft Point
144 Marlin	29475	240	Soft Point
45-70 Government (Full Pressure)	21459	405	Soft Point
15-70 Government (Reduced Pressure)	29473	405	Soft Point
CORE-L	OKT HOLLOV	V POINT	
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 Win	21395	170	Hollow Point
DO-DO WIII	21373	170	HOHOW FULLE

For more information on ballistics, see pages 206-210.



ULTIMATE DEFENSE RIFLE BONDED

Remington

REMINGTON SUBSONIC

BREAKTHROUGH ACCURACY THAT NEVER BREAKS THE SOUND BARRIER.

The result of a joint collaboration between AAC and Remington, these new SubSonic loads are engineered for optimal performance when paired with a suppressor. Loaded with premium components under stringent quality controls, these loads deliver consistent, subsonic velocity to prevent supersonic cracks. Bullets in full profile jacketed and open-tip flat base eliminate lead buildup in silencer ports. Choose from 9mm Luger, 45 Auto, 300 AAC Blackout, and 22 LR.




The most maneuverable, tack-driving member of the SPS family features a heavy, 20" free-floating barrel, adjustable trigger and Hogue® over-mold stock for the ultimate in compact handling and precision. See page 54.

REMINGTON SUBSONIC				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
300 AAC Blackout	28430	220	Open Tip, Flat Base	

For more information on ballistics, see pages 206-210.

MAXIMIZE YOUR AR'S POWER TO DEFEND.

It's the world-class accuracy and controlled expansion reliability you've come to expect in a bonded bullet, engineered to elevate your personal defense preparedness to a new level. Ultimate Defense Rifle Bonded centerfire bullets are manufactured for ultimate bonded bullet performance, offering absolute reliability from point blank to 500 yards – and absolute peace of mind everywhere it matters most.



ULTIMATE DEFENSE RIFLE BONDED				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
223 Remington	22107	62	Core-Lokt Ultra Bonded	

For more information on ballistics, see pages 206-210.

MODERN SPORTING RIFLE



223 REMINGTON

One of the most popular rounds among American shooters today, 223 Remington rifle cartridges offer fast velocity with relatively low recoil. Perfect for recreational shooting, varmint and small predator hunting, even personal defense and big game hunting. Available in Premier Match, High Performance Rifle, UMC, Core-Lokt, HTP Copper, HyperSonic Bonded and Ultimate Defense loads.



300 AAC BLACKOUT

The ultimate 30-cal solution for the MSR platform. It matches the ballistic power of the 7.62x39mm, but at 300 meters has 16.7% more energy. Optimal for sound and flash-suppressed fire, all in a low-recoiling package. Featuring waterproofed primers, crimped and cannelured open-tip match bullets, and a low-drag design.



PREMIER ACCUTIP **450 BUSHMASTER**

The "Big Thumper" gets a big dose of aerodynamics and devastating expansion from your 450 Bushmaster and we load it with perhaps the most accurate 45-caliber bullet ever devised. Featuring our Power Port tip, this 260-grain AccuTip projectile delivers exceptional flight characteristics for ultimate downrange precision and sustained energy. Its high-strength cartridge-brass jacket and spiral nose cuts combine to drive huge, uniform mushrooms through the toughest game with ease.




30 REMINGTON AR

With big game dropping ballistics like the vaunted 308 Win. This blend of devastating power and speed is a major advancement in big-game hunting technology. Available in Core-Lokt.

MODERN SPORTING RIFLE						
DESCRIPTION	ORDER No.	BULLET WT. (GR.)	BULLET TYPE			
UMC	23711	55	Full Metal Jacket			
UMC	23748	45	Jacketed Hollow Point			
UMC	23812	50	Jacketed Hollow Point			
Core-Lokt	22111	62	Core-Lokt® Ultra Bonded, PSPCLU			
High Performance Rifle	21303	55	Pointed Soft Point			
Premier Accutip	29184	50	AccuTip-V, Boat Tail			
Premier Accutip	29192	55	AccuTip			
Premier Match	22106	62	Hollow Point Match			
Premier Match	27680	69	MatchKing BTHB			
Premier Match	27686	77	MatchKing BTHB			
HTP Copper	27699	62	Barnes TSX BT			
Ultimate Defense Rifle Bonded	22107	62	Core-Lokt Ultra Bonded			
Hog Hammer	27700	62	Barnes TSX BT			
Premier Match	27647	140	Match Burner OTM BT			
UMC	24035	115	Full Metal Jacket			
Premier Match	27676	115	MatchKing BTHB			
UMC	21421	120	Open-Tip Flat Base			
UMC	24026	220	Open-Tip Flat Base			
Premier Match	21503	125	MatchKing Flat Base			
HTP Copper	27710	130	Barnes TSX BT			
Hog Hammer	27701	130	Barnes TSX BT			
Remington SubSonic	28430	220	OTFB			
UMC	21422	220	OTFB			
Core-Lokt	29485	150	Core-Lokt PSP			
UMC	23715	150	Full Metal Jacket			
HyperSonic Rifle	29119	150	Core-Lokt ® Ultra Bonded, PSP			
Core-Lokt	27842	150	Pointed Soft Point			
Core-Lokt	21479	180	Pointed Soft Point			
Core-Lokt	27844	180	Soft Point			
Hog Hammer	27705	168	Barnes TSX BT			
Premier Match	21485	168	MatchKing BTHB			
Premier Match	21486	175	MatchKing BTHB			
Premier AccuTip	29214	165	AccuTip Boat Tail			
Premier Scirocco Bonded	29332	165	Swift Scirocco Bonded			
HTP Copper	27708	168	Barnes TSX BT			
Premier AccuTip	27943	260	Core-Lokt Ultra Bonded			
UMC	27941	300	Core-Lokt PSP			
	DESCRIPTION UMC UMC UMC Core-Lokt High Performance Rifle Premier Accutip Premier Match Premier Match HTP Copper Ultimate Defense Rifle Bonded Hog Hammer Premier Match UMC Premier Match HTP Copper Ultimate Defense Rifle Bonded Hog Hammer Premier Match UMC Premier Match UMC UMC Premier Match HTP Copper Hog Hammer Remington SubSonic UMC Core-Lokt UMC HyperSonic Rifle Core-Lokt Core-Lokt Core-Lokt Core-Lokt Core-Lokt Premier Match Premier Match Premier Match Premier Match Premier Scirocco Bonded HTP Copper Premier AccuTip	DESCRIPTION ORDER NO. UMC 23711 UMC 23748 UMC 23812 Core-Lokt 22111 High Performance Rifle 21303 Premier Accutip 29184 Premier Accutip 29192 Premier Match 27680 Premier Match 27686 HTP Copper 27699 Ultimate Defense Rifle Bonded 22107 Hog Hammer 27700 Premier Match 27647 UMC 24035 Premier Match 21503 HTP Copper 27706 UMC 24026 Premier Match 21503 HTP Copper 27701 Remington SubSonic 28430 UMC 21422 Core-Lokt 29485 UMC 21422 Core-Lokt 27842 Core-Lokt 27842 Core-Lokt 27842 Core-Lokt 27844 Hog Hammer 27705	DESCRIPTION ORDER NO. BILLET WT. (GR.) UMC 23711 55 UMC 23748 45 UMC 23812 50 Core-Lokt 22111 62 High Performance Rifle 21303 55 Premier Accutip 29184 50 Premier Accutip 29192 55 Premier Match 27680 69 Premier Match 27680 77 HTP Copper 27699 62 Ultimate Defense Rifle Bonded 22107 62 Premier Match 27647 140 UMC 24035 115 Premier Match 27647 140 UMC 24035 115 UMC 24021 220 Premier Match 21503 125 HTP Copper 27710 130 Hog Hammer 27701 130 Remington SubSonic 28430 220 UMC 21422 220			

For more information on ballistics, see pages 206-210.

THE MODERN HUNTING RIFLE HAS EVOLVED. **USE THE AMMUNITION TO MATCH.**













450 **BUSHMASTER**

LOADS FOR EVERY PURSUIT CRAFTED TO ONE SUPERIOR STANDARD.

PERFORMANCE RIFLE

As America's oldest rifle maker, Remington also has a proud heritage of innovating rifle ammunition. Assembled with premium components honed to ultra-tight tolerances, our High Performance Rifle series more than lives up to its name. And it's available in a wide range of calibers, bullet weights and styles. In the field, forest or at the range, there's a Remington High Performance Rifle round tailor-made to match any pursuit.

CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
17 Remington	28460	25	Hollow Point
22 Hornet	28376	45	Pointed Soft Point
220 Swift	21297	50	Pointed Soft Point
223 Remington	21303	50	Pointed Soft Point
	28399	55	Pointed Soft Point
22-250 Remington	21311	55	Pointed Soft Point
243 Win	27800	80	Pointed Soft Point
6.5 Creedmoor	27671	140	Boat-Tail Hollow Point
32-20 Win	28410	100	Lead
338 Marlin Express	22184	250	Soft Point
35 Whelen	21499	250	Pointed Soft Point
375 H&H Magnum	29097	270	Soft Point
375 Remington Ultra Magnum	29340	270	Soft Point
45-70 Govt	21463	300	Semi-Jacketed Hollow Poi
NEW 6.5 Grendel	27649	120	Boat-Tail Hallow Point


For more information on ballistics, see pages 206-210.

A BULLET FOR **EVERY PASSION.**

HIGH



HOLLOW POINT



Remington.

HIGH PERFORMANCE RIFLE







BOAT TAIL HOLLOW POINT



LOADED WITH AMERICAN PRIDE IN CRAFT.

UMC RIFLE

Loaded in the USA, value-priced and ideal for high-volume shooting, our UMC centerfire rifle ammunition is loaded in eight popular calibers, including the 308 Win, 7.62x39mm and 30 Carbine. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Also available in 6.8mm Remington SPC.

20 CENTERFIRE RIFLE CARTRIDGES

CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	23711	55	Full Metal Jacket
	23748	45	Jacketed Hollow Point
	23812	50	Jacketed Hollow Point
22-250 Remington	23750	45	Jacketed Hollow Point
	23813	50	Open Tip Flat Base
300 AAC Blackout	21422	220	Open Tip Flat Base
	21421	120	Open Tip Flat Base
30 Carbine*	23712	110	Full Metal Jacket
6.8mm Remington SPC	24035	115	Full Metal Jacket
308 Win	23715	150	Full Metal Jacket
30-06 Sprg	23699	150	Full Metal Jacket
303 British	23701	174	Full Metal Jacket
NEW 450 Bushmaster	23661	260	Full Metal Jacket
UMC RIFLE CAF	RTRIDGES (40	& 50* ROUN	ID VALUE PACK)
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	23906	45	Jacketed Hollow Point
	20700		
	23908	50	Jacketed Hollow Point
		50 55	Jacketed Hollow Point Full Metal Jacket
22-250 Remington	23908		
22-250 Remington	23908 23966	55	Full Metal Jacket
22-250 Remington 300 AAC Blackout	23908 23966 23769	55 45	Full Metal Jacket Jacketed Hollow Point
, and the second	23908 23966 23769 23783	55 45 50	Full Metal Jacket Jacketed Hollow Point Jacketed Hollow Point
, and the second	23908 23966 23769 23783 24024	55 45 50 120	Full Metal Jacket Jacketed Hollow Point Jacketed Hollow Point Open Tip Flat Base
300 AAC Blackout	23908 23966 23769 23783 24024 24026	55 45 50 120 220 150	Full Metal Jacket Jacketed Hollow Point Jacketed Hollow Point Open Tip Flat Base Open Tip Flat Base Full Metal Jacket
300 AAC Blackout	23908 23966 23769 23783 24024 24026 23971	55 45 50 120 220 150	Full Metal Jacket Jacketed Hollow Point Jacketed Hollow Point Open Tip Flat Base Open Tip Flat Base Full Metal Jacket
300 AAC Blackout 308 Win* UMC RIFL	23908 23966 23769 23783 24024 24026 23971 E CARTRIDGES	55 45 50 120 220 150 (FREEDOM BULLET WT.	Full Metal Jacket Jacketed Hollow Point Jacketed Hollow Point Open Tip Flat Base Open Tip Flat Base Full Metal Jacket BUCKETS)

UMC RIFLE CARTRIDGES (20 & 50* ROUND PACK)

For more information on ballistics, see pages 206-210.



MUZZLELOADER

BOLT-ACTION CENTERFIRE SIMPLICITY.

PRE-PRIMED CASES. Engineered exclusively for the Ultimate Muzzleloader, pre-primed cases load with the ease of any centerfire. And super-hot magnum primers ignite up to 200-grain loads with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup.



OUR BEST TIP FOR MUZZLELOADER ACCURACY.

PREMIER ACCUTIP. Take muzzleloader accuracy to the next level with 100% copper, Premier AccuTip bullets by Barnes. Riding in an EZ load sabot, the polymer tipped, 50 caliber, 250-grain bullet delivers rapid expansion with 100% weight retention. Designed for use in any 50-caliber muzzleloader.





MUZZLELOADER ACCESSORIES

Purpose-built for muzzleloaders, these sturdy, solidbrass tools are designed for hard use in the 50-caliber muzzleloading rifle of your choice. See page 174.



YOUR MUZZLELOADER'S ULTIMATE PERFORMANCE ADVANTAGE.



UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles 200-grain magnum charge – resulting in lethal 300-yard performance. For maximum burn and efficiency, use up to four (4) Hodgdon® Triple Seven® 50/50 pellets to safely achieve 2,400 fps (muzzle) in the Remington Ultimate Muzzleloader.

Do not load your muzzleloader in a way that is not prescribed by its owner's manual.



1887 LEGACY MEETS 2019 TECHNOLOGY.







CLASSIC RELIABILITY. MODERN ACCURACY & TERMINAL PERFORMANCE.

CENTERFIRE RIFLE.

The dependable big-game cartridges in the familiar blue box are back—now led by a modern, blue-polymer tip bullet, delivering match-grade accuracy and a new level of lethal game-flattening results. Or in classic Core-Lokt SP or SJHP style bullets in popular lever-action cartridges with proven Core-Lokt terminal performance. Either way, they're competitively priced and destined to become the cartridge of choice for generations to come. Available in popular hunting calibers from 243 Win to 45-70 Govt.

PETERS PREMIER BLUE RIFLE CARTRIDGES				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
43 Win	27631	95	Blue-Tipped FB	
270 Win	27974	130	Blue-Tipped BT	
6.5 Creedmoor	28213	140	Core-Lokt PSP	
7mm Remington Magnum	28102	150	Blue-Tipped BT	
30-06 Sprg	27774	165	Blue-Tipped BT	
300 Win Mag	27989	180	Blue-Tipped BT	
308 Win	27991	165	Blue-Tipped BT	
30-30 Win	27767	150	Core-Lokt SP	
444 Marlin	28000	240	Core-Lokt SP	
45-70 Govt	28340	300	SJHP	
45-70 Govt	28341	405	Core-Lokt SP	

For more information on ballistics, see pages 206-210.

DISTINCT BLUE SHELL. DEPENDABLE RESULTS.

WATERFOWL LOADS.

Back by popular demand, it's the high-brass shell renowned for high velocity steel and high performance. Its sealed, six-segment Peters crimp and Kleanbore® priming promotes fast, reliable ignition every time. Launching round steel shot with tight, uniform patterns.

FIELD AND TARGET LOADS.

Superior components and tight manufacturing tolerances make it the perfect choice for both upland and target.

Proudly keeping the tradition of good value and consistent patterning alive and well in the field and on targets.

	PE	IEKS PKE	MIER BLUE STE	tL.	
ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
28799	12	3	1400	11/4	BB
28801	12	3	1400	11/4	2
28805	12	3	1400	11/4	3
28803	12	3	1400	11/4	4
PETERS PREMIER BLUE FIELD & TARGET					
UDDED NU	CALICE	LENGTH	MUZZLE VELOCITY	OUNCES	SHOT

PETERS PREMIER BLUE FIELD & TARGET						
ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size	
28724	12	23/4	1145	11/8	71/2	
28726	12	23/4	1145	11/8	8	
28740	12	23/4	1200	11/8	71/2	
28742	12	$2^{3}/_{4}$	1200	11/8	8	



WATERFOWL

HYPERSONIC STEEL

Most ducks are missed from behind, but the unprecedented velocity of Remington HyperSonic Steel compensates for this by reducing required lead by 8" at 40 yards (about a full body length) on a duck flying at average speed. It puts more pellets in the head and neck for quicker kills and fewer misses – without changing the way you shoot. With unprecedented velocity and the highest downrange pattern energies ever achieved, HyperSonic Steel takes lethality to new heights, to a level of terminal performance where more birds drop with fewer shots at the farthest reaches of your abilities. And only Remington harnessed the wad technology to do it.





THE WORLD'S FASTEST, HARDEST-HITTING STEEL.

- HIGH VELOCITY STEEL (1450 fps, 1¼ oz.) @ 40 yds
- HYPERSONIC STEEL (1700 fps, 1¼ oz.) @ 40 yds





QUICKER KILLS. FEWER MISSES. 11% SHORTER LEADS. MORE HEAD & NECK HITS.



PATENTED XELERATOR WAD TECHNOLOGY

Our proprietary wad technology is the key to HyperSonic Steel's unprecedented velocity.

NEW HOTTER PRIMER

Ignites small powder charge in chamber, moving entire payload forward slightly to control pressure.

2 IGNITION CHAMBER

Produces higher velocities with safe pressures and full payloads.

3 XELERATOR WAD STRESS CONCENTRATOR

Initiates petal splitting, which holds patterns tighter downrange.

4 PRIMARY POWDER CHARGE

Ignites, accelerating the payload to speeds up to 1700 FPS.


HYPERSONIC STEEL						
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size	
HSS10C	10	31/2	1500	11/2	BBB	
HSS10B	10	31/2	1500	11/2	BB	
HSS102	10	31/2	1500	11/2	2	
HSS12B	12	3	1700	11/8	BB	
HSS122	12	3	1700	11/8	2	
HSS124	12	3	1700	11/8	4	
HSS12MB	12	3	1700	11/4	BB	
HSS12M1	12	3	1700	11/4	1	
HSS12M2	12	3	1700	11/4	2	
HSS12M3	12	3	1700	11/4	3	
HSS12M4	12	3	1700	11/4	4	
HSS1235B	12	31/2	1700	13/8	BB	
HSS12352	12	31/2	1700	13/8	2	
HSS12354	12	31/2	1700	13/8	4	
HSS20M2	20	3	1600	7/8	2	
HSS20M4	20	3	1600	7/8	4	



NITRO-STEEL

MORE STEEL TO THE BIRDS. MORE BIRDS TO THE GROUND.

The steel serious waterfowlers depend on has been driven to new heights of performance. Remington NITRO-STEEL. Now with additional hard-hitting, higher velocity offerings. Premium, zinc-plated, 100% round pellets fly straight, delivering true close to long-range pattern performance. And NITRO-STEEL is fully compatible with aftermarket ported and wad-stripping chokes. It's a proprietary blend of components that produces more dead birds than any other load, year after year.








Any bird. Any load. Anywhere. Driven by the revolutionary VersaPort gas operating system, the V3 autoloader dependably cycles loads from 2¾" - 3" magnums with ease. It's decked butt-to-bore in Mossy Oak® Shadow Grass Blades Camo. See page 16.

A CANADA IN

FULL PAYLOADS. FULL PATTERNS. FULL LIMITS.





SPORTSMAN HI-SPEED STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in lead-free zones and for pre-season practice
- Shot size selection to match your game

		NITRO-STEE	L	
GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size
10	31/2	1450	11/2	2
12	23/4	1390	11/8	4
12	23/4	1275	11/4	BB, 2, 4
12	3	1450	11/4	BB, 1, 2, 3, 4
12	3	1300	13/8	T, BB, 2, 4
12	31/2	1500	11/2	BB, 2
16	23/4	1300	15/16	2,4
20	3	1400	1	4

	SPORTSMAN HI-SPEED STEEL					
GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size		
10	31/2	1500	13/8	BB, 2		
12	23/4	1365	1	6, 7		
12	23/4	1375	11/8	2, 4		
12	3	1550	11/8	BB, 2, 4		
12	3	1400	11/4	BB, 1, 2, 3, 4		
12	3	1300	13/8	BB, 2		
12	31/2	1550	13/8	BB, 2		
20	23/4	1425	3/4	7		
20	3	1300	1	2,4		



TURKEY

PREMIER TSS

New ultra-dense Tungsten Super Shot payloads deliver increased lethal range, denser patterns, massive new levels of knockdown power and, of course, more big ol' Toms to the ground. A density of 18 g/cc makes a smaller shot size viable over what you'd choose in lead, with an energy and velocity increase to boot, so you can put more pellets downrange with greater force, and put more of them in the head and neck. Every load is tuned for the tightest, most consistent patterns possible. And the most deadly spring turkey season of your life.



Comes covered butt-to-bore with Realtree® Edge camo and advanced Turkey-hunting features, including TruGlo® optic. See page 16.

PREMIER TSS TURKEY LOADS					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
TSS1237	12	3	1200	13/4	7
TSS1238	12	3	1200	13/4	8
TSS1239	12	3	1200	13/4	9
TSS2037	20	3	1100	11/2	7
TSS2039	20	3	1100	11/2	9
TSS41039	410	3	1050	7/8	9



The high-performance lead load for avid turkey hunters. Three-inch and 3½" 12-gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston one-piece wad and magnum-grade Copper-Lokt lead shot for dense patterns and deep penetration.







NITRO TURKEY

NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS

- Nitro Mag extra-hard lead shot
- Patterns over 80% with super full choke
- Value priced

	PREMI	ER MAGN	NUM COPPER P	LATED				
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size			
P10HM	10	31/2	1210	21/4	4			
P12XHM	12	3	1175	2	4, 5, 6			
P1235M	12	31/2	1150	21/4	4			
P20XHM	20	3	1185	11/4	6			
PREMIER MAGNUM TURKEY HIGH VELOCITY COPPER PLATED								
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size			
PHV12M	12	3	1300	13/4	4, 5			
PHV1235M	12	31/2	1300	2	4, 5			
		NITE	RO TURKEY					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size			
NT12	12	23/4	1260	11/2	4, 5			
NT12H	12	3	1210	17/8	4, 5, 6			
NT1235	12	31/2	1300	2	4, 5, 6			
NT20M	20	3	1185	11/4	5			



UPLAND

NITRO PHEASANT LOADS

For pattern, energy and performance, nobody beats Nitro Pheasant. It uses the Remington Copper-Lokt copper-plated lead shot with high antimony content

- the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy - you need Nitro Pheasant. Available in both high velocity and magnum loads in 20-gauge.



PHEASANT LOADS

For the broadest selection in game-specific upland lead shotshells, Remington Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-brass payloads include 12-, 16-, and 20-gauge.

Remington.

NITRO PHEASANT

NITRO MAG BUFFERED MAGNUM LOADS

Excellent for dropping birds. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our Power Piston one-piece wad to provide dense, even patterns and uniform shot strings.





GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 12-, 16-, 20-gauge and 410 bore.



HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications, available in 12-gauge with shot sizes of $7^{1/2}$ and 8.



EXPRESS XLR EXTRA LONG **RANGE LOADS**

Simply, the best-balanced, tightestpatterning upland field loads available. With a bold new look, and the same premium performance decades of shooters have come to know and trust. The time-proven excellence of the Express XLR (Extra Long Range) line with eight loadings - 12-gauge to 410 bore - and shot sizes ranging from #2 all the way down to #7¹/₂, for everything from pheasant and quail to rabbits and squirrels.

		NITRO P	HEASANT LOAD	S	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size
NP12	12	23/4	1400	11/4	4, 5, 6
NP12M	12	23/4	1300	13/8	4, 5, 6
NP20	20	23/4	1300	1	5, 6
NP20M	20	3	1185	11/4	5, 6
		PHEA	SANT LOADS		
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
PL12	12	23/4	1330	11/4	4, 5, 6, 7 1/2
PL16	16	23/4	1295	11/8	6
PL20	20	23/4	1220	1	4, 5, 6
	NI [.]	TRO MAG	LOADS - BUFF	ERED	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NM12S	12	23/4	1260	11/2	2,4
NM12	12	3	1280	15/8	4,6
NM12H	12	3	1210	1 ⁷ /8	2, 4, 6
NM20S	20	23/4	1175	11/8	4,6
NM20H	20	3	1185	11/4	4,6
	EXPRES	S XLR EX	TRA LONG RAN	GE LOADS	:
INDEX/EDI NO.	GAUGE / Bore	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
SP12	12	23/4	1330	11/4	2, 4, 5, 6, 7 1
NEHV12	12	23/4	1450	11/8	5, 6, 7 1/2
SP16	16	23/4	1295	11/8	4, 6, 7 1/2
SP20	20	23/4	1220	1	4, 5, 6, 7 ¹ /:
NEHV20	20	23/4	1350	7/8	6,7 1/2
SP28	28	23/4	1295	3/4	6,7 1/2
SP410	410	21/2	1250	1/2	4, 6, 7 1/2
SP413	410	3	1135	11/16	4, 6, 7 1/2
		GA	ME LOADS		
INDEX/EDI NO.	GAUGE / Bore	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
GL12	12	23/4	1290	1	6, 7 1/2, 8
GLIZ				1	6, 7 1/2, 8
	16	23/4	1200	1	0, 1 12, 0
GL16	16 20	2 ³ / ₄ 2 ³ / ₄	1200 1225	7/8	6, 7 ½, 8
GL16 GL20					
GL16 GL20	20	2 ³ / ₄ 2 ¹ / ₂	1225	7/8	6, 7 ¹ / ₂ , 8
GL16 GL20 GL410*	20	2 ³ / ₄ 2 ¹ / ₂	1225 1200	7/8	6, 7 ¹ / ₂ , 8
GL16 GL20 GL410*	20 410	2 ³ / ₄ 2 ¹ / ₂ HEAV	1225 1200 Y DOVE LOADS MUZZLE VELOCITY	7/8 1/2 OUNCES	6, 7 ¹ / ₂ , 8 6



These rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. New full power 12-gauge, and Managed-Recoil 12- and 20-gauge loads complete this line by offering buckshot products well suited to anyone's desire for maximizing their shotgun's effectiveness against an imminent threat. Our .410 load packs four lead 000 buckshot pellets to maximize effectiveness of the .45/.410 revolvers.

ULTIMATE DEFENSE BUCKSHOT									
INDEX/EDI NO.	GAUGE / Bore	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT Size	PELLET Count				
12B009HD	12	23/4	1325	00	9				
12B008RRHD	12	23/4	1200	00	8				
12HB00HD	12	3	1225	00	15				
12HB4HD	12	3	1225	4	41				
12BRR4HD	12	23/4	1200	4	21				
20BRR3HD	20	23/4	1140	3	17				
410B000HD	410	21/2	1225	000	4				
413B000HD	410	3	1125	000	5				

EXPRESS MAGNUM AND EXPRESS BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.



	EXPR	ESS MA	GNUM BUCKS	HOT	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	BUCKSHO Size	T PELLE Coun
12SB00	12	23/4	1290	00	12
12HB000	12	3	1225	000	10
12HB00	12	3	1225	00	15
12HB4	12	3	1225	4	41
1235B00*	12	31/2	1125	00	18
		EXPRES	S BUCKSHOT		
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	BUCKSHO SIZE	T PELLE Coun
12B000	12	23/4	1325	000	8
12B00*	12	23/4	1325	00	9
12B0	12	23/4	1275	0	12
12B1	12	23/4	1250	1	16
12B4	12	23/4	1325	4	27
20B3	20	23/4	1220	3	20
	MANAGE	D-RECO	IL BUCKSHOT	LOADS	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	BUCKSHO SIZE	T PELLE Coun
RL12BK00	12	23/4	1200	000	8
	BU	ICKSHO	T VALUE PACK	S	
DESCRIPTION	INDEX/EDI NO.	GAUGE	LENGTH MUZZLE (IN.) (F	VELOCITY B PS)	BUCKSHOT PE Size co
25 Round Box	12B00A	12	23/4 13	325	00
100 Round Box	12BOOB	12	23/4 13	325	00

^{*} Utilizes Remington Power Piston one-piece wad.

BUCKSHOT VALUE PACKS

Remington.

23/4" 1325 9 00BK BUCKSHOT

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. High value pack is loaded with Remington Express 00 Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.

Woming Rep Di Cartows be fix Garber bor De Li

PREMIER SLUG

PREMIER EXPANDER SABOT SLUGS

POWERED BY BARNES. Delivering 2¾" or 3" magnum-caliber terminal performance in 12- and 20-gauge, tack-driving precision and devastating Barnes copper petal expansion, new Remington Premier Expander is hands down, the hardest-hitting, most deadly-accurate slug ever to hit the whitetail woods.



PREMIER ACCUTIP SABOT SLUGS

PUNCHES HUGE HOLES WITH PINPOINT ACCURACY.

It's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port Tip, AccuTip sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other. A true masterpiece of aerodynamics delivering tremendous knockdown force to the farthest reaches of shotgun range. Spiral nose cuts and high-strength cartridge-brass jacket come together to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2¾" or 3" 12-gauge and 20-gauge versions.

FEATURES	12-GAUGE	20-GAUGE
Power Port Tip delivers dramatically superior ACCURACY	Yes	Yes
Spiral nose cuts CONTROL EXPANSION at all ranges	5–200 yards	5-150 yards
High WEIGHT RETENTION at all distances	98% @ 100 yards	98% @ 100 yards
Slug jacket made from HIGH- STRENGTH cartridge brass	Yes	Yes
Designed for use in FULLY RIFLED barrels only	Yes	Yes

150 yards

JACKET

For high

strength

139

4 BRASS

ACCI

1850 F

Remin



One of the most accurate slug guns on the market today, and one of the best values you'll find. See page 40.

		LENGTH	ENGTH SLUG VELOCITY (FPS) ENERGY (FT-LB)				.B)	TRAJECTORY (IN.)				
INDEX/EDI NO.	GAUGE	(IN.)	(GR.)	MUZ.	50 YD.	100 YD.	MUZ.	50 YD.	100 YD.	50 YD.	100 YD.	150 YD.
PRX12	12	23/4	437	1450	1313	1198	2042	1676	1395	0	-3.6	-13.20
PRX20	20	23/4	250	1825	1631	1457	1849	1477	1178	0	-1.8	-7.7
PRX12M	12	3	437	1550	1397	1264	2334	1895	1551	0	-3	-11.40
PRX20M	20	3	250	1900	1700	1519	2004	1605	1280	0	-1.5	-6.8
				PREMI	ER ACC	UTIP SA	BOT SL	UGS				
		LENGTH	SLUG	VE	LOCITY (FI	PS)	EN	NERGY (FT-I	.B)	TRA	AJECTORY (IN.)
INDEX/EDI NO.	GAUGE	(IN.)	(GR.)	MUZ.	50 YD.	100 YD.	MUZ.	50 YD.	100 YD.	50 YD.	100 YD.	150 YD.
DD440	12	23/4	385	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0*
PRA12			205	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0*
PRA12 PRA12M	12	3	385	1700	1030							
	12 20	3 2 ³ / ₄	260	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0*

^{* 0.0} indicates yardage at which shotgun was sighted in.

MORE ACCURATE. MORE LETHAL. AND IT'S ALL ABOUT THE TIP. 1.900 FPS 1900 FPS + 2.5" **FLAT-OUT CRUSHES BIG GAME.** 3,086 FT. LBS. 2,344 FT. LBS. 1,771 FT. LBS. Muzzle 50 yards 100 yards $\langle {f 3} angle$ POWER 2 SPIRAL **3** SOLID LEAD **PORT TIP** NOSE CORE For accuracy Cuts for controlled For high weight assurance expansion retention

SLUGS

SLUGGER HIGH VELOCITY RIFLED SLUGS

This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1-oz. slugs. The ½-oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings - 2¾" and 3" 12-gauge and 2¾" 20-gauge. Designed for the avid deer hunter using smooth bore guns.



MANAGED-RECOIL SLUGGER RIFLED SLUGS

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.



SLUGGER RIFLED SLUGS

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



		LENGTH	SLUG	V	ELOCITY (FI	PS)	EI	NERGY (FT-I	B)	TR	AJECTORY (IN.)
INDEX/EDI NO.	GAUGE	(IN.)	(OZ.)	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS
SPHV12RS	12	23/4	7/8	1800	1252	978	2751	1517	813	0.0*	-4.1	-
SPHV12MRS	12	3	7/8	1875	1302	998	2989	1442	847	0.0*	-3.7	-
SPHV20RS	20	23/4	1/2	1800	1321	1037	1575	848	523	0.0*	-3.6	-
				SI	.UGGER	RIFLED	SLUGS					
	GAUGE/	LENGTH	SLUG	V	ELOCITY (FI	PS)	El	NERGY (FT-I	LB)	TR	AJECTORY (IN.)
INDEX/EDI NO.	BORE	(IN.)	(OZ.)	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS
SP12RS	12	23/4	1	1560	1175	977	2361	1340	926	0.0*	-4.8	-
S12SRS	12	23/4	1	1680	1285	1045	2738	1605	1059	0.0*	-3.8	-
S12MRS	12	3	1	1760	1345	1075	3005	1753	1121	0.0*	-3.4	-
SP16RS	16	23/4	4/5	1600	1175	965	1989	1072	724	0.0*	-4.8	-
SP20RS	20	23/4	7/8	1580	1240	1034	1513	931	648	0.0*	-4.2	-
SP41RS	410	21/2	1/5	1830	1335	1040	654	348	211	0.0*	-3.5	-
			MAN	IAGED-I	RECOIL	SLUGGE	R RIFLE	ED SLUG	S			
		LENGTH	SLUG	V	ELOCITY (FI	PS)	EI	NERGY (FT-I	LB)	TRA	AJECTORY (IN.)
INDEX/EDI NO.	GAUGE	(IN.)	(OZ.)	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS
RL12RS	12	23/4	1	1200	988	873	1397	948	739	0.0*	-7.4	

^{* 0.0} indicates yardage at which shotgun was sighted in.



DELIVER YOUR SLUGS WITH EXPERT PRECISION.

Pair our advanced slug loads with any of our quality selection of rifled barrels and specialized slug shotguns. See page 168.



PREMIER NITRO



PREMIER NITRO SPORTING CLAYS

Smoke targets and all competitors with the finest sporting clays load in the world today. The Premier Nitro performance that has dominated trap and skeet competitions for years is now available in high-velocity, 1-oz. and $1^{1}/_{8}$ -oz. loads specially formulated for the sporting clays enthusiast.





PREMIER NITRO 27 HANDICAP TRAP LOADS

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston wad and Premier STS primer mix have improved the Nitro 27 performance allowing more consistent velocities, 15% better pattern performance and softer recoil.



PREMIER STS TARGET The standard in target shooting reliability. Absol

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12-, 20-and 28-gauge and .410 bore.



PREMIER TARGET										
GAUGE/BORE	LOAD TYPE	LENGTH (IN.)	DRAM EQUIV	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE				
12	Premier STS Target	23/4	23/4	1185	1	8				
12	Premier STS Light Target	23/4	23/4	1145	11/8	71/2, 8, 81/2, 9				
12	Premier STS Light Handicap	23/4	3	1200	11/8	71/2, 8				
12	Premier Nitro 27 Handicap	23/4	HDCP	1290	1	71/2				
12	Premier Nitro 27 Handicap	23/4	HDCP	1235	11/8	71/2, 8				
20	Premier STS Target	23/4	21/2	1200	7/8	8				
20	Premier STS Target	23/4	21/2	1200	7/8	9				
28	Premier STS Target	23/4	2	1250	3/4	8				
28	Premier STS Target	23/4	2	1250	3/4	9				
410	Premier STS Target	21/2	Max	1275	1/2	9				





GUN CLUB TARGET LOADS

An excellent choice for economical shooting, these high-quality shells are loaded with the same care as our top-of-the-line STS loads and feature a Power Piston wad. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

TARGET / COMPETITION

THE CUTTING EDGE OF BIRD & CLAY-CRUSHING CONSISTENCY.

Nothing that flies stands a chance against these dual-purpose rounds. Featuring a premium STS primer, reloadable hull, our Power Piston wad and high-hardness lead shot, they deliver flawless performance and consistent patterning, whether your target is winged or clay.





It's the soft-shooting competitive edge trusted by millions of serious competitors to win more championships than any other autoloader. See page 24.



TURNS CLAYS INTO DUST AND BIRDS INTO DINNER.

HIGH-HARDNESS LEAD SHOT

For consistent, tight patterns at all ranges

2 POWER PISTON WAD

Cushion the shot charge for less deformation and more consistent velocities even in overbore barrels

3 PREMIUM STS PRIMER

Suitable for use in all shotguns, including high grade fixed-breech firearms

4 RELOADABLE UNIBODY HULL

Premium brass-plated steel caps and high strength plastic hulls for superior functional quality and reloadability

		AMERICA	N CLAY & FII	ELD		
GAUGE/BORE	LENGTH (IN.)	MUZZLE VELO		OUNCES OF SHOT		SHOT SIZE
12	23/4	120	0	11/8		71/2
12	23/4	120	0	11/8		8
12	23/4	120	0	11/8		9
12	23/4	120	0	1		8
12	23/4	120	0	1		9
20	23/4	120	0	7/8		71/2
20	23/4	120	1200 ⁷ /8			8
20	23/4	1200 ⁷ /8			9	
28	23/4	1250 ³ / ₄			8	
28	23/4	1250 3/4			9	
410	21/2	127	1275			8
410	21/2	127	5	1/2		9
		GUN CLUB	TARGET LO	ADS		
GAUGE	LOAD TYPE	LENGTH (IN.)	DRAM EQUIV	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12	Gun Club	23/4	23/4	1185	1	8
12	Gun Club	23/4	23/4	1145	11/8	71/2, 8, 9
12	Gun Club	23/4	3	1200	11/8	71/2, 8
20	Gun Club	23/4	21/2	1200	7/8	71/2, 8, 9





RELOADING COMPONENTS

SUPERIORITY DOWNRANGE BEGINS WITH REMINGTON AT YOUR BENCH.

From first-quality brass, to bullets and wads precision-engineered to the highest standards, to the industry's most advanced primers and percussion caps - Remington components give you the edge to develop your best loads for your favorite pursuit. So whether you're at the range, on the sporting clays course or in the field, they just might turn your good day into a perfect one.



BULLETS

Delivering unmatched precision in the most popular bullet styles and weights, ready to be tailored for your favorite pursuits. Remington Bullets. For the hunt, for the range and wherever shot-to-shot consistency matters most.

GOLDEN SABER BLACK BELT PISTOL AND REVOLVER				
ORDER NO.	ORDER NO. CARTRIDGE			
23555	9mm			
23583	40/10mm			
23603	45			

ORDER NO.	CALIBER	NOMINAL BULLET Diameter	BULLET WEIGHT (GRAINS)	BULLET Style
23547	9mm	.355	115	MC
23545	9mm	.355	115	JHP
23549	9mm	.355	124	MC
23551	9mm	.355	147	JHP
23566	380	.356	95	MC
23568	357/38	.357	130	MC
23570	357/38	.357	110	SJHP
23572	357/38	.357	125	SJHP
23574	357/38	.357	158	SJHP
23580	40/10mm	.400	155	JHP
23584	40/10mm	.400	180	MC
23586	40/10mm	.400	180	FNEB
23582	40/10mm	.400	180	JHP
23663	41	.410	200	SJHP
23665	44	.429	210	SJHP
23667	44	.429	240	SJHP
23605	45	.451	230	MC
23609	45	.451	230	JHP

CONSUMER PACK RIFLE BULLETS						
ORDER NO.	CALIBER	NOMINAL BULLET Diameter	BULLET WEIGHT (GRAINS)	BULLET Style		
22920	24/6mm	.243	100	PSPCL		
22733	25	.257	100	PSPCL		
22756	28	.284	150	PSPCL		
22788	30	.308	180	PSPCL		
22772	30	.308	150	SPCL		
22958	22	.224	50	PSP		
22962	22	.224	55	MC		
22960	22	.224	55	PSP		
22968	22	.224	62	HP Match		
22930	24/6mm	.243	80	PSP		
22742	27/6.8	.277	115	MC		
22778	30	.308	150	MC		
22814	30	.303	180	SPCL		
22992	45	.457	300	SJHP		

BRASS

Its consistency in every dimension translates directly to every target downrange. Choose Remington brass, available in most popular chamberings.



CONSI	JMER PACK HANDGUN BRASS		
ORDER NO.	CARTRIDGE		
22503	357 Magnum		
23202	357 Remington Maximum		
22522	9mm Luger		
22509	38 Super Auto Colt Pistol +P		
22511	38 Special		
22524	40 S&W		
22528	41 Remington Magnum		
22517	44 Remington Magnum		
22519	44 S&W		
22495	45 Colt		
22527	45 Auto		
ULTIMATE MUZZ	LELOADER IGNITION SOURCE - BAGGED		
ORDER NO.	DESCRIPTION		
24153	Ultimate Muzzleloader Ignition Source		
PREMIER ACCUTIP BULL	ETS FOR ULTIMATE MUZZLELOADER - CLAMPAC		
ORDER NO.	DESCRIPTION		
30610	Premier Accutip		
CON	ISUMER PACK RIFLE BRASS		
ORDER NO.	CARTRIDGE		
22422	17 Remington Fireball		
22398	17 Remington		
22414	204 Ruger		
22400	22 Hornet		
22404	221 Fireball		
22406	222 Remington		
22408	223 Remington		

ORDER NO.	CARTRIDGE		
22410	22-250 Remington		
22402	220 Swift		
23016	243 Win		
23086	6mm Remington		
23154	6mm Creedmoor		
23020	25-06 Remington		
23018	25-20 Win		
23024	257 Roberts		
23156	6.5 Creedmoor		
23062	6.5 x 55 Swedish Mauser		
22830	260 Remington		
23054	6.8 Remington SPC		
22834	270 Win		
23226	270 WSM		
22858	280 Remington		
22860	7mm-08 Remington		
22864	7mm Remington Magnum		
22868	7mm Remington Short Action Ultra Magnum		
22870	7mm Remington Ultra Magnum		
23158	300 AAC Blackout		
23032	30-30 Win		
23036	30-06 Springfield		
23204	300 WSM		
22876	300 Win Mag		
22872	300 Remington Short Action Ultra Magnum		
22874	300 Remington Ultra Magnum		
22878	303 British		
23044	308 Win		
22880	8mm Mauser		
22882	8mm Remington Magnum		
22896	338 Win Mag		
22898	338 Remington Ultra Magnum		
22902	350 Remington Magnum		
22904	35 Whelen		
22910	375 H&H Magnum		
22912	375 Remington Ultra Magnum		
23066	44-40 Win		
23069	45-70 Govt.		


CONSUMER PACK RIFLE BRASS (CONT'D)

SHOTSHELL RELOADING

Primer to payload, you won't find more reliable, more consistent, more widely available components in the quantities and offerings you need.







SHOTSHELL WA	DS - TARGET - POWER P	ISTON ONE-PIECE
ORDER NO.	GAUGE /BORE	OUNCES OF SHOT
24342	12 Gauge	1-1/8 oz
24346	12 Gauge	1 oz, 1-1/8 oz
24338	12 Gauge	1-1/8 oz
24344	20 Gauge	7/8 oz
24362	28 Gauge	3/4 oz
24352	410 Bore	1/2 oz
SHOTSHELL WAD	S - HUNTING - POWER I	PISTON ONE-PIECE
ORDER NO.	GAUGE	OUNCES OF SHOT
26656	10 Gauge	1-5/8 to 2-1/4 oz
29922	12 Gauge	1 oz
29924	12 Gauge	1-1/8 oz
29926	12 Gauge	1-1/4 oz
29928	12 Gauge	1-1/4 oz
29934	16 Gauge	1-1/8 oz
24270	20.0	1

CENTERFIRE PRIMERS - BULK PACK				
CARTRIDGE				
9-1/2 Large Rifle Primer (Electric)				
1-1/2 Small Pistol Primer				
2-1/2 Large Pistol Primer				
5-1/2 Small Pistol Primer				
6-1/2 Small Rifle Primer				
7-1/2 Small Rifle Primer BR				
9-1/2 Large Rifle Primer				
9-1/2M Magnum Rifle Primer				
SHOTSHELL PRIMERS - TARGET / HUNTING				
DESCRIPTION				
209 Premier STS				
HELL PRIMERS - CLAMPACK				
DESCRIPTION				
209 Premier STS Clampack				
Muzzleloading 209 Primer				

For the complete line of components, please visit www.remington.com/ammunition/components

GOLDEN SABER BONDED

All the revolutionary features that make Golden Saber rounds the leading edge in tactical handgun rounds, along with the unmatched barrier-penetration performance of our special bonded-bullet design. Through exclusive Remington process, the lead core is hot-bonded to brass jacket. Exceptional weight retention - up to 97% through auto glass. Reduced bullet nose diameter for precise bore alignment and match-grade accuracy.

Requires less energy to initiate expansion. Jacket stiffness and wall thickness optimized to eliminate over-expansion, thus maximizing penetration. Available in 357 Sig, 9mm Luger, 40 S&W and 45 Auto. Loaded in the USA.

PUNCHES THROUGH BARRIERS AND DELIVERS SUPERIOR TERMINAL

Sequence of high-speed photography showing the superior performance of Golden Saber Bonded through auto glass. Shot was set up to mimic one taken from the left front guarter of a vehicle. FRAME 1: 230-gr., 45 caliber Golden Saber Bonded bullet impacts typical windshield glass. FRAMES 2-4: Bullet passes through windshield. FRAME 5: Emerges from **PERFORMANCE BEYOND.** the glass intact. Jacket and core held together through ASI ¼-inch laminated safety glass.


Remington.

GOLDEN SABER®

OR YOUR PERSONAL SAFETY

20 CENTERFIRE HANDGUN CARTRIDGES

CARTUUCHES POUR ARMES DE POINS À PERCUSSIEN CENTRALE



A block of gelatin placed 10" beyond the auto-glass set up to catch the bullet. Even after smashing through safety glass, the 45-cal. Golden Saber Bonded still delivers a large-volume stretch cavity with over 12" of penetration.

HANDGUN BARRIER TEST RESULTS

HEAVY CLOTHING @ 10 FEET







- · Weight: 147-gr. Penetration: 16.9"
- Expansion: .58" (1.6x)

6

· Weight Retention: 100%





- 40 S&W Weight: 180-gr.
- Penetration: 14.4"
- Expansion: .67" (1.7x) • Weight Retention: 100%



45 AUTO

- Weight: 230-gr.
- Penetration: 16.1"
- **Expansion:** .71" (1.6x)
- Weight Retention: 100%

AUTO GLASS @ 10 FEET







- Penetration: 12.1" • **Expansion:** .55" (1.6x)
- Weight Retention: 92%





40 S&W

- Weight: 180-gr. • Penetration: 11.2"
- Expansion: .62" (1.6x)
- · Weight Retention: 97%





45 AUTO

- Weight: 230-gr.
- Penetration: 12.5"
- Expansion: .63" (1.4x) • Weight Retention: 96%
- **WALLBOARD @ 10 FEET**





9MM LUGER

- Weight: 147-gr.
- Penetration: 13.8"
- Expansion: .60" (1.7x) • Weight Retention: 100%
- STEEL @ 10 FEET





9MM LUGER

- · Weight: 147-gr.
- Penetration: 21.4"
- Expansion: .42" (1.2x)
- Weight Retention: 100%




GOLDEN SABER BONDED HANDGUN				
BULLET WT.				
CARTRIDGE	ORDER NO.	(GR.)	BULLET TYPE	
NEW 9mm Luger +P	29341	124	Brass Jacketed Hollow Point Bonded	
	29343	147	Brass Jacketed Hollow Point Bonded	
NEW 357 Sig	29407	125	Brass Jacketed Hollow Point Bonded	
NEW 40 S&W	29363	165	Brass Jacketed Hollow Point Bonded	
	29365	180	Brass Jacketed Hollow Point Bonded	
NEW 45 Auto	29325	185	Brass Jacketed Hollow Point Bonded	
	29327	230	Brass Jacketed Hollow Point Bonded	

For more information on ballistics, see pages 206-210.



OF THE HIGHEST RANK.

Engineered in conjunction with law enforcement professionals, for law-enforcement professionals, and now available to anyone seeking the pinnacle of stopping power. Extensively proven in FBI barrier testing to deliver massive, reliable expansion and deep penetration through every barrier. All thanks to the bullet's proprietary black Mechani-Lokt belt that firmly locks the jacket to the core for unfailing integrity in the most extreme personal defense scenarios. It's available in 9mm, 9mm +P, 40 S&W and 45 Auto, and always ready to defend when called upon.



CORROSION RESISTANT nickel-plated case for reliable feed and function

FLASH SUPPRESSED propellant for minimal muzzle flash

at the neck and primer pocket for added reliability

SEAL

WATERPROOF

PRIMFR OPTIMIZED for consistent ignition and reduced muzzle flash

Hollow point bullet demonstrates controlled expansion with maximum weight retention for massive knock-down power.



A BREAKTHROUGH IN THREAT-STOPPING PERFORMANCE.

HOLLOW POINT

Cavity optimized for devastating expansion and terminal performance

2 MECHANI-LOKT BELT Locks jacket and core together for

supreme terminal performance

3 HOURGLASS SHAPE


Mechanically locks the lead in the rear portion of bullet to ensure jacket retention even when encountering the toughest of barriers

4 PROVEN DESIGN

Bullet designed, tested and proven against the exhausting FBI ballistics barrier test

5 DRIVING BAND

Located at the bullet's rear, the Driving Band is the larger base diameter behind the bore diameter



(5)

6 SPIRAL NOSE CUTS

Ensures reliable controlled expansion through clogging barriers such as wall board and heavy clothing

THIGH-**PERFORMANCE BRASS JACKET**

Provides consistent, predictable expansion, penetration and weight retention





GOLDEN SABER BLACK BELT				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
9mm Luger	29423	124	Belted Brass Jacketed Hollow Point	
9mm Luger +P‡	29427	124	Belted Brass Jacketed Hollow Point	
40 S&W	29447	180	Belted Brass Jacketed Hollow Point	
45 Auto	29418	230	Belted Brass Jacketed Hollow Point	

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.

153





FULL SIZE HANDGUN. Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available for personal defense. Loaded with our high-performance Golden Saber Brass Jacketed Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premium nickelplated cases resist corrosion and cycle dependably after extended storage. Available in the most popular pistol and revolver calibers.



COMPACT HANDGUN. Designed with the concealed carry permit holder in mind to deliver big gun terminal performance out of shorter-barreled pistols and revolvers. This round has been engineered to provide optimal penetration and expansion even through heavy clothing at lower velocities for maximum stopping power. It's all of our premium features now finely tuned for your most important handgun.

			IZE HANDGUN
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	28937	102	Brass Jacketed Hollow Poin
38 Special +P‡	28938	125	Brass Jacketed Hollow Poin
9mm Luger	28935	124	Brass Jacketed Hollow Poin
•	28946	147	Brass Jacketed Hollow Poin
9mm Luger +P	28948	124	Brass Jacketed Hollow Poin
357 Magnum	28920	125	Brass Jacketed Hollow Poin
40 S&W	28957	165	Brass Jacketed Hollow Poin
	28939	180	Brass Jacketed Hollow Poin
45 Auto	28971	185	Brass Jacketed Hollow Poin
	28942	230	Brass Jacketed Hollow Poin
45 Auto +P	28973	185	Brass Jacketed Hollow Poin
ULT	IMATE DEFEN	ISE COMP <i>a</i>	ACT HANDGUN
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	28964	102	Brass Jacketed Hollow Poin
38 Special+P‡	28965	125	Brass Jacketed Hollow Poin
9mm Luger	28963	124	Brass Jacketed Hollow Poin
40 S&W	28966	180	Brass Jacketed Hollow Poin
45 Auto	28967	230	Brass Jacketed Hollow Poin

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.

HIGH TERMINAL PERFORMANCE (HTP)

Remington.

MEET THREATENING SITUATIONS WITH TOTAL PREPAREDNESS.

When sheer instant stopping power makes all the difference, Remington High Terminal Performance delivers in a powerful way. Manufactured with premium primers, brass cases and propellants, HTP packs ample punch to drop big game or end threats when it matters most. Available in all major defense calibers, in standard and many +P loadings. For the hunt or personal defense, you've got a job to do. We've got the load to get it done.

HIG	H TERMINAI	L PERFORI	MANCE (HTP)
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
357 Mag	22217	125	Semi-Jacketed Hollow Point
	22219	158	Semi-Jacketed Hollow Point
	22221	158	Jacketed Hollow Point
357 Mag	22229	110	Semi-Jacketed Hollow Point
357 Mag	22235	180	Semi-Jacketed Hollow Point
9mm Luger	28286	115	Jacketed Hollow Point
9mm Luger	28300	147	Jacketed Hollow Point
9mm Luger +P	28297	115	Jacketed Hollow Point
380 Auto	22247	88	Jacketed Hollow Point
38 Spl	22311	110	Semi-Jacketed Hollow Point
38 Spl +P	22299	110	Semi-Jacketed Hollow Point
38 Spl +P	22283	125	Semi-Jacketed Hollow Point
38 Spl +P	22301	158	Lead HP
40 S&W	28348	155	Jacketed Hollow Point
	22332	180	Jacketed Hollow Point
41 Remington Magnum	22317	210	Jacketed Hollow Point
44 Remington Magnum	22321	240	Soft Point
•	22325	240	Semi-Jacketed Hollow Point
45 Auto	21457	185	Jacketed Hollow Point
	21468	230	Jacketed Hollow Point
45 Colt	28562	230	Jacketed Hollow Point

#Ammunition with "+P" on the case headstamp is loaded to higher pressure.

BUILT TO DEFEND WHEN IT MATTERS MOST.

1 EXCLUSIVE BRASS JACKET

Its precision nose cuts controls expansion and optimizes energy transfer

2 CASE MOUTH AND PRIMER WATERPROOFING

For maximum reliability

152

PRECISION STOPPING POWER


The bullet diameter directly ahead of the Driving Band is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction at maximum velocities.



To reduce oxidation and improve feeding and extraction


4 SPECIALLY TREATED **POWDERS**

To suppress muzzle flash



Driving Band	 Bottom of driving ba
	Top of riflingroove

manufactures. For more information on building to a page 200-210.	groove	manufacturer. For more information on ballistics, see pages 206-210.
		manufacturer. For more information on burnsites, see pages 200 2 fo.



HTP COPPER

ONE-PIECE COPPER PERFORMANCE. TOTAL DOMINATION.

Featuring Barnes' patented XPB™ Bullet, with its well-earned reputation for supreme knock down power from a handgun, HTP Copper Handgun offers dramatically improved performance over conventional jacketed lead-core bullets. Upon impact, the Bullet expands into six razor-sharp cutting petals. It's the all-copper hunting load that leaves massive wound channels and standard hunting bullet performance far behind. Ideal for medium to large game. Available in the most popular handgun hunting chamberings.



	HTP CO	OPPER	
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
357 Mag	27724	140	Barnes XPB
10mm Auto	27697	155	Barnes XPB
41 Rem Mag	27729	180	Barnes XPB
44 Rem Mag	27730	225	Barnes XPB
15 Colt	27732	200	Barnes XPB
454 Casull	27734	250	Barnes XPB

For more information on ballistics, see pages 206-210.

HOG HAMMER

OPTIMIZED VELOCITY AND WICKED EXPANSION FOR THE HOG HUNTING HANDGUNNER.

Hog Hammer Handgun features the venerable Barnes XPB Pistol Bullets with a time-proven reputation for game-stopping knockdown power. Designed for superior performance at handgun velocities and maximum bullet expansion, the Barnes XPB opens to 2x diameter with six razor-sharp copper petals that carve huge wound channels and drop hogs where they stand. Available in popular handgun hunting cartridges, from 357 Mag and 10mm Auto to 45 Colt and 454 Casull.

HOG HAMMER					
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE		
357 Mag	27799	140	Barnes XPB		
10mm Auto	27695	155	Barnes XPB		
41 Rem Mag	27803	180	Barnes XPB		
44 Rem Mag	27804	225	Barnes XPB		
45 Colt	27805	200	Barnes XPB		
454 Casull	27806	250	Barnes XPB		

For more information on ballistics, see pages 206-210.

157





REMINGTON SUBSONIC HANDGUN

CLEANER AMMUNITION FOR THE SILENT REVOLUTION.

REMINGTON SUBSONIC. The result of a joint collaboration with AAC, Remington SubSonic Handgun ammunition is specifically designed for shooting with suppressed pistols. Engineered for maximum performance at subsonic velocities and – after a long session at the range – easier cleaning thanks to enclosed base bullets that virtually eliminates leading in silencer ports.



REMINGTON SUBSONIC HANDGUN				
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
9mm Luger	28435	147	Flat Nose Enclosed Base	
45 Auto	28428	230	Flat Nose Enclosed Base	

For more information on ballistics, see pages 206-210.

PERFORMANCE WHEELGUN

REVOLVER & LEVERGUN FAVORITES LOADED WITH EVERY MODERN BALLISTIC ADVANTAGE.

Introducing ultimate consistency, accuracy and ironclad reliability, engineered to take your revolver and lever-action rifle skills to new heights. Performance WheelGun ammunition is precision crafted using premium components and Remington Kleanbore* primers, and is available in traditional revolver and lever-action bullet styles.

	PERFORMANC	E WHEELGUI	N
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
32 S&W	22206	88	Lead Round Nose
32 S&W Long	22210	98	Lead Round Nose
357 Magnum	22223	158	Lead Semi Wad Cutter
38 S&W	22278	146	Lead Round Nose
38 Special	22267	148	Target-Master Wad Cutter
	22271	158	Lead Semi Wad Cutter
	22281	158	Lead Round Nose
38 Short Colt	22273	125	Lead Round Nose
44 S&W Special	22333	246	Lead Round Nose
45 Colt	22338	225	Lead Semi Wad Cutter
	22340	250	Lead Round Nose

For more information on ballistics, see pages 206-210.





REMINGTON UMC. THE NAME **AMERICA TRUSTS.**

For over 150 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at the right price. Simply put, no one delivers a better product more efficiently, and the results are proof - from point of purchase to point of impact.

UMC LEADLESS HANDGUN CARTRIDGES

From lead-free primers, to specially designed bullets, economical UMC LeadLess cartridges virtually eliminate lead exposure at the firing line. A must-have for shooters who frequent indoor ranges, its jacketed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.

UMC HANDGUN CARTRIDGES

All UMC ammunition is loaded in Lonoke, Arkansas, using first-quality, factory-fresh brass

and clean-shooting Kleanbore® primers to provide the best value for high volume shooters.



CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE			
380 Auto	23805	95	Flat Nose Enclosed Base			
9mm Luger	23785	115	Flat Nose Enclosed Base			
40 S & W	23791	180	Flat Nose Enclosed Base			
45 Auto	23793	230	Flat Nose Enclosed Base			
UMC HANDGUN CARTRIDGES						
		BULLET WT.	u=0			
CARTRIDGE	ORDER NO.	(GR.)	BULLET TYPE			
25 Auto (6.35mm)	23716	50	Full Metal Jacket			
32 Auto	23704	71	Full Metal Jacket			
357 Magnum	23738	125	Jacketed Soft Point			
	23970	125	Semi-Jacketed Hollow Point			
357 Sig.	23734	125	Full Metal Jacket			
38 Super Auto +P	23722	130	Full Metal Jacket			
38 Special +P	23754	125	Semi-Jacketed Hollow Point			
38 Special	23724	158	Lead Round Nose			
	23730	130	Full Metal Jacket			
380 Auto	23720	95	Full Metal Jacket			
9mm Luger	23752	115	Jacketed Hollow Point			
	23718	124	Full Metal Jacket			
	23728	115	Full Metal Jacket			
	23732	147	Full Metal Jacket			
10mm Auto	23706	180	Full Metal Jacket			
40 S&W	23694	180	Jacketed Hollow Point			
	23742	180	Full Metal Jacket			
	23746	165	Full Metal Jacket			
44 Remington Magnum	23744	180	Jacketed Soft Point			
45 Auto	23818	185	Full Metal Jacket			
	23726	230	Full Metal Jacket			
	23696	230	Jacketed Hollow Point			
UMC HAND	GUN CARTRIC	IGES (RAN	GE BUCKETS)			
CARTRIDGE	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE			
380 Auto	23978	95	Full Metal Jacket			
38 Special	23669	130	Full Metal Jacket			
9mm Luger	23635	115	Full Metal Jacket			
40 S & W	23033	180	Full Metal Jacket			
45 Auto	23770	230	Full Metal Jacket			

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.



UMC HANDGUN AMMUNITION ALSO AVAILABLE IN BUCKETS



THE .25-06 AND .280 ARE BASED ON THE .30-06.

WILDCATS

MANY ICONIC REMINGTON CARTRIDGES
BEGAN AS WILDCATS, INCLUDING:

.22-250 REM ● .25-06 REM ● .260 REM ● 7MM-08 REM



THE 7MM IN 1962

.223 REM AMMO CAN BE **SHOT FROM RIFLES CHAMBERED FOR 5.56** NATO, BUT NOT VICE VERSA



THE .416 REM MAG. **WAS DEVELOPED AS** A LESS EXPENSIVE **ALTERNATIVE TO** THE .416 RIGBY.



AS A MORE LETHAL ALTERNATIVE TO THE 5.56 NATO.

THE .22-250'S BLAZING **SPEED MAKES IT POPULAR** WITH OPEN-COUNTRY PREDATOR HUNTERS.



* * THE .25-06 * * CAN BE LOADED FOR EVERYTHING FROM PRAIRIE DOGS TO ELK.

D

RIMFIRE

PEAK PERFORMANCE IN EVERY BOX.

We're proud to offer one of the broadest selections of high-performance rimfire ammunition available today, and even prouder of the fact we continue to set the standard for accuracy and dependability industry-wide. To achieve this, every round is produced with the same tight tolerances and high level of care we apply to our centerfire ammo. From tin cans to small game to serious competitive pursuits, count on Remington to keep your rimfire dead-center.

SUBSONIC

New Remington Subsonic delivers superior stealth and consistency below the sound barrier. Its tack-driving rimfire performance was developed through a joint effort of Remington and AAC team experts, manufactured with tight velocity control to eliminate supersonic cracks. Driving a copper-plated, hollowpoint bullet optimized for reduced lead buildup in silencer ports and maximum effectiveness at lower velocity.

SUBSONIC - 22 LONG RIFLE LOW VELOCITY

Lead HP:









22 GOLDEN BULLET

Legendary 22 Golden Bullet Plated RN and HP bullets are engineered for easy cycling and solid performance. High Velocity increases downrange energy, extending your effective range. Improved priming compound ensures consistent ignition at a great value.



22 TARGET

With 40-grain round nose bullets propelled by powder and primer charges of exacting consistency, Remington 22 Target ammunition delivers match-grade precision and championship performance in every round.

STANDARD VELOCITY -22 LONG RIFLE

Lead RN:





CBEE 22

Combines low noise with excellent shot-to-shot consistency. Its 33-grain Plated Truncated-Cone HP bullet is ideal for dispatching varmints and small game at close range as quietly as possible. Its tiny report makes it an excellent choice for new shooters as well.

LOW NOISE / LOW VELOCITY -22 LONG RIFLE

Plated TCHP:







22 VIPER

These Plated Truncated Cone Solid Bullets are renowned for their smooth feeding in any automatic pistol or rifle. The large diameter of the flat nose imparts tremendous shock at the entry point, while the solid bullet retains all of its weight to penetrate deep. These hyper-velocity loads hold their own at the target board as well. For fast-striking, 22 performance, Viper can't be beat.

HYPER VELOCITY -22 LONG RIFLE







22 YELLOW JACKET

The smooth feeding and excellent penetration of a Truncated Cone combined with the stopping power and massive wound channel of a Hollow Point. These bullets are specially designed to deliver maximum on-game energy with excellent precision. Yellow Jacket leaves a hyper-velocity sting wherever they're dispatched.

HYPER VELOCITY -22 LONG RIFLE

Plated TCHP:







PREMIER MAGNUM

Loaded with AccuTip-V polymer-tipped bullets and manufactured to the highest industry standards, Premier Gold Box rimfire cartidges are super-tuned to deliver unmatched shot-to-shot consistency, pin-point accuracy and explosive terminal performance. It's the ultimate choice for small game, varmint hunting. Available in 17 HMR and 22 Win Mag.



RIMFIRE - 50 PACKS

22 CYCLONE

Tin cans. Rabbits. Or a bulls-eye. High Velocity increases downrange energy, extending your effective range with 38-grain hollow point terminal performance. No matter what you put in your sights, Remington Cyclone is the perfect 22 rimfire ammunition for just about any occasion.

HIGH VELOCITY - 22 LONG RIFLE

Lead HP:









22 THUNDERBOLT

They've become the outstanding favorite of 22 owners the world over. These round nose bullets in high-velocity loads cover the broadest range of 22-caliber excitement. No wonder 22 Thunderbolt is our best-selling, and most popular round of all time.

HIGH VELOCITY - 22 LONG RIFLE

Lead RN:







PRODUCT LINE	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
17 HMR	28464	17	Accutip	High Velocity
22 Win Mag	21184	33	Accutip	High Velocity
22 Win Mag	21170	40	Jacketed Hollow Point	High Velocity
22 Win Mag	21172	40	Pointed Soft Point	High Velocity
22 Short Golden Bullet	21000	29	Plated Round Nose	High Velocity
22 LR Golden Bullet	21008	36	Plated Hollow Point	High Velocity
	21006	40	Plated Round Nose	High Velocity
22 Yellow Jacket	21074	33	Plated Truncated Cone HP	Hyper Velocity
22 Viper	21080	36	Plated Truncated Cone Solid	Hyper Velocity
22 Target	21022	40	Lead Round Nose	Standard Velocity
22 Thunderbolt	21238	40	Lead Round Nose	High Velocity
22 Cyclone	21222	36	Lead Hollow Point	High Velocity
Subsonic	21135	40	Copper Plated Tip	Low Velocity
		RIMFIR	E – 100 PACKS	
PRODUCT LINE	ORDER NO.	BULLET WT.	BULLET STYLE	VELOCITY
22 Short Golden Bullet	21001	29	Plated Round Nose	High Velocity
22 LR Golden Bullet	21278	36	Plated Hollow Point	High Velocity
22 Liv Goldell Bullet	21276	40	Plated Round Nose	High Velocity
22 Yellow Jacket	21280	33	Plated Truncated Cone HP	Hyper Velocity
22 Viper	21288	36	Plated Truncated Cone Solid	Hyper Velocity
22 Target	21284	40	Lead Round Nose	Standard Velocity
Subsonic	21137	40	Copper Plated Tip	Low Velocity
oussourc .	21107		E – 225 PACKS	zow volocity
PRODUCT LINE	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 LR Golden Bullet	21229	36	Plated Hollow Point	High Velocity
EE EN GOIGGN BUILDE	21227		E – 500 PACKS	Tingii Volocity
PROPURE LIVE	00000 110	BULLET WT.		NEI GOLTV
PRODUCT LINE	ORDER NO.	(GR.)	BULLET STYLE	VELOCITY
00 TI I I I	21241	40	Lead Round Nose	High Velocity
22 Thunderbolt	21271	DIMEIDI	E ESE DACKO	
22 Thunderbolt	21241		E – 525 PACKS	
22 Thunderbolt PRODUCT LINE	ORDER NO.	RIMFIRI BULLET WT. (GR.)	E – 525 PACKS BULLET STYLE	VELOCITY
		BULLET WT.		VELOCITY High Velocity
PRODUCT LINE	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	
PRODUCT LINE	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE Plated Hollow Point	

For more information on ballistics, see pages 206-210.





CLEANING ACCESSORIES

SHOTGUN PARTS

Shotgun Parts
Rifle Parts
Handgun Parts
Rem Oil
Cleaning Kits
Cleaning Accessories
Squeeg-E
Gun Storage & Security 288

TACTICAL SHOTGUN PARTS

Upgrade shotgun to next-level performance with first-quality Remington shotgun parts. Engineered, tested, refined and manufactured to meet or exceed the highest industry standards, and to surpass your expectations.

MODEL 870 SIDE FOLDING STOCK KITS NEW

- Ergonomically designed right-hand folding shotgun stock
- VERSAMAX soft touch adjustable cheek piece insert
- QD cup attachment points
- Supercell+ recoil pad; Works with adjustable LOP kit
- Strength exceeded LE requirements
- Includes stock, pad, knuckle and fore-end
- MOE M-LOK® compatible forend

#18604 (12-ga.) #18815 (20-ga.)



MAG TUBE EXTENTION KIT NEW

- ullet Optimized for flush mount when used with 18 $^1/_2$ " barrel
- Can be utilized for tactical or hunting
- Comes with +3 mag tube extension
- Respective models designed for use with V3 mag6 tube or any 870, 1100 & 11-87 standard mag tube
- Includes new M-LOK barrel clamp



MODEL 870 M-LOK BARREL CLAMP NEW

- M-LOK barrel clamp for unlimited accessory upgrades
- Compatible with 870, 1100 & 11-87 shotguns
- Backwards compatible with all Remington mag tube extensions
- Reduces mag tube creep and listing during extended use

#19539



M-LOK FOREND NEW

- Fits any 870 12-gauge shotgur
- Single piece construction for the utmost in felt and proven durability
- M-LOK compatible accessory slots for user customization and aftermarket upgrades
- Beveled edges for a smooth ergonomic feel compared to competitive models
- Same easy installation as with any standard 870 fore-end
- Perfect option for consumers to upgrade their shotguns for style and usability


V3 FIELD SPORT BARREL NEW



- Optimized for tactical/home protection
- Drop-in solution for upgrading or changing barrel length on any V3 shotgun
- Includes a welded rib with bead sight for rapid target acquisition








STOCKS

For the ultimate in comfort and durability for your firearm, nothing but a Remington original replacement stock will do. Get yours in a weatherproof, lightweight synthetic stock that will never bend or swell, or a handsome laminate wood upgrade that's tough as nails and easy on the eyes. Made in the USA.







Wassy Oak® Shadow Grass Blades



V3 Mossy Oak Break-Up Country



M-LOK FORE-END



VERSA MAX

Mossy Oak Shadow Grass Blades



VERSA MAX

Mossy Oak Duck Blind



VERSA MAXRealtree® Hardwood AP





VERSA MAX SPORTSMAN *Mossy Oak Duck Blind*



VERSA MAX SPORTSMAN *Mossy Oak Obsession*



VERSA MAX SPORTSMAN
Realtree AP





MODEL 870

Mossy Oak Shadow Grass Blades



MODEL 870, 1100 AND 11-87 Shurshot

MODEL 870

(Camo and black versions available)



MODEL 870 COMPACT

(13″ LOP) Realtree Hardwood HD





MODEL 1100/11-87

Mossy Oak Shadow Grass Blades

	SHOTGUN STOCKS						
MODEL	ORDER NO.	ТҮРЕ	COLOR	MATERIALS			
V3	17885	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic			
V3	17886	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Break-Up Country Camo	Synthetic			
VERSA MAX	17887	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic			
VERSA MAX	17888	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Duck Blind Camo	Synthetic			
VERSA MAX	17889	12-ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood AP Camo	Synthetic			
VERSA MAX Sportsman	17977	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Duck Blind Camo	Synthetic			
VERSA MAX Sportsman	17978	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Obsession Camo	Synthetic			
VERSA MAX Sportsman	17979	12-ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood AP Camo	Synthetic			
Model 870	17824	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic			
Model 870	18614	12-ga stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 870	19487	12-ga Monte Carlo stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 870	18612	12-ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood APG Camo	Synthetic			
Model 870	19488	20-ga Monte Carlo stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 870 ShurShot	19544	12-ga ShurShot stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 870 ShurShot	19545	12-ga ShurShot stock & fore-end set with SuperCell recoil pad	Mossy Oak Obsession Camo	Synthetic			
Model 870 ShurShot	19533	20-ga ShurShot stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 870	19526	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Obsession Camo	Synthetic			
Model 870 Compact	18611	12-ga Compact 1" short LOP stock & fore-end set with SuperCell recoil pad (13" LOP)	Black	Synthetic			
Model 870 Compact	19527	20-ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Black	Synthetic			
Model 870 Compact	19530	20-ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Realtree Hardwood HD Camo	Synthetic			
Model 870 Compact	19529	20-ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Mossy Oak Pink Camo	Synthetic			
Model 870 Compact Jr.	19528	20-ga Compact Jr. stock & fore-end set with SuperCell recoil pad (12" LOP)	Black	Synthetic			
Model 1100 / 11-87	17829	12-ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic			
Model 1100 / 11-87	18610	12-ga stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 1100 / 11-87	19485	12-ga Monte Carlo stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 1100 / 11-87	18608	12-ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood APG Camo	Synthetic			
Model 1100 / 11-87 ShurShot	19548	12-ga stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 1100 / 11-87 ShurShot	19550	12-ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood APG Camo	Synthetic			
Model 1100 / 11-87	19549	20-ga Sportsman stock & fore-end set with SuperCell recoil pad	Black	Synthetic			
Model 1100 / 11-87 Compact	19551	20-ga Sportsman Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Black	Synthetic			
Model 870 M-LOK FORE-END	19538	12-ga fore-end	Black	Synthetic			
Model 870 SIDE FOLDING	18604	12-ga stock	Black	Synthetic			
Model 870 SIDE FOLDING	18815	20-ga stock	Black	Syntheti			

BARRELS

Update your "old reliable" to perform as good as new, or upgrade your current shotgun into a deer, turkey or duck gun. The only fitting barrel for your shotgun is one made by Remington. Made in the USA.















20" Fully Rifled

MODEL 870 EXPRESS

23" Vent Rib #80070



18" Home Defense #24620



28" Vent Rib #24580



MODEL 11-87

28" Premier Vent Rib #80506



MODEL 870 EXTRA BARRELS				
ENGTH & CHOKE	12 GAUGE	20 GAUGE		
	19539			
eld Grade, Vent Rib, Wingmaster				
28" Rem Choke	24580 ⁵	-		
eer Barrel, Cantilever				
23" Fully Rifled	27597	-		
18 ¹ / ₂ " Fully Rifled	_	27599		
Deer Barrel, Cantilever				
21" Fully Rifled Scoped	24553 ³	_		
181/2" Fully Rifled Scoped	-	27595		
cpress Bead Sights (18"), Cyl.	24620	_		
press Bead Sights (181/2"), Cyl.	-	80060		
press Vent Rib				
20" Full Extended Rem Choke		80062		
21" Full Extended Rem Choke	24615	-		
30" Modified Rem Choke	24589	-		
28" Modified Rem Choke	26314	-		
26" Modified Rem Choke	26312	80064		
23" Modified Rem Choke	80070	-		
xpress Deer, Rifle Sights (20"), Imp. Cyl.	24622	-		
press Deer, Fully Rifled, Rifle Sights (20")	24611 ⁴	24609 ⁴		
rkerized				
14" Modified Bore w/Rifle Sights	245096	-		
14" Modified Bore w/Bead Sights	245136	-		
14" Modified Bore w/XS Rifle Sights	271296	-		
18" Improved Cylinder Bore w/Bead Sights	24517	-		
18" Improved Cylinder Bore w/Rifle Sights	26237	_		

Model 870 extra barrels with 3" chambers used on Super Magnum and Magnum receivers will handle both 2¾" and 3" shells only. Use only 2¾" shells when these barrels are used on non-Magnum receivers. 120-gauge 870 Lightweight barrels will not fit 20-gauge standard 870 guns.

2 Rifle-sighted Rem Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes. 3 Sold in 5 pack quantitys only. 4 Express 20-ga. Fully Rifled Gere barrel has 2½" chamber. Model 870 extra barrels with 2¾" chambers will fit both Magnum and 2¾"receivers. Use only 2¾" shells in these barrels. 5 Supplied with Full, Mod and IC Rem chokes 6 All NFA rules apply.

V3 FIELD SPORT EXTRA BARREL / 3" CHAMBERS

LENGTH & CHOKE		12 GAUGE				
XBL, Bead Sights	XBL, Bead Sights					
181/2" Cylinder Bore w/Bead Sights		80616				
VERSA MAX EXTRA BARRELS / 3" CHAMBERS						
LENGTH & CHOKE		12 GAUGE				
Field Grade Deer, Rifle Sights						
25" Fully Rifled		80620				
MODEL 11-87 EXTRA BARRELS / 3" CHAMBERS						
LENGTH & CHOKE	12 GAUGE	20 GAUGE¹				
SP Deer Barrel, Cantilever Scope Mount ²						

LENGTH & CHOKE	12 GAUGE	20 GAUGE¹
SP Deer Barrel, Cantilever Scope Mount ²		
21" Fully Rifled	24645	-
Sportsman Deer Barrel, Cantilever Scope Mount ²		
21" Fully Rifled	-	27591
SP Deer Barrel, Rifle Sights ²		
21" Fully Rifled	29609	-
Premiere Vent Rib		
28" Rem Choke	80502	80506

Model 11-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.

120-gauge 11-87 Lightweight barrels will not fit 20-gauge standard 870 guns. 2 Model 11-87 Deer barrels are compatible with Model 1100 G3 shotguns. Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our Light Contour Model 11-87 shotguns are shaped to follow the curve of
the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have
your LC fore-end wood opened up by a competent gunsmith or stockmaker, or purchase a standard profile fore-end from our Arms Service Division by
writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.

MODEL 1100 EXTRA BARRELS / 23/4" CHAMBERS			
LENGTH & CHOKE	12 GAUGE		
Field Grade Deer, Rifle Sights			
21" Fully Rifled	26595		
Field Grade Deer, Cantilever Scope Mount			
21" Fully Rifled	29570		
Field Grade, Vent Rib			
26" Rem Choke ¹	24466		
28" Rem Choke ¹	24464		
30" Rem Choke ¹	24488		
1 Ships with Full, Mod and IC Rem chokes			

All non-serialized items available for direct shipment on www.remington.com/shop

CHOKE TUBES

Get the most out of your shotgun with our expansive selection of choke tubes. Available for an array of pursuits, each is performance-tuned to deliver optimum pattern performance in your chosen application. Made in the USA.





CHOKE TUBE CASE

- Holds six flush or extended chokes
- Pocket with zipper for wrench
- Heavy-duty zippered Cordura pouch
- Belt loop for carry
- convenience
- 6 choke tube vials included #19172 - MSRP \$11.95



Choke tubes and wrench not included



AAC BRAKEOUT 2.0 REM CHOKE

- Machined from solid billet 17-4 stainless steel
- Proven to reduce recoil
- Three-prong design decreases muzzle flash
- Optimized performance with all types of shot (lead or steel) and slugs
- Treated with Black Oxide finish
- Compatible with any shotgun utilizing a Rem Choke thread pattern #64405

CHOKE TUBE SPEED WRENCH

- Available in 12- and 20-gauge
- Made in the USA

12 ga - #19173 20 ga - #19174



CHOKE TUBES				
CHOKE TUBES	ORDER NO.	TYPE		SHOT TYPE
Bundles				
Rem Choke 12 ga. Extended	19149	IC, Modified & Full	Flush	Steel or Lead
Rem Choke 12 ga. Express	19773	IC & Full	Flush	Steel or Lead
Rem Choke 12 ga. + multi-gauge wrench	19793	IC & Full	Flush	Steel or Lead
Rem Choke 20 ga. + multi-gauge wrench	19794	IC & Full	Flush	Steel or Lead
Choke Tubes				
Rem Choke 12 ga.	19154	Modified	Flush	Steel or Lead
Rem Choke 12 ga.	19155	Improved Cylinder	Flush	Steel or Lead
Rem Choke 12 ga.	19607	Skeet	Flush	Steel or Lead
Rem Choke 12 ga.	19608	Improved Skeet	Flush	Steel or Lead
Rem Choke 12 ga.	19153	Full	Flush	Steel or Lead
Rem Choke 12 ga.	19612	Rifled	Flush	Slugs
Rem Choke 12 ga.	19609	Turkey Extra Full	Extended	Lead Only
Rem Choke 12 ga.	19156	Turkey Super Full	Extended	Lead Only
Rem Choke 12 ga.	19616	Rifled	Extended	Slugs
Rem Choke 12 ga.	19171	Predator Ported Full	Extended	Lead Only
Rem Choke 12 ga.	19170	Hog Ported Full	Extended	Lead Only
Rem Choke Tactical 12 ga.	19791	Tactical Ported	Extended	Lead Only
Rem Choke 20 ga.	19157	Full	Flush	Lead Only
Rem Choke 20 ga.	19158	Modified	Flush	Steel or Lead
Rem Choke 20 ga.	19159	Improved Cylinder	Flush	Steel or Lead
Rem Choke 20 ga.	19621	Skeet	Flush	Steel or Lead
Rem Choke 20 ga.	19625	Turkey Super Full	Extended	Lead Only
Pro Bore Choke 12 ga.	19160	Full	Flush	Steel or Lead
Pro Bore Choke 12 ga.	19162	Improved Cylinder	Flush	Steel or Lead
Pro Bore Choke 12 ga.	19161	Modified	Flush	Steel or Lead
Pro Bore Choke 12 ga.	19165	Light Modified	Extended	Steel or Lead
Pro Bore Choke 12 ga.	19164	Modified	Extended	Steel or Lead
Pro Bore Choke 12 ga.	19166	Improved Cylinder	Extended	Steel or Lead
Pro Bore Choke 12 ga.	19163	Full	Extended	Steel or Lead
Pro Bore Choke 12 ga.	19167	Skeet	Extended	Steel or Lead
Pro Bore Choke 12 ga.	19169	Predator Ported Full	Extended	Lead Only
Pro Bore Choke 12 ga.	19168	Hog Ported Full	Extended	Lead Only
Pro Bore Choke Tactical 12 ga.	19792	Tactical Ported	Extended	Lead Only



MODEL 870 DM MAGAZINES

- Available in 3- and 6-round
- Made in the USA

3-round - #19717, 6-round - #19718



SUPERCELL RECOIL PAD

- The world's most effective recoil pad
- Generates up to 54% less recoil on our Model 870 against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells that absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

Wood - #19471, Synthetic - #19472



VERSA MAX LOP SPACER KIT

- Fits all VERSA MAX synthetic stocks
- #19473 MSRP \$11.95
- Made in the USA

GAS SYSTEM KIT

- Stainless steel piston/piston seal
- Teflon®-coated barrel seals (3-pack)
- Fits all Model 1100 & 11-87 12-gauge shotguns
- Made in the USA

#19258 (Kit - piston/piston seal and o-rings) #19264 (3-pack o-rings only)



MAGAZINE CAP WITH SWIVEL STUD

- Fits all Model 870, 1100, and 11-87 12-, 20- and 16-gauge shotguns
- Swivel stud attached for sling
- Swivel stud for rear stock included
- Made in the USA

12 & 16 ga - #19462, 20 ga - #19461



VERSA MAX COMB INSERT

- Made of same tested cellular polyurethene as our SuperCell recoil pad
- Provides comfort and elevation
- Made in the USA

Raised - #19478 Extra High - #19479



RAISED



EXTRA HIGH





SHOTGUN MOUNT

- Saddle style mount allows use for Model 870, 1100 and 11-87
- Available in 12- and 20-ga

#19489



SHOTGUN PLUGS

- Standard plug fits most Remington shotguns
- Made in the USA

12 ga - #19451, 20 ga - #17677



MODEL 870 MAGAZINE EXTENSION KIT

- Add more rounds to your 870's shotgun's capacity (12-gauge only)
- Extends magazine chamber:
- 18" Extension adds 2 extra shots
- 20" Extension adds 3 extra shots
- Available in Blued or Parkerized finish
- Package includes tube assembly, swivel assembly with screw, magazine extension spring and coupling
- Made in the USA



MAGAZINE EXTENSION KITS				
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS
19420	Model 870 – 18"	Adds 2 Extra shots	Parkerized	Stainless Steel
19422	Model 870 - 20"	Adds 3 Extra shots	Parkerized	Stainless Steel

All non-serialized items available for direct shipment on www.remington.com/shop

RIFLE PARTS

MODEL 700 ACTIONS & RECEIVERS

Build your custom rifle on the industry's most trusted and popular platform. Our cylindrical receiver and 3-rings-of-steel, the foundation for our legendary Model 700, are available as aftermarket accessories. Available in right-and left-hand configurations. Made in the USA.

- Available for Remington Model 700 rifles
- X-Mark Pro Externally Adjustable Trigger System
- Available in carbon and stainless steel
- Right- and left-hand actions available

MODEL 700 RECEIVERS				
ORDER NO.	ACTION	MATERIALS		
85270	Short Action	Carbon Steel		
85271	Long Action	Carbon Steel		
85273	Long Action Ultra Magnum	Carbon Steel		
85282	Short Action	Stainless Steel		
85283	Long Action	Stainless Steel		
85285	Long Action Ultra Magnum	Stainless Steel		



MODEL 700 ACTIONS				
ORDER NO.	ACTION	MATERIALS		
27347	Short Action - 223 Bolt Face	Carbon Steel		
27553	Short Action - 308 Bolt Face	Carbon Steel		
85389	Short Action Magnum	Carbon Steel		
27555	Long Action	Carbon Steel		
27557	Long Action Magnum	Carbon Steel		
85319	Long Action Ultra Magnum	Carbon Steel		
27559	Short Action - 308 Bolt Face	Stainless Steel		
85322	Short Action - 308 Bolt Face (LH)	Stainless Steel		
27561	Long Action	Stainless Steel		
85323	Long Action (LH)	Stainless Steel		
27563	Long Action Magnum	Stainless Steel		
85324	Long Action Magnum (LH)	Stainless Steel		
85320	Long Action Ultra Magnum	Stainless Steel		
85325	Short Action Single Shot – 308 Bolt Face	Stainless Steel		

IH - Left Hann

MOUNTS

Lightweight, incredibly strong and providing the most secure attachment possible keeping your scope and other accessories tight without excessive pressure.

INTEGRAL SCOPE MOUNTS - HIGH

- Available for Remington Model 700 and Model 783 rifles
- Fits 30mm scope tube without inserts or 1" with inserts
- Z-2 alloy construction 50% stronger than aluminum
- Super strong design base & lower ring all in one
- Available in black and silver
- Made in the USA

Model 700 Black - #19477 Silver - #19476

Model 783 Black – #19729



597 SCOPE RAIL

- One-piece scope mount rail
- Allows use of Weaver-type rings
- Lightweight and easy to install
- Made in the USA

#18635

INTEGRAL SCOPE MOUNTS - MEDIUM

- Available for Remington Model 700 and Model 783 rifles
- Fits 1" scope tube only
- Z-2 alloy construction 50% stronger than aluminum
- Available in black and silver
- Made in the USA

Model 700 Black – #19425 Silver – #19424

Model 783 Black – #19731



MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching rifle. Made in the USA.









MODEL 7600





		MAGAZINES		
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS
19645	Model 700 BDL Boxes - BLUED	Short Action – 6mm Rem, 243 Win, 7mm-08 Rem, 308 Win	4	Steel
19650	Model 700 BDL Boxes - BLUED	Long Action - 25-06 Rem, 270 Win, 280 Rem, 30-06 Sprg	4	Steel
19651	Model 700 BDL Boxes - BLUED	Long Action Magnum - 7mm Rem Mag, 300 Win Mag, 338 Win Mag	3	Steel
19635	Model 770/ 710	Long Action – 30-06 Sprg, 270 Win, 7mm Rem Mag, 300 Win Mag	3 to 4	Steel Polymer
19633	Model 770/ 710	Short Action - 243 Win, 7mm-08 Rem, 308 Win	4	Steel Polymer
19524	Model 783	Long Action Magnum – 7mm Rem Mag, 300 Win Mag	3	Steel Polymer
19523	Model 783	Long Action – 30-06 Sprg, 270 Win	4	Steel Polymer
19522	Model 783	Short Action - 243 Win, 6.5 Creedmoor, 308 Win	4	Steel Polymer
19521	Model 783	Short Action - 22-250 Remington	4	Steel Polymer
19520	Model 783	Short Action – 223 Remington	5	Steel Polymer
19636	Models Six, 7600, 760, 76	Short Action – 6mm Rem, 7mm-08 Rem, 243 Win, 257 Roberts, 308 Win	4	Steel
19637	Models Six, 7600, 760, 76	Long Action - 25-06 Rem, 270 Win, 280 Rem, 30-06 Sprg, 35 Whelen	4	Steel
19638	Models Four, 7400, 742, 740, 74, 750 Woodmaster	Short Action - 6mm Rem, 243 Win, 308 Win	4	Steel
19642	Models Four, 7400, 742, 740, 74, 750 Woodmaster	Long Action - 270 Win, 280 Remington, 30-06 Sprg, 35 Whelen	4	Steel
19653	Model 597 - Magnum	17 HMR, 22 WMR	8	Metal
19654	Model 597 LR	22 LR	10	Metal
19667	Model 597 LR - Clear	22 LR	30	Polymer
19668	Model 597 LR - Black	22 LR	30	Polymer
19655	Models 541, 581	22 LR	10	Metal
19656	Model Nylon 77	22 LR	10	Metal

All non-serialized items available for direct shipment on www.remington.com/shop

RIFLE PARTS

PISTOL QD MOUNT

- Allows quick, easily attachment of a sling or other accessory to the rear of any firearm using mil-spec AR-15 stock configuration
- Only for use on firearms without a reciprocating bolt
- Beveled edges for enhanced shooter comfort
- Meets military requirements for pull-out force and weight-bearing capabilities
- Compatible with any standard Quick-Detach sling socket accessory

#16204







BOLT DISASSEMBLY TOOL

- Works on Models: 700, Seven, 40X, 660, 721, 722, XR100 and other military models such as the M24 and M40
- 3 easy steps allow for easy removal of firing pin for cleaning and maintenance

#19664

SUPERCELL RECOIL PAD

- The world's most effective recoil pad
- Dissipates up to 54% less recoil on our Model 870 against leading competitors' autoloading shotguns

 Innovative design uses millions of tiny super cells that absorb and release energy over a longer time period for a more comfortable shooting experience

• Made in the USA Wood - #19483

Synthetic - #19484

SuperCell[®]



MODEL 700 CHASSIS SHORT ACTION

with SquareDrop Handguard #19949

STOCKS

For the ultimate in comfort and durability for your firearm, nothing but a Remington replacement stock will do. Get yours in a weatherproof, lightweight synthetic stock that will never bend or swell, or handsome laminate wood upgrade that's tough as nails and easy on the eyes. Made in the USA.



MODEL 700Black Synthetic



ADJUSTABLE LENGTH OF PULL KIT

- Full 1" of adjustment to customize fit up to standard size
- For young and smaller shooters, or to adjust for different seasons thin clothing for spring turkeys to thick coats for fall deer
- Kit includes Two ¼" LOP spacers, One ½" LOP spacer, corresponding screw lengths to accommodate three different lengths
- For most Remington synthetic stocks (rifle and shotgun including V3)
- Made in the USA

#19481

RIFLE STOCKS				
MODEL	ORDER NO.	TYPE	COLOR	MATERIALS
Model 783	19508	Long Action/Long Action Magnum	Mossy Oak Break-Up Infinity	Synthetic
Model 783	19507	Short Action	Mossy Oak Break-Up Infinity	Synthetic
Model 700 Chassis (with square drop handguard)	19949	Short Action	Black	Aluminum
Model 700 ADL	18581	Long Action	Black	Synthetic
Model 700 (with hinged floorplate)	18584	Long Action	Black with Checkering	Synthetic
Model 700 (with hinged floorplate)	18586	Long Action Magnum	Black with Checkering	Synthetic
Model 700 (with hinged floorplate)	19500	Short Action	Black with Hogue Overmolded Grip	Synthetic
Model 700 (with hinged floorplate)	19501	Long Action	Black with Hogue Overmolded Grip	Synthetic
Model 700 (with hinged floorplate)	19502	Long Action Magnum	Black with Hogue Overmolded Grip	Synthetic
Model Seven	18597	Short Action	Black	Synthetic
Model 7400	19491	Monte Carlo Stock & Fore-end	Black	Synthetic
Model 7600	19492	Monte Carlo Stock & Fore-end	Black	Synthetic

HANDGUN PARTS

MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching handgun. Made in the USA.



REMINGTON RP9/RP45 10- to 18-Round



MODEL 1911 RI HUNTER 10mm, 8-Round



MODEL 1911 RI 7- and 8-Round




REMINGTON R51 7-Round



REMINGTON RM380 (with extended floorplate) 6-Round

MAGAZINES				
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS
17743	RP	9mm Luger	18	Steel/polymer
17742	RP	9mm Luger	10	Steel/polymer
17747	RP	45 Auto	15	Steel/polymer
17746	RP	45 Auto	10	Steel/polymer
17679	RM380	380 Auto	6	Steel/polymer
17696	R51	9mm Luger	7	Steel/polymer
17798	1911 Hunter – Flush Base – Stainless	10mm Auto	8	Stainless Steel
19623	1911 Handgun – Black – Flush Base	45 Auto	7	All steel
19624	1911 Handgun – Black – Extended Base	45 Auto	8	All steel
19660	1911 Handgun – Flush Base	45 Auto	7	Nickel Plated
19661	1911 Handgun – Extended Base	45 Auto	8	Stainless Steel
17803	1911 Handgun – Extended Base – Stainless	40 S&W	8	Stainless Steel
17793	1911 Handgun – Extended Base	9mm Luger	9	Stainless Steel
17828	1911 Double Stack - Aluminum Match Base*	45 Auto	16	Steel/polymer
17827	1911 Double Stack - Tactical Base*	45 Auto	15	Steel/polymer
17825	1911 Double Stack - Restricted Base*	45 Auto	10	Steel/polymer
17794	1911 Double Stack - Aluminum Match Base*	9mm Luger	19	Steel/polymer
17795	1911 Double Stack - Tactical Base*	9mm Luger	18	Steel/polymer
17802	1911 Double Stack - Restricted Base*	40 S&W	18	Steel/polymer

* Para Compatible



GRIPS



REMINGTON RM380 GIO #17369



REMINGTON RM380 ROSEWOOD LAMINATE #17368



REMINGTON RM380 MACASSAR LAMINATE #16149



REMINGTON R51 G10 #17367



REMINGTON R51 LAMINATE #19996

SIGHTS



REMINGTON RP FIBER OPTIC #17834



REMINGTON RP TRITIUM NIGHT #17835



REMINGTON R51 FIBER OPTIC #17832



REMINGTON R51 TRITIUM NIGHT #17833


REM OIL PRO³

GIVE YOUR FIREARMS PROTECTION CUBED, ONLY WITH REM OIL PRO³.

Win the war against corrosion, friction and wear before it begins with Rem Oil Pro³. This specially formulated gun care lubricant lays down a protective barrier that cleans grime from exposed metal surfaces while displacing non-visible moisture from metal pores, and lasts up to three to five times longer than other products. Its higher lubricity keeps actions running smoothly, stands up to high-volume use and protects both internal and external metal parts against metal-to-metal wear. Long live your firearms with Rem Oil Pro³.




CORROSION RESISTANCE EXPONENTIALLY BETTER THAN THE COMPETITION



4 BALL WEAR TEST VALUES


EXPONENTIALLY BETTER THAN THE COMPETITION



■ REMOil PRO³ delivers the lowest percentage of friction and wear.

*Testing performed by an independent laboratory bised by Reminaton.

MAX LOAD PSI TO FAILURE EXPONENTIALLY BETTER THAN THE COMPETITION



 REM Oil PRO³ MSR delivers the highest lubricant function performance under extreme pressure.

ting performed by an independent laboratory hired by Remington



REM OIL PRO³

- 1-oz. bottle #18915
- 2-oz. bottle #18916
- 6-oz. pump #18920
- 4-oz. aerosol can #1891810-oz. aerosol can #18923
- 60-count pop-up wipes #18922
- Individual wipes #18921
- Pro³ Cloth #19947

REM OIL PRO³ MSR

- 2-oz. bottle #18917
- 10-oz. aerosol can #18919



REM OIL


TODAY'S MOST ADVANCED GUN CARE. **BY AMERICA'S MOST** TRUSTED GUNMAKER.



REM OIL

Quick, easy way to keep your firearms performing to their full potential. Rem Oil cleans dirt and grime from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-tometal wear. Available in:

- Travel Size (2.5-oz.) #16326
- 10-oz. aerosol can #24027
- 6-oz. spray pump (MoistureGuard) #18378
- 4-oz. aerosol can #26610
- 2-oz. bottle with child safe cap #18366
- 1-oz. bottle with child safe cap #26617



REM OIL WIPES

Rem Oil Wipes are an efficient way to protect your firearms. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty-count canister is a perfect companion for everyone's workbench. Available in:

- Travel Size (24 count) #16325
- 12 individually wrapped 6"x8" wipes #18411
- 60-count pop-up canister #18384
- Single packs in counter display - #18471





REM DRILUBE

- Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures
- Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in 4-oz. aerosol can #18396



SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Available in 18-oz. aerosol can #18472



Brite Bore

BRITEBORE SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field or range use
- Low odor contains no CFCs
- Available in:
- 6-oz. aerosol can #18394
- 2-oz. squeeze bottle with child safe cap - #18367



40-X BORE CLEANER

- Formerly Remington Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use no soaking or foul odors
- Contains high polishing compounds to make your bore mirror-clean
- Available in 4-oz. squeeze bottle with child safe cap - #18397

REM ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Available in:
- 2-oz. squeeze bottle with child safe cap - #19924
- 4-oz. aerosol can #19925
- 10.5-oz. aerosol can - #18395





Gun care available for purchase at www.remington.com/shop

CLEANING KITS

FIELD ROD CLEANING KIT (RIFLE)

- Aluminum rod set and handle
- .223 black plastic patch puller
- Dropper bottle
- Bore brushes for .22/.223/5.56, .243/.25 cal, .270/7mm, .30/7.62mm
- 75 assorted cleaning patches #17639



FIELD CABLE CLEANING KIT

All cleaning kits include:

- Patch puller
- Pull cable with T-handle
- Cleaning patches

SHOTGUN KIT

#17574

- Compact water resistant tri-fold nylon pouch with close snaps and interior storage
- Oversized pouches include additional room for customization and storage of your favorite cleaning supplies and tools
- Heavy-duty pouch zippers with oversized pull strings for easy handling
- Quick-attach pack strap for convenience & organization





RIFLE KIT Bore brushes include: .22/.223/5.56, .270/7mm, .30/7.62mm #17599

PISTOL KIT Bore brushes include: .357 /.380/9mm, .40/10mm, .44/.45 #17459

UNIVERSAL FAST SNAP 2.0

All you need to clean any firearm, from a .22 pistol or revolver to a 12-gauge shotgun.

- Contains 38 pieces plus 75 patches
- Version 2.0 upgrade includes BriteBore
- Flex Rod System with patented T-handle for quick adaptability
- Cleaner and lubricant included #16364





ALL-A-ROUND 2.0 UNIVERSAL KIT

- Cleans all your shotguns, rifles and pistols (.22 caliber to 12-gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof/stain-resistant Rem Pad
- Bore light
- Portable cleaning station with carry sack for easy transporting wherever you need it

#19546



SPORTSMAN UNIVERSAL KIT

- 27-piece (true count) cleaning kit includes 50 patches (22 caliber to 12-gauge)
- 3-piece aluminum rod accepts standard 8-32 #19054

CLEANING ACCESSORIES

CARBON FIBER SINGLE P. CLEANING ROD WITH HANDLE

- Each rod comes with a ball-bearing handle
- Rods and handle accept standard 8-32 threads
- Assorted lengths to fit your needs
- All brass fittings for maximum barrel protection during use
- Available in:

12" #16222 32" #16223 (Shown) 40" #16224



CARBON FIBER SINGLE P. CLEANING ROD SET WITH HANDLE

- Set includes 1 of each:
- Carbon rods (12", 32" and 40")
- Ball bearing handle
- Rods and handle accept standard 8-32 threads
- All brass fittings for maximum barrel protection during use

#16229



REM BRUSH

- 8-32 standard threads
- Bronze bristles resist corrosion
- Cleans without excessive abrasion
- Available for the following gauges and calibers:

12-/16-Gauge#19028
20-Gauge
28-Gauge / .410 Bore #19025
.17 HMR/.204/.17#18407
.22/.223/5.56mm#19017
.243/.25#19018
.30/7.62mm#19020
.357/.380/.38/9mm#19014
.375#18409
.270/7mm#19019
.40/10mm#19015
.44/.45#19023
.50#19225



REM MOP

- 100% cotton
- Thick nap
- 8-32 standard threads
- Available for the following gauges and calibers:

10-Gauge	#18463
12- / 16-Gauge	#19035
20-Gauge	#19034
28-Gauge / 410 Bore	#19033
.22/.223/5.56mm#	#19030
.30 / 7.62mm	#18456
.357/.380/.38/9mmi	#19031
.40 / 10mm	#19032
.44/.45	#18458
.50	#19228





REM CLOTH WITH MOISTUREGUARD

- 10" x 10" non-abrasive cloth
- Instantly protects metal surfaces
- Safe on blued, and all metal finishes
- Reusable includes zip seal pouch
- Washable and can be re-energized by retreating with Rem Oil with MoistureGuard

#19902



REM PAD GUN CLEANING MATS

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids

• Available in three sizes: 10" x 12" #17268 12" x 28" #18812 16" x 54" #18813



BORE LIGHT

- Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
- Features a flexible neck for hard to see and reach places
- LED light emits an intense illuminating glow for detailed inspections
- Batteries included

#19495

Gun care available for purchase at www.remington.com/shop


SQUEEG-E

SUPERIOR GUN CARE IN EVERY WAY.




- Save up to 15 minutes per gun
- Easy to use with cable or rod
- Available for the following calibers and gauges:

.22/.223/5.56mm#17123	.40 / 10 mm
.243/.25#17125	.44/.45#17128
.270/7mm#17122	.50 Cal /410 Bore#17129
.30/7.62mm#17124	12 / 16 Gauge#17120
.357/.380/.38/9mm#17126	20 / 28 Gauge



LESS TIME CLEANING MEANS MORE TIME FOR EVERYTHING ELSE.



To remove carbon and all other fouling, lubricate a bore brush with REM All-In bore cleaner and pass it through the barrel.



Easily attach your caliberspecific Squeeg-E to your cable or rod and pull from chamber to muzzle. One pass is all it takes to remove all debris.



Squeeg-E cleans quickly and easily with just soap and water.

REMOVES ALL DEBRIS WITH JUST ONE PASS.

Pull your caliber-specific Squeeg-E through the barrel and see the difference. With just one pass, your barrel is completely free of debris and ready to perform to its full potential.





AFTER

SAVE TIME. SAVE MONEY. REDUCE WASTE.

With just one pull, Squeeg-E saves you time. And with no patches, it eliminates waste and saves money, paying for itself year after year.



REM SQUEEG-E UNIVERSAL GUN CLEANING SYSTEM WITH RANGE BAG

- Rem Squeeg-E pull through barrel cleaners (10 sizes)
- Medium Rem-Pad Mat (12"x28")
- 2 nylon and brass brushes, 10 multiple-caliber bronze bore brushes
- Rem All-In Bore Cleaner (1/2 oz.), Rem Oil (1 oz.)
- Green canvas range bag with shoulder strap
- Patented Fast Snap T-Handle
- Rem flex rod cables
- Yellow gun cloth



REM SQUEEG-E UNIVERSAL ROD CLEANING SYSTEM

- 4-pc, 38" brass rod system threaded to universal 8-32
- Pistol grip handle with 3 attachment points

• 1 oz. bottle of Rem Oil and .5 oz. Rem All-In Bore Cleaner



REM SQUEEG-E SHOTGUN CLEANING SYSTEM

- Oversized 5" bronze bore brush
- 4-piece, 38" versatile brass cleaning rod set
- 4 oz. Rem Oil, Rem Action and Rem All-In bore cleaner
- Large Rem Pad
- Green canvas range bag carries six shotshell boxes

REM SQUEEG-E UNIVERSAL FIELD CLEANING SYSTEM

• Kit includes Rem Squeeg-E for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more



REM SQUEEG-E PISTOL CLEANING SYSTEM

• Kit includes Rem Squeeg-E for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more

• 1 oz. Rem Oil and .5 oz. Rem All-In Bore Cleaner #17183



Visit remington.com for a complete list of Squeeg-E Cleaning Systems.

GUN STORAGE & SECURITY

SAFETY ORANGE CHAMBER INDICATORS

- Safety Orange
- Nylon 6/6
- Available in:
- SHOTGUN CHAMBER INDICATOR (Four indicators - fits all shotguns) - #17334
- RIFLE CHAMBER INDICATOR (Four indicators - fits all rifles/MSRs) – #17335
- HANDGUN CHAMBER INDICATOR (Four indicators - fits all pistols/handguns) - #17333
- COMBO PACK OF ALL 3 (2 of each rifle, shotgun and handgun) - #17325





- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

#19950





MODEL 500 DEHUMIDIFIER

- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

- Works in a 500-cubic-foot area

- #19946

GUN LOCKS

• Fits most shotguns, rifles and handguns



#19439

Cable Lock (California approved) #18364

有有不成

REM DRI 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required
- Rechargeable for multiple uses #19952



GUN SOCKS

- Thick 100% polyester fabric protects against dirt and scratches
- Drawstring closure
- Treated with silicon to help protect from rust
- Two sizes available (12" and 52" long)







Gun care available for purchase at www.remington.com/shop





Dedicated to the betterment of the white-tailed deer and its environment by raising funds in support of educational programs, wildlife habitat enhancement and acquisition, and preservation of the hunting tradition and shooting sports for future generations.



Dedicated to the conservation of wetland and associated upland habitats for waterfowl, other wildlife and people



Protecting the right to keep and bear arms, furthering the shooting sports, marksmanship and safety training and preserving our hunting traditions.



Committed to conserving wild turkeys throughout North America and preserving our hunting heritage.




Promoting the protection and enhancement of wildlife habitat, providing quality wildlife management programs, educating the public about the role hunters play in wildlife conservation, and perpetuating the tradition of hunting and fishing.



Committed to uniting millions of union sportsmen and sportswomen into one community with a shared commitment to educate future generations of sportsmen, conserve healthy wildlife habitat and volunteer their time and skills for projects that improve access to quality places to hunt, fish and shoot.



The mission of the Boone and Crockett Club to promote the conservation and management of wildlife, especially big game, and its habitat, to preserve and encourage hunting and to maintain the highest ethical standards of fair chase and sportsmanship in North America.





Committed to uniting millions of union sportsmen and sportswomen into one community with a shared commitment to educate future generations of sportsmen. conserve healthy wildlife habitat and volunteer their time and skills for projects that improve access to quality places to hunt, fish and shoot.



Dedicated to the conservation of pheasants, quail and other wildlife through habitat improvements, public awareness, education and land stewardship.



Preparing young people to make ethical and moral choices over their lifetimes by instilling in them the values of the Scout Oath and Law



America by providing knowledge, leaders and sciencebased solutions that efficiently conserve waterfowl and secure the future for waterfowl hunting.



Ensuring the future of elk, other wildlife, their habitat and our hunting heritage.

SHOTGUN SPECIFICATIONS

				VERSA MA	AX SHOTGUN DIMEI	NSIONS / AVERAGE WE	IGHTS						
MODEL	GAUGE/BBL LENGTH	MAG. Capacity	ORDER No.	BARREL Type	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH Of Pull ⁵	DROP (COMB) ⁵	DROP (HEEL) ⁵	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
VERSA MAX Black Synthetic ¹	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81042	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4915/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4
VERSA MAX Black Synthetic ¹	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81043	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4715/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4
VERSA MAX Waterfowl Pro ⁴ Mossy Oak Shadow Grass Blades Camo	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	83205	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	141⁄4"	1½"	27/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Shadow Grass Blades Camo	73/4
VERSA MAX Waterfowl Mossy Oak Duck Blind Camo ²	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81048	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Duck Blind Camo	73/4
VERSA MAX Waterfowl Realtree AP Camo ²	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81054	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4715/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Realtree AP Camo	73/4
VERSA MAX Competition Tactical ¹	12/22"	10 (2¾" shells) 12 w/extension	81029	Vent Rib	Adjustable	Anodized Aluminum w/ Green Cerakote	4315/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	8
VERSA MAX Tactical ³	12/22"	8 (2¾" shells) 7 (3" shells)	81059	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4315/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4

1 Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended ProBore Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator. 3 Supplied with Flush Mount ProBore Improved Cylinder choke tube, and ProBore Extended Tactical choke tube. 4 Supplied with Extended ProBore Choke Tubes – Skeet, Improved Cylinder, Light Modified, Modified and Full. 5 Adjustable

			VE	RSA MAX LEF	T HAND SHOTGUN	DIMENSIONS / AVERA	GE WEIGH	TS					
MODEL	GAUGE/BBL LENGTH	MAG. Capacity	ORDER No.	BARREL Type	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL ²	DROP (COMB) ²	DROP (HEEL) ²	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
VERSA MAX Left-Hand Black Synthetic ¹	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	83500	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4715/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4
VERSA MAX Left-Hand Waterfowl Mossy Oak Duck Blind Camo ²	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	83506	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Duck Blind Camo	73/4

I Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Adjustable

			VERS	A MAX SPORTS	SMAN SHOTGUN DIM	ENSIONS / AVERAGE \	WEIGHTS						
MODEL	GAUGE/BBL LENGTH	MAG. Capacity	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
VERSA MAX Sportsman Black Synthetic ¹	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81045	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4915/16"	141/4"	11/2"	27/16"	Synthetic	Black Synthetic	73/4
VERSA MAX Sportsman Black Synthetic ¹	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81046	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4715/16"	141⁄4"	11/2"	27/16"	Synthetic	Black Synthetic	73/4
NEW VERSA MAX Sportsman, Synthetic Stock (RealTree® Edge) without Overmold	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81037	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4715/16"	141/4"	11/2"	27/16"	Synthetic	Camo	73/4
NEW VERSA MAX Sportsman, Synthetic Stock (Mossy Oak™ Bottomland) without Overmold	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81038	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4715/16"	141/4"	11/2"	27/16"	Synthetic	Camo	73/4
VERSA MAX Sportsman Mossy Oak Obsession Camo	12/22"	3 (2¾" or 3" shells) 2 (3½" shells)	81028	Smooth Barrel Rifle Sights	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4315/16"	141/4"	11/2"	27/16"	Synthetic	Mossy Oak Obsession Camo	73/4

1 Supplied with Flush Mount Pro Bore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended Pro Bore Choke Tubes - Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.

				V3 SHOTGUN	DIMENSIONS /	AVERAGE WEIGHTS							
MODEL	GAUGE/BBL Length	MAG. Capacity	ORDER NO.	BARREL Type	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LB.)
V3 Field Sport Black Synthetic	12/28"	3 (2¾" or 3" shells)	83400	Light Contour Vent Rib	Twin Bead	Black Oxide	49"	141/4"	11/2"	27/16"	Synthetic	Black Oxide	71/4
V3 Field Sport Black Synthetic	12/26"	3 (2¾" or 3" shells)	83401	Light Contour Vent Rib	Twin Bead	Black Oxide	47"	141/4"	11/2"	27/16"	Synthetic	Black Oxide	71/4
V3 Field Sport Waterfowl Pro	12/28"	3 (2¾" or 3" shells)	83435	Light Contour Vent Rib	Twin Bead	Realtree Maxx	49"	141/4"	11/2"	27/16"	Synthetic	Realtree Maxx 5 Camo	71/2
V3 Field Sport Waterfowl Pro	12/28"	3 (2¾" or 3" shells)	83437	Light Contour Vent Rib	Twin Bead	Mossy Oak Shadow Glass Blades	49"	141/4"	11/2"	27/16"	Synthetic	Mossy Oak Shadow Grass Blades Camo	71/2
NEW V3 Waterfowl Pro Realtree Timber	12/28"	3 (2¾" or 3" shells)	83439	Light Contour Vent Rib	Twin Bead	Realtree Timber Camo	49"	141/4"	11/2"	27/16"	Synthetic	Camo	71/2
V3 Turkey Pro	12/22"	3 (2¾" or 3" shells)	83445	Light Contour Vent Rib	TruGlo Optic	Realtree Edge	413/4"	13"	11/2"	21/4"	Synthetic	Black Oxide	7³/s
V3 Field Sport Camo	12/28"	3 (2¾" or 3" shells)	83406	Light Contour Vent Rib	Twin Bead	Mossy Oak Blades Camo	49"	141/4"	11/2"	27/16"	Synthetic	Mossy Oak Blades Camo	71/4
NEW V3 Field Sport 12/26 RC VT Mossy Oak™ Obsession NWTF	12/26"	3 (2¾" or 3" shells)	83418	Light Contour Vent Rib	Twin Bead	Mossy Oak Obsession NWTF Camo	47"	141/4"	11/2"	27/16"	Synthetic	Camo	71/4
V3 Field Sport Walnut	12/28"	3 (2¾" or 3" shells)	83420	Light Contour Vent Rib	Twin Bead	Black Oxide	49"	141/4"	11/2"	27/16"	Walnut	Satin	71/4
V3 Field Sport Walnut	12/26"	3 (¾" or 3" shells)	83421	Light Contour Vent Rib	Twin Bead	Black Oxide	47"	141/4"	11/2"	27/16"	Walnut	Satin	7 ¹ /s
V3 Field Sport Compact	12/22"	3 (¾" or 3" shells)	83402	Light Contour Vent Rib	Twin Bead	Black Oxide	413/4"	13"	11/2"	21/4"	Synthetic	Black Oxide	69/10
NEW V3 Competition Tactical	12/22"	3 (¾" or 3" shells)	83440	Light Contour Vent Rib	Twin Bead	Green Cerakote	413/4"	141/4"	11/2"	27/16"	Oxide	Black Synthetic	73/4
NEW V3 Tactical Rifle Sights	12/18"	3 (¾" or 3" shells)	83441	Light Contour Vent Rib	Twin Bead	Black Oxide	391/4"	141/4"	11/2"	27/16"	Oxide	Black Synthetic	71/4
NEW V3 Tactical Bead Sight	12/18"	3 (¾" or 3" shells)	83442	Light Contour Vent Rib	Twin Bead	Black Oxide	391/4"	141/4"	11/2"	27/16"	Oxide	Black Synthetic	7 ³ / ₈

			MODEL	II-87 SPORTSMAN	MAGNUM SHOTGUN	I DIMENSIONS / I	AVERAGE \	WEIGHTS					
MODEL	GAUGE/BBL LENGTH	MAG. Capacity	ORDER NO.	BARREL TYPE ³	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
11-87 Sportsman Field Walnut w/Fleur-De-Lis Checkering	12/28" 20/26"	4	83700 83704	Vent Rib Rem Choke Mod ⁴	Dual Bead	Matte Blue	48½" 46"	14"	11/2"	21/2"	American Walnut	Satin	81/4 71/4
11-87 Sportsman Black Synthetic	12/28" 12/26" 20/26"	4	29879 29881 29827	Vent Rib Rem Choke Mod ⁴	Single Bead	Matte Blue	48" 46" 46"	14"	11/2"	21/2"	Synthetic	Matte Black	81/4 81/4 71/8
11-87 Sportsman Compact Synthetic ²	20/21"	4	83626	Vent Rib Rem Choke Mod ⁴	Single Bead	Matte Black, Non-Reflective	401/4"	Adj.	11/2"	21/2"	Synthetic	Matte Black	61/2

I Model 11-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 Includes new adjustable LOP kit for up to 1" of extra adjustment.

3 Model 11-87 Sportsman shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells. 4 NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.

SHOTGUN SPECIFICATIONS

				COMPETITION SHO	TGUNS DIME	NSIONS / AVERAGE	WEIGHTS						
MODEL	GAUGE/BORE BBL LENGTH	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LB.)
1100 Classic Trap	12/30"	4	25333	Lt. Contour Rib Rem Choke ²	Twin Bead	High Polish Blue	501/2"	141/2"	17/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	81/4
1100 Competition Synthetic	12/30"	4	82821	Vent Rib Pro Bore	Twin Bead	Nickel	501/2"	Not Adj.	Adj.	Adj.	Synthetic	C. Graphite	81/4
1100 Sporting 12	12/28"	4	25315	Lt. Contour Rib Rem Choke ³	Twin Bead	High Polish Blue	49"	143/16"	11/2"	21/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100 Sporting 20 (LT)	20/28"	4	25399	Lt. Contour Rib Rem Choke ³	Twin Bead	High Polish Blue	49"	14"	11/2"	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
1100 Sporting 28	28/27"	4	29583	Vent Rib Rem Choke ³	Twin Bead	High Polish Blue	473/4"	14"	11/2"	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	61/2
1100 Sporting 410	410 bore/27"	4	29549	Vent Rib Rem Choke ¹	Twin Bead	High Polish Blue	47¾"	14"	11/2"	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	61/4

1 Model 1100 Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. 2 These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041").

3 NOTE: Model 1100 Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 4 Model 1100 shotguns have 2 3/4" chambers, unless otherwise noted.

5 Model 1100 Competition Synthetic shotgun is supplied with Pro Bore chokes (Skeet, Improved Cylinder, Light Modified and Full). It has approximately 14 1/4" Length of Pull and is not adjustable.

			TACTICA	L / HOME DEFEN	SE SHOTGUN DIME	NSIONS / AVERA	GE WEIGHT	S					
MODEL	GAUGE/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
870 Express Synthetic Tactical	12/18½" 20/18½"	4 6	25549 81100	Fixed Cylinder Choke	Single Bead	Matte Blue	38½" 38¾"	14"	11/2"	2½" 2"	Synthetic	Matte Black	7½ 6
870 Express Tactical (w/XS Ghost Ring Sights)	12/181/2"	6	81198	Rem Choke ¹	XS Ghost Ring	Matte Blue	38½" 40½" (choke)	14"	1½"	21/2"	Synthetic	Matte Black	71/2
870 Express Synthetic Tactical (7-Round Capacity)	12/181/2"	6	25077	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2
870 Express Synthetic 18½"	12/181/2"	4	25549	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/4
870 Express Hardwood Home Defense	12/181/2"	4	25559	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2
870 Express Hardwood Home Defense	12/181/2"	6	81197	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2
Model 870 Express Tactical 6-Position Stock, Hogue Pistol Grip	12/181/2"	6	81212	Fixed Cylinder Choke	Single bead	Matte Blue	36"-39"	11"-14"	11/2"	11/2"	Synthetic	Matte Black	71/2
Model 870 Express Tactical Magpul	12/181/2"	6	81192	Fixed Cylinder Choke	Single bead	Single bead	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2
Model 870 Express Tactical Side Folder	12/18½" 20/18½"	6+1	81210 81223	Fixed Cylinder Choke	Single bead	Matte Blue	381/2"	13½" (Adj.)	1½" (Adj.)	2"	Synthetic	Black	8
VERSA MAX Tactical ³	12/22"	8 (2¾" shells) 7 (3" shells)	81059	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4315/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4

1 Note: Supplied with Extended Rem Choke Tactical Tube.

			MO	DEL 870 DM SHOTGUI	N DIMENSIONS /	AVERAGE WEIGH	TS						
MODEL	GAUGE'/BBL LENGTH	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LB.)
Model 870 DM	12/181/2"	6	81350	Fixed Cylinder Choke	Single bead	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2
Model 870 DM Magpul, Magpul Stock	12/181/2"	6	81352	Rem Choke ²⁵	XS Ghost Ring Sights	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2
Model 870 DM Predator, ShurShot Stock	12/181/2"	6/3	81354	Rem Choke ²⁹	XS Ghost Ring Sights	Kryptek Highlander	381/2"	14"	11/2"	21/2"	Synthetic	Kryptek Highlander	71/2
Model 870 DM Hardwood, Hardwood Stock	12/181/2"	6	81351	Fixed Cylinder Choke	Single bead	Matte Blue	381/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2
Model 870 DM Tactical, Pistol Grip Buttstock & Tactical Corncob Fore-end, Tactical Choke	12/18½"	6	81360	Rem Choke ²⁵	XS Ghost Ring Sights	Matte Blue	381/2"	14"	1½"	2½"	Synthetic	Matte Black	71/2

				MODEL 870 WING	MASTER SHOTG!	UN DIMENSIONS / AVE	RAGE WEI	GHTS					
MODEL	GAUGE/BORE ¹ BBL LENGTH	MAG. Capacity	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
Wingmaster	12/28" 12/26"	4	26927 26929	Light Contour Vent Rib Rem Choke ²	Twin Bead	High Polish Blued	48½" 46½"	141/4"	11/2"	21/2"	American Walnut	Hi-Gloss	7 6¾
Wingmaster	20/28" 20/26"	4	26947 26949	Vent Rib Rem Choke ²	Twin Bead	High Polish Blued	48½" 46½"	14"	11/2"	21/2"	American Walnut	Satin (28") Hi-Gloss (26")	61/4 61/8
Wingmaster Claro	12/28"	4	82010	Vent Rib Rem Choke ²	Twin Bead	High Polish Blue	481/2"	14	1.5	2.5	Claro Walnut	Hi-Gloss	7
Wingmaster	28 (2 ¾") 25"	4	24983	Vent Rib Rem Choke ²	Twin Bead	High Polish Blued	451/2"	14"	11/2"	21/2"	American Walnut	Satin	6
Wingmaster	410 Bore (3") 25"	4	24991	Vent Rib Fixed Modified	Twin Bead	High Polish Blued	451/2"	14"	11/2"	21/2"	American Walnut	Satin	5¾
870 Classic Trap	12/30"	4	24857	Light Contour Vent Rib Rem Choke	Twin Bead	High Polish Blued	501/2"	141/2"	17/16"	2"	American Walnut	Hi-Gloss	81/4

1 NOTE: All Model 870 Wingmaster and Model 870 Wingmaster Super Magnum shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes.

2 Model 870 Wingmaster shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 410 bore will cycle both 2 ½" and 3" shotshells.

SHOTGUN SPECIFICATIONS

			MODEL 87	O SPECIAL PURPOSE SI	OTGUN DIMEI	NSIONS / AVERAGE	WEIGHTS						
MODEL	GAUGE'/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LB.)
870 SPS Super Slug	12 (3") 25½"	4 (2¾" & 3)	82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Matte Blue	47"	13¾"	11/2"	2"	Synthetic	Mossy Oak Treestand	77/8
870 SPS Super Mag Turkey/Predator w/Scope w/Overmolded Grips	12 (3½") 20"	3 (3½"), 4 (2¾" & 3)	81062	Clean Barrel Bead Sight Rem Choke	TruGlo Red Dot	Mossy Oak Obsession	401/2"	13¾"	11/2"	2"	Synthetic	Mossy Oak Obsession	71/8
870 Marine Magnum²	12 (3") 18"	6	25012	Fixed Cylinder Choke	Single Bead	Electroless Nickel- Plated	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2

1 All 3" and 3 ½" chambers also handle 2 ¾" shells. 2 Will not accept certain law enforcement accessories.

			M	ODEL 870 EXPRESS S	HOTGUN DIMENSIO	ONS / AVERAGE V	VEIGHTS						
MODEL	GAUGE (BORE)/ BBL LENGTH	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT.
870 Express	12/28" 12/26"	4	25568 25569	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	48½" 46½"	14"	11/2"	21/2"	Hardwood	Satin	7 ½ 7 ¼
870 Express Magnum w/ShurShot	12/21"	4	81114	Vent Rib Rem Choke (Turkey Extra Full)	Single Bead	Mossy Oak Obsession	421/2"	13¾"	11/2"	2"	Synthetic	Mossy Oak Obsession	73/8
870 Express	20/28" 20/26"	4	25583 25582	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	48½" 46½"	14"	11/2"	21/2"	Hardwood	Satin	6½ 6¼
870 Express	410/25"	4	25601	Fixed Full Choke	Single bead	Matte Blue	451/2"	14"	11/2"	21/2"	Hardwood	Satin	5¾
870 Express Lam. Compact ⁴	20/21"	4	25561	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	401/2"	13"	11/2"	21/4"	Hardwood	Satin	61/2
870 Express Synthetic	12/28" 12/26"	4	25587 25589	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	48½" 46½"	14"	11/2"	21/2"	Synthetic	Matte Black	7½ 7¼
870 Express Turkey Camo	12/21"	4	81115	Vent Rib Rem Choke (Turkey Extra Full)	Single Bead w/HiViz	Mossy Oak New Break-Up	411/2"	14"	11/2"	21/2"	Synthetic	Mossy Oak New Break-Up	71/4
870 Express Compact ¹	20/21"	4	81148	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	401/2"	13" Adj.	11/2"	21/2"	Synthetic	Matte Black	6
870 Express Compact Jr. ¹	20/18¾"	4	81161	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	371/4"	12" Adj.	11/2"	2"	Synthetic	Matte Black	5¾
NEW 870 Express TRAP	12/30"	4	81063	Vent Rib Rem Choke (Mod)	Single Bead	Black	501/2"	14" (14 ⁵ / ₁₆ ")	1½" (1 ³ /8")	21/8"	Hardwood	Black	71/2
870 Express Compact Pink Blaze Camo ¹	20/21"	4	81150	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	401/2"	13" Adj.	11/2"	21/2"	Synthetic	Mossy Oak Pink Blaze Camo	6
870 Express Synthetic Fully Rifled Deer	12/20"	4	25097	Fully Rifled	Rifle Sights	Matte Blue	401/2"	14"	11/2"	17/8"	Monte Carlo Synthetic	Matte Black	7
870 Express Deer	12/20"	4	25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Blue	401/2"	14"	11/2"	17/8"	Monte Carlo Laminate	Satin	7 1/4
870 Express Fully Rifled Deer	12/20"	4	25575	Fully Rifled	Rifle Sights	Matte Blue	401/2"	14"	11/2"	17/8"	Monte Carlo Laminate	Satin	71/4
870 Express Synthetic Fully Rifled Cantilever	12/23"	4	25090	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Blue	431/4"	14"	11/2"	1 ⁷ /8"	Monte Carlo Synthetic	Matte Black	8
870 Express Left Hand	12/28"	4	25577	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	481/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2

Includes new adjustable LOP kit for up to 1" of extra adjustment. 2 Supplied with sling swivel studs. 3 Model 870 Express shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells.

4 Wood laminate stock model does not include Length of Pull Kit.

			MO	DEL 870 EXPRESS SUP	ER MAG SHOTGUN	DIMENSIONS / AVE	RAGE WEIGHT	S					
MODEL	GAUGE ² /BBL Length	MAG. Capacity	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LB.)
870 Express Super Mag Turkey/Waterfowl Camo	12/26"	3 (3½") 4 (2¾" & 3")	81125	Vent Rib Rem Choke ^{3,4}	HiViz	Mossy Oak Bottomland	46"	14"	11/2"	21/2"	Synthetic	Mossy Oak Bottomland	71/4
870 Express Super Mag Waterfowl Camo ¹	12 (3½")/28"	3 (3½") 4 (2¾" & 3")	81111	Vent Rib Rem Choke ³	HiViz	Mossy Oak Duck Blind	48"	14"	11/2"	21/2"	Synthetic	Mossy Oak Duck Blind	71/2
NEW Model 870™ Express® Super Magnum™ Waterfowl	12 (3½")/28"	3 (3½") 4 (2¾" & 3")	81113	Rem® Choke 24	HiViz	Realtree Max5	48"	14"	11/2"	21/2"	Synthetic	Camo	71/2
870 Express Super Mag	12 (3½")/28"	3 (3½") 4 (2¾" & 3")	25100	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	11/2"	21/2"	Hardwood	Satin	71/2
870 Express Super Mag Synthetic	12 (3½")/28" 12 (3½")/26"	3 (3½") 4 (2¾" & 3")	25103 25102	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48" 46"	14"	11/2"	21/2"	Synthetic	Matte Black	7 1/4 7 1/2
870 Express Super Mag Waterfowl Camo ¹	12 (3½")/28"	3 (3½") 4 (2¾" & 3")	81074	Vent Rib Rem Choke ³	HiViz	Mossy Oak Shadow Grass Blades	481/2"	14"	11/2"	21/2"	Synthetic	Mossy Oak Shadow Grass Blades	71/2
870 Express Super Mag Extra Barrel Combo	12 (3½")/26" 12 (3)/20"	3 (3½") 4 (2¾" & 3")	25114	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁵	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40½" (Deer)	14"	1½"	2½"	Hardwood	Satin	71/4

Supplied with sling swivel studs. 2 Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with Rem Choke "Over-Decoys" choke tube. 4 Turkey Extra Full Rem Choke tube. 5 Combo Deer barrel has 3" chamber.

			MODEL	870 EXPRESS EXTRA BAI	RREL COMBO SHOTGU	N DIMENSIONS /	AVERAGE WEIGHTS						
MODEL	GAUGE ¹ /BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LB.)
870 Express Combo	12/26" (Vent Rib) 12/20" (Fully Rifled Deer)	4	25578	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	461/4" (Vent Rib) 401/2" (Deer BBL)	14"	11/2"	21/2"	Hardwood	Satin	71/4
870 Express Combo	20/26" (Vent Rib) 20/20" (Fully Rifled Deer)	4	25597	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	46½" (Vent Rib) 40½" (Deer BBL)	14"	11/2"	21/2"	Hardwood	Satin	61/2
870 Express Synthetic Compact Combo	20/21"(Vent Rib) 20/20" (Fully Rifled)	4	25659	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	40½" (Vent Rib) 39½" (Deer BBL)	13"	11/2"	21/4"	Synthetic	Matte Black	6
870 Express Synthetic Field & Home Combo	12/23"(Fully Rifled) 12/28" (Vent Rib)	4	81280	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Cantilever (Deer BBL)	Matte Blue	48½" (Vent Rib) 43½" (Deer BBL)	14"	1½"	21/4"	Synthetic	Matte Black	6
870 Express Combo	12/26 "(Vent Rib) 12/18½" (Vent Rib)	4	81291	Vent Rib Rem Choke Fixed Cylinder Choke	Single Bead	Matte Blue	48½" (Vent Rib) 38½" (Fixed Cyl.)	14"	11/2"	21/4"	Synthetic	Matte Black	6
870 Express Field & Home Combo	12/28"(Vent Rib) 12/18½" (Vent Rib)	4	81293	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead	Matte Blue	48½" (Vent Rib) 43½" (Deer BBL)	14"	11/2"	21/4"	Synthetic	Matte Black	6

1 Supplied with sling swivel studs. 2 Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with Rem Choke "Over-Decoys" choke tube. 4 Turkey Extra Full Rem Choke tube. 5 Combo Deer barrel has 3" chamber.

SPECIALTY FIREARM SPECIFICATIONS

			MOD	EL 870 TAC-14 FIREAF	RM DIMENSION:	S / AVERAGE WEIGH	ITS						
MODEL	GAUGE'/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LB.)
Model 870 Tac-14	12/14" 20/14"	4	81230 81145	CylBore	Single bead	Matte Blue	263/10"	-	-	-	Synthetic	Matte Black	5½
Model 870 Tac-14 Marine Magnum	12/14"	4	81312	CylBore	Single bead	Electroless Nickel Plated	263/10"	-	-	-	Synthetic	Matte Black	5½
Model 870 Tac-14 Arm Brace	12/14"	5	81240	CylBore	Single bead	Matte Blue	331/2"	-	-	-	Synthetic	Matte Black	6
Model 870 Tac-14 Hardwood	12/14"	5	81231	CylBore	Single bead	Matte Blue	263/10"	-	-	-	Hardwood	Satin	6
Model 870 DM Tac-14	12/14"	6	81348	CylBore	Single bead	Matte Blue	263/10"	-	-	-	Synthetic	Matte Black	6

			,	V3 TAC-13 FIREARM DI	MENSIONS / AV	ERAGE WEIGHTS							
MODEL	GAUGE'/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LB.)
V3 Tac-13	12/13"	5	83392	CylBore	Single bead	Matte Blue	26.3	-	-	-	Synthetic	Matte Black	51/2

RIFLE SPECIFICATIONS

						MODE	L 700 PCF	R (PRECIS	ION CHASSIS RIFLE)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
NEW 84578	6mm Creemoor	10	24"	71/2"	43¾"	Adj	Adj	Adj	Carbon Steel	Black Cerakote	Aluminum	Black	111/2
NEW 84579	6.5 Creedmoor	10	24"	8"	43¾"	Adj	Adj	Adj	Carbon Steel	Black Cerakote	Aluminum	Black	111/2
NEW 84580	308 Win	10	24"	10"	43¾"	Adj	Adj	Adj	Carbon Steel	Black Cerakote	Aluminum	Black	111/2
NEW 84598	6mm Creedmoor	5	24"	3"	43¾"	Adj	Adj	Adj	Carbon Steel	Black Cerakote	Aluminum	Black	111/2
NEW 84599	6.5 Creedmoor	5	24"	71/2"	43¾"	Adj	Adj	Adj	Carbon Steel	Black Cerakote	Aluminum	Black	111/2
NEW 84597	308 Win	5	24"	10"	43¾"	Adj	Adj	Adj	Carbon Steel	Black Cerakote	Aluminum	Black	111/2

							MODEL 7	OO MAGP	UL ENHANCED				
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84301	308 Win	10	20"	10	391/2"	13	3/8"	7/8"	Carbon Steel	Black Cerakote	Polymer	Flat Dark Earth	81/2
84303	6mm Creedmoor	10	20"	10	391/2"	13	3/8"	7/8"	Carbon Steel	Black Cerakote	Polymer	Flat Dark Earth	81/2
84302	6.5 Creedmoor	10	20"	8	391/2"	13	3/8"	7/8"	Carbon Steel	Black Cerakote	Polymer	Flat Dark Earth	81/2
84304	300 Win Mag	10	24"	8	431/2"	13	3/8"	7/8"	Carbon Steel	Black Cerakote	Polymer	Flat Dark Earth	81/2

							MO	DEL 700 N	MAGPUL				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
84291	260 Remington	5	22"	8"	411/2"	13"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9
84293	308 Win	5	22"	10"	411/2"	15"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9
84295	6.5 Creedmoor	5	22"	10"	411/2"	15"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9
84286	300 Win Mag	5	24"	10"	431/2"	13"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9

						MOD	EL 700 T	ACTICAL (CHASSIS				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84474	308 Win	5	24"	10"	461/4"	151/4" - 161/8"	Adj.	-	416 Stainless Steel	Black Cerakote	Aluminum	Black	113/4
84475	300 Win Mag	5	24"	10"	48"	15 ¹ / ₄ " - 16 ¹ / ₈ "	Adj.	-	416 Stainless Steel	Black Cerakote	Aluminum	Black	121/4
84477	338 Lapua Mag	5	26"	10"	50"	151/4" - 161/8"	Adj.	-	416 Stainless Steel	Black Cerakote	Aluminum	Black	121/2

						M	ODEL 700	STAINLE	SS 5R				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
29663	308 Win	4	24"	111/4"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2
85504	223 Remington	5	24"	9"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2
85505	300 Win Mag	3	26"	10"	45¾"	13³/s"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2

						MODEL	700 STAII	NLESS 5R	THREADED				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
85200	308 Win	4	20"	111/4"	39¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2
85507	223 Remington	5	20"	9"	39¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2
85508	300 Win Mag	3	24"	10"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2

195

RIFLE SPECIFICATIONS

						MODEL 70	O STAINLE	SS 5R TH	READED GEN 2				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
85196	308 Win	4	20"	111/4"	39¾"	133/8"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2
85201	308 Win	4	24"	111/4"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2
85197	300 Win Mag	3	24"	10"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2
85198	6.5 Creedmoor	4	24"	8"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2

		-				М	ODEL 700	XCR COM	IPACT TACTICAL				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84467	308 Win	4	20"	10"	39¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	H.S. Precision Aramid Fiber Reinf.	OD Green	71/2

						MODE	L 700 XCI	R TACTIC	AL LONG RANGE				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84461	308 Win	4	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	Bell & Carlson Aramid Fiber Reinf.	OD Green	81/2
84462	300 Win Mag	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	Bell & Carlson Aramid Fiber Reinf.	OD Green	81/2
84463	338 Lapua Magnum	5	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	Bell & Carlson Aramid Fiber Reinf.	OD Green	81/2

						M	ODEL 700	SPS TACT	TICAL				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85549 (A)1	223 Remington	5	161/2"	9"	361/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	71/2
84205 (A)1	300 AAC Blackout	5	161/2"	7"	361/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	71/2
85538 (A)1	308 Win	4	161/2"	10"	361/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	71/2
84203 (A)1	308 Win	4	20"	10"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	71/2
84204 (A)1	6.5 Creedmoor	4	22"	8"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	71/2
84206	223 Remington	5	20"	9"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Matte Black	71/2
84207	308 Win	4	20"	10"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Matte Black	71/2
85551	6.5 Creedmoor	4	22"	8"	41¾"	133/8"	11/4"	11/2"	Carbon Steel	Coyote Tan	Hogue Overmolded	Matte Black	71/2

I (A) AAC-SD with 5/8x24 Threaded Muzzle

						MODEL	700 SPS	THREADE	D BARREL				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
84158	223 Remington	5	20"	9"	395/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
84159	308 Win	4	20"	10"	395/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
84160	243 Win	4	20"	91/8"	395/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
84161	30-06 SPRG	4	20"	10"	401/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4

							N	MODEL 70	O AWR				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
84550	270 Win	4	24"	10"	441/2"	131/3"	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8
84551	30-06 SPRG	4	24"	10"	441/2"	131/3"	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8
84555	300 Win Mag	3	24"	10"	441/2"	131/3"	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8
84556	338 Win Mag	3	24"	10"	441/2"	131/3"	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8
84552	7mm Remington Magnum	3	24"	91/4"	441/2"	13 ¹ / ₃ "	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8
84557	300 Remington Magnum	3	26"	10"	461/2"	131/3"	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8
84558	338 Remington Ultra	3	26"	10"	461/2"	13 ¹ / ₃ "	11/8"	1 ³ /8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	73/8

					N	10DEL 700	ADL (WIT	TH SCOPE)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84601	22-250 Remington	4	24"	14"	435/8"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
84600	223 Remington	5	24"	9"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
27093	243 Win	4	24"	91/8"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
27094	270 Win	4	24"	10"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
85407	308 Win	4	24"	10"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
85447	6.5 Creedmoor	4	24"	8"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
27095	30-06 SPRG	4	24"	10"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
27097	7mm Remington Magnum	3	26"	91/4"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
27099	300 Win Mag	3	26"	10"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
27092	243 Win	4	20"	91/8"	395/8"	123/8"	1¹/s"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4

RIFLE SPECIFICATIONS

					MO	DEL 700 A	DL SS (W	ITH SCOP	E)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85486	243 Win	4	24"	91/8"	435/8"	133/8"	11/8"	13/8"	Stainless Steel	Satin	Synthetic	Matte Black	71/4
85488	270 Win	4	24"	10"	441/2"	133/8"	11/8"	13/8"	Stainless Steel	Satin	Synthetic	Matte Black	73/8
85490	308 Win	4	24"	10"	435/8"	133/8"	11/8"	1³/s"	Stainless Steel	Satin	Synthetic	Matte Black	71/4
85491	30-06 SPRG	4	24"	10"	441/2"	133/8"	1 ¹ /s"	1 ³ /s"	Stainless Steel	Satin	Synthetic	Matte Black	73/8

						MOI	DEL 700 B	DL					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
25787	243 Win	4	22"	91/8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 1/4
25791	270 Win	4	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	73/8
25803	7mm Remington Mag	3	24"	91/4"	441/2"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	71/2
25793	30-06 SPRG	4	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	73/8

						MOI	DEL 700 C	DL					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
27007	243 Win	4	24"	91/8"	435/8"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	73/8
27011	270 Win	4	24"	10"	441/2"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	71/2
27015	7mm-08 Remington	4	24"	91/4"	435/8"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	73/8
27047	7mm Remington Magnum	3	26"	91/4"	461/2"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	75/8
27017	30-06 SPRG	4	24"	10"	441/2"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	71/2
27049	300 Win Mag	3	26"	10"	461/2"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⁵ /8
27009	25-06 Remington	4	24"	10"	441/2"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	71/2

						MODI	EL 700 CD	L SF					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84019	257 Wby Mag	3	26"	10"	461/2"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	75/8
84036 ¹	25-06 Remington	3	24"	8"	415/8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2
84014	270 Win	4	24"	10"	441/2"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2
84013	270 WSM	3	24"	10"	435/8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2
84012	7mm-08 Remington	4	24"	91/4"	435/8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2
84016	7mm Remington Magnum	3	26"	91/4"	461/2"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	75/8
84015	30-06 SPRG	4	24"	10"	441/2"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2
84017	300 WSM	3	24"	10"	435/8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2
NEW 84038	300 Savage	4	22"	10"	41 ⁵ /8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2

I Limited Edition

						N	10DEL 700	LONG RA	ANGE				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
84162	25-06 Remington	4	26"	10"	47"	13"	13/8"	1 ³ /s"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9
84163	7mm Remington Magnum	3	26"	91/4"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9
84164	300 Win Mag	3	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9
84165	300 Remington Ultra Magnum	3	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9
84166	30-06 SPRG	4	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9

							700 1 011	2 2 4 1 2 5					
						MODEL	700 LON	G RANGE S	STAINLESS				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
85624	300 Win Mag	3	26"	10"	47"	13"	13/8"	13/8"	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grey Web	9
85625	300 Remington Ultra Magnum	3	26"	10"	47"	13"	13/8"	13/8"	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grey Web	9
NEW 85626	6.5 Creedmoor	4	26"	8"	437/8"	13"	13/8"	13/8"	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grey Web	9
85611	7mm Reminaton Magnum	3	26"	91/4"	47"	13"	1 ³ /8"	1 ³ / ₈ "	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grev Web	9

RIFLE SPECIFICATIONS

						MOI	DEL 700 S	PS					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
27351	223 Remington	5	24"	12"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
27475 (Compact)	243 Win	4	20"	91/8"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
84150 (Compact) (LH)	243 Win	4	20"	91/8"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
27355	243 Win	4	24"	91/8"	435/8"	13³/s"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
84148	6.5 Creedmoor	4	24"	8"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
84149	260 Remington	4	24"	8"	435/8"	13³/s"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
27361	270 Win	4	24"	10"	441/2"	133/8"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
84177 (LH)	270 Win	4	24"	10"	441/2"	13³/s"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
27331	270 WSM	3	26"	10"	435/8"	133/8"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
27391 (Compact)	7mm-08 Remington	4	20"	91/4"	395/8"	123/8"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
84151 (Compact) (LH)	7mm-08 Remington	4	20"	91/4"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7
27357	7mm-08 Remington	4	24"	91/4"	435/8"	13³/s"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
27385	7mm Remington Magnum	3	26"	91/4"	461/2"	133/8"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	75/8
84179 (LH)	7mm Remington Magnum	3	26"	91/4"	461/2"	13³/s"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	75/8
27363	30-06 SPRG	4	24"	10"	441/2"	133/8"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
84178 (LH)	30-06 SPRG	4	24"	10"	441/2"	13³/s"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
27333	300 WSM	3	26"	10"	435/8"	133/8"	11/8"	1 ³ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8
27387	300 Win Mag	3	26"	10"	461/2"	13³/s"	11/8"	1 ³ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ⁵ /8
84180 (LH)	300 Win Mag	3	26"	10"	461/2"	133/8"	11/8"	1³/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	75/8
27359	308 Win	4	24"	10"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4
27389	300 Remington Ultra Magnum	3	26"	10"	461/2"	133/8"	11/8"	1 ³ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	75/8

(LH) Left-hand model

					MOD	EL 700 SP:	S CAMO –	MOSSYC	OAK BREAK-UP INF	INITY			
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
84185	270 Win	4	22"	10"	421/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8
84186	30-06 SPRG	4	22"	10"	421/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8
84187	7mm Remington Magnum	3	24"	91/4"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8
84188	300 Win Mag	3	24"	10"	441/2"	13³/s"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8

							MODEL	700 SPS S	TAINLESS				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
27133	223 Remington	5	24"	12"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4
27135	22-250 Remington	4	24"	14"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4
27263	243 Win	4	24"	91/8"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4
27251	25-06 Remington	4	24"	10"	441/2"	133/8"	1 ¹ /s"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8
27267	270 Win	4	24"	10"	441/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8
27253	270 WSM	3	24"	10"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8
27265	7mm-08 Remington	4	24"	91/4"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4
27271	7mm Remington Magnum	3	26"	91/4"	461/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	75/8
27269	30-06 SPRG	4	24"	10"	441/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8
27255	300 WSM	3	24"	10"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8
27273	300 Win Mag	3	26"	10"	461/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	75/8
27136	308 Win	4	24"	10"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4
27140	300 Remington Ultra Magnum	3	26"	10"	461/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	75/8

						MODEL 700	MOUNTAI	IN SS (ST	AINLESS STEEL)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84272	25-06 Remington	4	22"	10"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2
84273	270 Win	4	22"	10"	421/2"	133/8"	1 ¹ /s"	1 ³ /8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2
84274	280 Remington	4	22"	91/4"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2
84276	7mm-08 Remington	4	22"	91/4"	415/8"	133/8"	11/8"	1 ³ /8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2
84275	30-06 SPRG	4	22"	10"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2
84277	308 Win	4	22"	10"	415/8"	133/8"	11/8"	1 ³ /8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2
NEW 85513	6.5 Creedmoor	4	22"	8"	415/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	61/2

						MODEL	700 VTR	(VARMIN	TARGET RIFLE)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84374	223 Remington	5	22"	9"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8
84376	22-250 Remington	4	22"	12"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8
84375	260 Remington	4	22"	8"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8
84377	308 Win	4	22"	10"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8

RIFLE SPECIFICATIONS

					MODE	L 700 VTR SS	S (VARMIN	NT TARGE	T RIFLE, STAINLESS ST	EEL)			
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84356	223 Remington	5	22"	9"	415/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Blue	Synthetic w/Hogue Overmold Grip Panels	Black	75/8
84358	308 Win	4	22"	10"	415/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Blue	Synthetic w/Hogue Overmold Grip Panels	Black	75/8

							MODEL 70	OO SPS VA	RMINT				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. W
84214	204 Ruger	5	26"	12"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84216	22-250 Remington	4	26"	14"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84226 (LH)	22-250 Remington	4	26"	14"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84215	223 Remington	5	26"	12"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84227 (LH)	223 Remington	5	26"	12"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84217	243 Win	4	26"	91/8"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84228 (LH)	243 Win	4	26"	91/8"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84218	308 Win	4	26"	10"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2
84229 (LH)	308 Win	4	26"	10"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2

(=, =													
							MODEL 7	OO VARMI	NT SF				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
84342	22-250 Remington	5	26"	14"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2
84343	223 Remington	5	26"	12"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2
84344	220 Swift	4	26"	14"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2
84345	308 Win	4	26"	10"	45¾"	133/8"	11/8"	1 ³ /s"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue	Matte	81/2

						MODEL 700	VLS (VAF	RMINT LAP	MINATED STOCK)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
27467	204 Ruger	5	26"	12"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8
27491	223 Remington	5	26"	12"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8
27489	22-250 Remington	4	26"	14"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8
27495	243 Win	4	26"	91/8"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8
27499	308 Win	4	26"	10"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8

							MODEL 70	OO SENDE	RO SF II				
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
25643	25-06 Remington	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2
27307	264 Win Mag	3	26"	9"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2
27311	7mm Remington Magnum	3	26"	91/4"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2
27313	300 Win Mag	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2
27318	300 Remington Ultra Magnum	3	26"	10"	45¾"	13³/s"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2

					MODEL	. 700 ULT	IMATE MUZZLELOADER				
ORDER NO.	CALIBER	BARREL LENGTH	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
86950	50 Caliber	26"	47"	133/8"	13/8"	13/8"	Stainless Fluted	Satin	Laminate Wood	Matte	81/2
86960	50 Caliber	26"	47"	133/8"	13/8"	13/8"	Stainless Fluted	Satin	Bell & Carlson Medalist M40 Synthetic	Satin	81/2

						MOD	EL SEVEN	SYNTHE	TIC				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85911	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2
85912	260 Remington	4	20"	8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2
85913	7mm-08 Remington	4	20"	91/4"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2
85914	308 Win	4	20"	10"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2
85915 (Compact)	243 Win	4	18"	91/8"	361/4"	123/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/8
85916 (Compact)	7mm-08 Remington	4	18"	91/4"	361/4"	123/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ¹ /8
NEW 85925	308 Win	4	16.5"	8"	341/2"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Camo	6
NEW 85926	300 AAC Blackout	5	16.5"	7"	341/2"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Camo	6
NEW 85927	6.5 Creedmoor	4	16.5"	10"	341/2"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Camo	6

RIFLE SPECIFICATIONS

						MODEL SE	VEN SS (S	STAINLES	S STEEL)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85904	223 Remington	5	20"	9"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2
24739	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2
24751	260 Remington	4	20"	8"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2
24741	7mm-08 Remington	4	20"	91/4"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2
24743	308 Win	4	20"	10"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2
85905	300 WSM	4	20"	10"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	63/4
85907	6mm Remington	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2

						MOD	DEL SEVEI	N STAINLE	SS HS				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85970	308 Win	4	20"	9"	391/4"	133/8"	11/4"	11/2"	Stainless	Satin	H.S Precision	Black w/Green Webbing	6
85971	6.5 Creedmoor	4	20"	8"	391/4"	133/8"	11/4"	11/2"	Stainless	Satin	H.S Precision	Black w/Green Webbing	6
85972	7mm-08 Remington	4	20"	9"	391/4"	133/8"	11/4"	11/2"	Stainless	Satin	H.S Precision	Black w/Green Webbing	6
85968	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	Stainless	Satin	H.S Precision	Black w/Green Webbing	6

						М	ODEL SEV	EN LAMIN	ATE				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85960	223 Remington	5	181/2"	9"	373/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Brown Laminate	Satin	61/2
85961	243 Win	4	181/2"	91/8"	373/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Brown Laminate	Satin	61/2
85962	7mm-08 Remington	4	181/2"	91/4"	373/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Brown Laminate	Satin	61/2
85963	308 Win	4	181/2"	10"	373/4"	13³/s"	11/4"	11/2"	Carbon Steel	Satin Blue	Brown Laminate	Satin	61/2

							MODEL	SEVEN CD	L				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
26417	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2
26419	260 Remington	4	20"	8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2
23421	7mm-08 Remington	4	20"	91/4"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2
26423	308 Win	4	20"	10"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2

					М	ODEL 783	(WITH SC	OPE)					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
NEW 85826	6.5 Creedmoor	4 DM	22"	8"	415/8"	131/2"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8
85845	22-250 Remington	4 DM	22"	14"	415/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85840	223 Remington	5 DM	22"	9"	415/8"	133/8"	1"	1 ⁵ /s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85842	243 Win	4 DM	22"	91/8"	415/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85835	7mm-08 Remington	4 DM	22"	91/8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85844	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85847	308 Win	4 DM	22"	10"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85846	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85848	7mm Remington Magnum	3 DM	24"	91/4"	441/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85849	300 Win Mag	3 DM	24"	10"	441/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85852 (Compact)	243 Win	4 DM	20"	91/8"	385/8"	123/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2
85853 (Compact)	308 Win	4 DM	20"	10"	385/8"	123/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2

						MODEL 7	83 VARM	INT LAMI	NATE				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85735	308 Win	4	26"	10"	453/4"	133/8"	5/8"	1"	A151 4137 Modified Steel	Satin / Black Oxide	Brown Laminate	Satin	81/2
85737	223 Rem	5	26"	9"	453/4"	133/8"	5/8"	1"	A151 4137 Modified Steel	Satin / Black Oxide	Brown Laminate	Satin	81/2
85738	22-250 Rem	4	26"	14"	453/4"	133/8"	5/8"	1"	A151 4137 Modified Steel	Satin / Black Oxide	Brown Laminate	Satin	81/2
85734	243 Win	4	26"	91/4"	453/4"	133/8"	5/8"	1"	A151 4137 Modified Steel	Satin / Black Oxide	Brown Laminate	Satin	81/2
85748	6.5 Creedmoor	4	26"	8"	453/4"	13³/s"	5/8"	1"	A151 4137 Modified Steel	Satin / Black Oxide	Brown Laminate	Satin	81/2

RIFLE SPECIFICATIONS

				N	MODEL 783	HBT (HEA	VY BARRI	EL THREAD	DED)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85764	223 Remington	5	161/2"	9"	361/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	7
85770	223 Remington	5	24"	9"	435/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	71/2
85765	308 Win	4	161/2"	10"	361/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	7
85771	308 Win	4	24"	10"	435/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	71/2
85766	300 AAC Blackout	5	161/2"	7"	361/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	7
85767	6.5 Creedmoor	4	161/2"	8"	361/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	7
NEW 85772	450 Bushmaster	3	16.5"	8"	38"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	8
85773	6.5 Creedmoor	4	24"	8"	435/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	7

						MODEL 7	83 WALNI	JT					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
85866	6.5 Creedmoor	4 DM	22"	8"	415/8"	133/8"	1"	15/8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2
85870	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2
85872	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	15/8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2
85874	308 Win	4 DM	22"	10"	415/8"	133/8"	1"	15/8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2
85876	7mm Remington Magnum	3 DM	24"	91/4"	441/2"	133/8"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2
85884 ¹	243 Win	4 DM	22"	91/8"	415/8"	133/8"	1"	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	71/2
85886¹	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	71/2
85888¹	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	71/2
85890¹	308 Win	4 DM	22"	10"	415/8"	133/8"	1"	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	71/2
85892 ¹	7mm Remington Magnum	3 DM	24"	91/4"	441/2"	133/8"	1"	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	71/2
85894¹	300 Win Mag	3 DM	24"	10"	441/2"	133/8"	1"	15/8	Carbon steel	Matte Blue	American Walnut	Satin	71/2

I Comes with Vortex Crossfire II scope.

					MODI	EL 783 CAN	10 (WITH	SCOPE)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-RH 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LB.)
85750	223 Remington	5 DM	22"	91/8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
85751	243 Win	4 DM	22"	91/8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
NEW 85777	6.5 Creedmoor	4 DM	22"	8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
85752	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
85754	308 Win	4 DM	22"	10"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
85753	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
85755	7mm Remington Mag	4 DM	24"	91/8"	435/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8
85756	300 Win Mag	4 DM	22"	91/8"	415/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	8

						MODEL 7	600 PUMP	-ACTION						
MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-RH I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
7600	24655	270 Win	4	22"	10"	425/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2
7600 Carbine	24661	30-06 SPRG	4	181/2"	10"	391/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/4
7600	24657	30-06 SPRG	4	22"	10"	425/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2
7600	24659	308 Win	4	22"	10"	425/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2

Equipped with iron sights.

						MODEL 5	52/572						
MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. Capacity	BARREL LENGTH	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LB.)
552 BDL Deluxe Speedmaster	25594	Auto (22, S, L, LR)	15¹	21"	40"	135/8"	13/8"	25/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾
572 BDL Deluxe Fieldmaster	25624	Pump (22, S, L, LR)	15¹	21"	40"	135/8"	13/8"	25/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾

I Capacity is 15 on 22 Long Rifle, 17 on 22 Long, and 20 on 22 Short.

HANDGUN SPECIFICATIONS

				М	ODEL 700 C	P				
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL Length	BARREL MATERIAL	HANDGUARD MATERIAL	FRAME MATERIAL	AVG. WT. (OZ.)
NEW Model 700-CP	96814	300 AAC Blackout	10 + 1	101/2"	7"	191/2"	Carbon Steel	Aluminum	Aluminum	6
NEW Model 700-CP	96815	308 Win	10 + 1	121/2"	10"	211/2"	Carbon Steel	Aluminum	Aluminum	6.3
NEW Model 700-CP	96816	223 Remington	10 + 1	101/2"	9"	191/2"	Carbon Steel	Aluminum	Aluminum	6
NEW Remington 700-CP Chassis Pistol Arm Brace	96818	6.5 Creedmoor	10 + 1	121/2"	8"	27"-30"	Carbon Steel	Aluminum	Aluminum	7.05
NEW Remington 700-CP Chassis Pistol Arm Brace	96810	300 Blackout	10 + 1	121/2"	7"	25"-28"	Carbon Steel	Aluminum	Aluminum	6.05
NEW Remington 700-CP Chassis Pistol Arm Brace	96811	223 Remington	10 + 1	121/2"	10"	27"-30"	Carbon Steel	Aluminum	Aluminum	7.05

						MODE	L 1911 R1 I	LIMITED					
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
1911 R1 Limited Double Stack	96713	9mm	19+1	5"	10"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41
1911 R1 Limited Double Stack	96715	45 Auto	16+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41
1911 R1 Limited Double Stack	96714	40S&W	18+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41
1911 R1 Tomasie	96725	40S&W	18+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41

						MODEL	1911 R1 UL	TRALIGHT					
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
1911 R1 Ultralight Commander	96492	45 Auto	8+1	41/4"	16"	73/4"	51/2"	31/2 - 51/2	Stainless Steel	Laminate	Aluminum	Stainless Steel	31
1911 R1 Ultralight Executive	96493	45 Auto	7+1	31/2"	16"	7"	51/2"	31/2 - 51/2	Stainless Steel	G10	Aluminum	Stainless Steel	28

						MODEL 19	II RI HUN'	TING SERIES					
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL Length	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
1911 R1 Hunter	96679	10mm	8+1	6"	16"	91/2"	53/4"	31/2 - 51/2	Stainless Steel	G10	Stainless Steel	Stainless Steel	41
1911 R1 Hunter FDE	96305	10mm	8+1	6"	16"	91/2"	53/4"	31/2 - 51/2	Stainless Steel	G10	Stainless Steel	Stainless Steel	41

						MODE	L 1911 R1 T	ACTICAL					
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
1911 R1 Double Stack	96486	45 Auto	15+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41
1911 R1 Double Stack Threaded	96488	45 Auto	15+1	51/2"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41
1911 R1 Recon	96489	45 Auto	15+1	41/4"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	G10	Stainless Steel	Stainless Steel	38
1911 R1 Recon	96490	9mm	18+1	41/4"	10"	81/2"	53/4"	31/2 - 5	Stainless Steel	G10	Stainless Steel	Stainless Steel	38

						MO	DEL 1911 R	I ENHANCED					
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
1911 R1 Enhanced Double Stack	96491	45 Auto	15+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	G10	Stainless steel	Carbon Steel	41
1911 R1 Enhanced	96328	45 Auto	8+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40
1911 R1 Enhanced	96364	9MM	9+1	5"	10"	81/2"	51/2"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40
1911 R1 Enhanced Commander	96359	45 Auto	8+1	41/4"	16"	73/4"	53/4"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	38
1911 R1 Enhanced Stainless Commander	96360	45 Auto	8+1	41/4"	16"	73/4"	53/4"	31/2 - 5	Stainless Steel	Enhanced Laminate	Stainless Steel	Carbon Steel	38
1911 R1 Enhanced Stainless	96329	45 Auto	8+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Enhanced Laminate	Stainless Steel	Stainless Steel	40
1911 R1 Enhanced Threaded	96339	45 Auto	8+1	51/2"	16"	91/4"	53/4"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40

							MODEL	1911 RI					
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
1911 R1	96323	45 Auto	7+1	5"	16"	81/2"	51/2"	3 1/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	381/2
1911 R1 Commander	96336	45 Auto	7+1	41/4"	16"	71/2"	51/2"	31/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	381/2
1911 R1 Stainless	96324	45 Auto	7+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Walnut	Stainless Steel	Stainless Steel	381/2

						RM:	380 MICRO						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
RM380 Micro Executive	96246	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2
RM380 Micro	96454	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2
RM380 Micro Crimson Trace	96462	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.6
RM380 Micro Light Blue / Black Ceracote	96453	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2
RM380 Micro Light Blue	96457	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2

						М	ODEL RP						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)
RP9	96466	9MM+P	18+1	4.5"	10"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4
RP9 Restricted	96476	9MM+P	10+1	4.5"	10"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4
RP45	96464	45 Auto	15+1	4.5"	16"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4
RP45 Restricted	96474	45 Auto	10+1	4.5"	16"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4
NEW RP9 Full Size Tritium Night Sight	96256	9MM	18+1	4.5"	10"	7.91"	5.56"	51/2 - 8	PVD Finish	Polymer	Polymer	Stainless Steel	26.4
RP45 Tritium Night Sights	96257	45 Auto	15+1	4.5"	16"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4

RIFLE CHAMBERING

										M	DDEL 700	BOLT CA	LIBER LI	STINGS										
CALIBERS	MAG. Capacity	BARREL Length	TWIST- R-H I TURN IN	AWR	ADL	ADL SS	BDL	CDL	CDL SF	SPS	SPS CAMO	SPS STAINLESS	LONG Range	SPS Tactical	SPS Varmint	MOUNTAIN SS	VARMINT SF	VLS	SENDERO SF II	VTR	MAGPUL	XCR Tactical	XCR Tactical Long Range	TACTICAL Chassis
204 Ruger	5	26"	12"	_	_	_	_	_	_	_	_	_	_	_	84214	_	_	27467	_	_	_	_	_	_
220 Swift	4	26"	14"	_	_	_	_	_	_	_	_	_	_	_	-	_	84344	-	_	_	_	_	_	_
	5	161/2"	9"	-	-	-	-	_	-	-	-	-	-	85549	-	-	-	-	-	-	-	-	_	-
	5	20"	9"	-	-	-	-	-	-	-	84189(C)	-	-	84206	-	-	-	-	-	-	-	84466(C)	-	-
	5 5	22" 22"	9" 9"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84374 84356(SS)	-	-	-	-
223 Remington	5	24"	9"	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_
Kemington	5	24"	12"	-	84600	-	-	-	-	27351	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	26"	9"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84460	-
	5 5	26" 26"	12" 12"	_	_	_	_	_	_	_	_	_	_	_	84215 84227(L)	_	84343	27491	_	_	_	_	_	_
	4	24"	14"	_	84601	_	_	_	_	_	_	27135	_	_	-	_	_	_	_	_	_	_	_	-
22-250	4	26"	14"	-	-	-	-	-	-	-	-	-	-	-	84216	-	84342	27489	-	-	-	-	-	-
Remington	4	26"	14"	-	-	-	-	-	-	-	-	-	-	-	84226(L)	-	-	-	-	-	-	-	-	-
	5	22"	14"	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	84376	-	-	-	-
	4	20" 20"	91/8" 91/8"	-	27092	_	_	_	_	27475(C) 84150(CL)	84190(C) -	-	_	_	_	_	_	-	_	_	_	_	_	_
24214/:	4	22"	91/8"	-	-	-	25787	-	-	-	84183	-	-	-	-	-	-	-	-	-	-	-	-	-
243 Win	4	24"	91/8"	-	27093	85486	-	27007	-	27355	-	27263	-	-	-	-	-	-	-	-	-	-	-	-
	4	26"	91/8"	-	-	-	-	-	-	-	-	-	-	-	84217	-	-	27495	-	-	-	-	-	-
	4	26"	91/8"	_	_	-	-	_		-	_	-	_	-	84228(L)	84272	_	-		-		-	_	_
25-06 Remington	4	24"	10"	_	_	_	_	27009	_	_	_	27251	_	_	_	-	_	_	_	_	_	_	_	_
Kemington	4	26"	10"	-	-	-	-	-	-	-	-	-	84162	-	-	-	-	-	-	-	-	-	-	-
257 Weatherby Mag	3	26"	10"	-	-	-	-	-	84019	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260 Remington	4	22" 24"	8" 8"	-	-	-	-	-	-	- 84149	-	-	-	-	-	-	-	-	-	84375	84019	-	-	-
	4	24"	8"	-	-	-	-	-	-	-	-	-	-	85551	-	-	-	-	-	-	-	-	-	-
6.5 Creedmoor	4	22"	8"	-	85447	-	-	-	-	84148	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84295	-	-	-
	4	22" 24"	10" 10"	84550	27094	- 85488	25791	- 27011	84014	84193(WT) 27361	84185	- 27267	_	_	_	84273	_	-	_	_	-	_	-	-
270 Win	4	24"	10"	-	-	-	_	27105(L)	-	84177(L)	-	-	_	-	-	-	-	-	-	-	_	-	-	-
	4	24"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270 WSM	3	24"	10"	-	-	-	-	-	84013	27331	-	27253	-	-	-	-	-	-	-	-	-	-	-	-
280 Pominaton	4	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	84274	-	-	-	-	-	-	-	-
Remington	5	22"	91/4"	-	_	-	-	_	-	-	- 84191(C)	-	_	-	-	-	-	-	-	-	-	-	-	_
7mm-08	4	20"	91/4"	_	_	_	_	_	_	- 84151(CL)	04171(C) -	_	_	_	_	_	_	_	_	_	_	_	_	_
Remington	4	22"	91/4"	-	-	-	-	-	-	-	84184	-	-	-	-	84276	-	-	-	-	-	-	-	-
	4	24"	91/4"	-	-	-	-	27015	84012	27357	-	27265	-	-	-	-	-	-	-	-	-	-	-	-
	3	24" 24"	9¼" 10"	- 04552	-	-	25803	-	-	84197(WT) -	84187	-	-	-	-	-	-	-	-	-	-	-	-	-
7mm Remington		26"	91/4"	84552	27097	_	_	27047	84016	27385	_	27271	_	_	_	_	_	_	27311	_	_	_	_	-
Mag	3	26"	91/4"	-	-	-	-	27109(L)	-	84179(L)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	26"	91/4"	-	-	-	-	-	-	-	-	-	84163	-	-	-	-	-	-	-	-	-	-	-
7mm Remington Ultra Mag	3	26"	91/2"	-	-	-	-	27051	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300 AAC Blackout	5	161/2"	7"	-	-	-	-	-	-	-	-	-	-	84205	-	-	-	-	-	-	-	-	-	-
	4	22"	10"	-	-	-	25793	-	-	84195(WT)	84186	-	-	-	-	84275	-	-	-	-	-	-	-	-
30-06 Springfield	4	24"	10"	84551	27095	85491	-	27017	84015	27363	-	27269	-	-	-	-	-	-	-	-	-	-	-	-
opiniyileid	4	24" 26"	10" 10"	_	_	_	-	27107(L) -	-	84178(L) -	_	_	- 84166	_	_	-	-	-	_	_	_	_	_	_
	3	24"	91/4"	84555	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
	3	24"	10"	- 04333	_	_	-	_	-	84199(WT)		_	_	_	_	_	-	_	_	_	_	_	_	_
300	3	26"	10"	-	27099	-	-	27049	-	27387	-	27273	84164	-	-	-	-	-	27313	-	-	-	84462	-
Win Mag	3	26"	10"	-	-	-	-	-	_	84180(L)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4 5	24" 24"	10" 10"	_	-	_	-	_	-	_	_	-	-	-	-	_	-	-	-	_	84286	_	_	84475
300 WMR	4	26"	10"																		04200	_		_

RIFLE CHAMBERING (cont.)

										MC	DEL 700	BOLT CA	LIBER LI	STINGS										
CALIBERS	MAG. Capacity	BARREL LENGTH	TWIST- R-H I TURN IN	AWR	ADL	ADLSS	BDL	CDL	CDLSF	SPS	SPS CAMO	SPS STAINLESS	LONG Range	SPS Tactical	SPS Varmint	MOUNTAIN SS	VARMINTSF	VLS	SENDERO SF II	VTR	MAGPUL	XCR Tactical	XCR Tactical Long Range	TACTICAL Chassis
300 WSM	3	24"	10"	-	-	-	-	-	84017	27333	-	27255	-	-	-	-	-	-	-	-	-	-	-	-
	4	161/2"	10"	-	-	-	-	-		-	-	_	-	85538	-	-	-	-	-	-	-	-	-	-
	4	20"	10"	-	-	-	-	-	-	-	-	-	-	84203	-	-	-	-	-	-	-	-	-	-
	4	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84377	84293	-	-	-
	4	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84358(SS)	-	-	-	-
	4	24"	10"	-	85407	85490	-	-	-	27359	-	27136	-	-	-	-	-	-	-	-	-	-	-	-
	4	20"	12"	-	-	-	-	-		-	-	-	-	84207	-	-	-	-	-	-	-	84467(C)	-	-
308 Win	4	22"	12"	-	-	-	-	-	_	-	-	-	-	-	-	84277	-	-	-	-	-	-	-	-
	4	22"	12"	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	26"	111/4"	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	26"	12"	-	-	-	-	-	_	-	-	-	-	-	84218	-	84345	27499	-	-	-	-	84461	-
	4	26"	12"	-	-	-	-	-	_	-	-	-	-	-	84229(L)	-	-	-	-	-	-	-	-	-
	5	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	24"	10"	-	-	-	-	-		-	-	-		-	-	-	-	-	-	-	-	-	-	84474
300 Remington	3	26"	10"	-	-	-	26410	27053	-	27389	-	27140	84165	-	-	-	-	-	27318	-	-	-	-	-
Ultra Mag	3	26"	10"	-	-	-	-	27111(L)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
338 Win Mag	3	24"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
338 Lapua	3	26"	10"	_	_	_	-	_	-	_	_	_	-	_	-	_	_	_	-	_	-	_	84463	_
Mag	4	26"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84477
338 Remington Ultra Mag	3	26"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375 H&H ¹	3	22"	12"	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
		Length	n of Pull		133/8"	133/8"	133/8"	131/2"	131/2"	133/8"	133/8"	133/8"	13³/s"	133/8"	133/8"	133/8"	133/8"	131/2"	133/8"	133/8"	13"	133/8"	133/8"	133/8"
Stock			t Comb		11/8"	11/8"	1"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	1"	11/4"	11/8"	11/4"	11/4"	11/4"	11/4"
Dimensions			at Heel		13/8"	13/8"	15/8"	13/8"	13/8"	13/8"	13/8"	13/8"	13/8"	13/8"	13/8"	11/8"	13/8"	13/8"	11/2"	13/8"	11/2"	11/2"	11/2"	11/2"

(L) Left-hand model (C) Compact model (AT) A-TACS (BC) Bone Collector (LT) Limited Edition (HP) Polished Blued (R) Rocky Mountain Elk Foundation (WT) Wood Tech (SS) Stainles Steel 1 Equipped with Iron Sights.

						NEW MODE	L 700 BOLT CALIBER	R LISTINGS				
CALIBERS	MAG. Capacity	BARREL LENGTH	TWIST - R-H I TURN IN	PRECISION CHASSIS RIFLE (PCR)	PCR ENHANCED	MAGPUL Enhanced	STAINLESS 5R	STAINLESS 5R Threaded	STAINLESS 5R Threaded gen 2	LONG RANGE Stainless	MAINTAIN SS	CDL SF
223 Remington	5	20"	9"	-		-	-	85507	-	-		
225 Kennington	5	24"	9"	-		-	85504	-	-	-		
6mm Creedmoor	10	20"	10"	-		84303	-	-	-	-		
6.5 Creedmoor	4	24"	8"	-		-	-	-	85198	-		
0.5 Creedinoor	10	20"	8"	-		84302	-	-	-	-		
6mm Creedmoor		24"		84598								
6.5 Creedmoor		24"		84599								
308 Win		24"		84597								
6mm		24"			84578							
6.5 Creedmore		24"			84579							
308 Win		24"			84580							
6.5 Creedmoor		26"								85626		
6.5 Creedmoor		22"									85513	
300 Savage		20"										84038
7mm Remington Mag	3	26"	91/4"	-		-	-	-	-	85611		
	3	24"	10"	-		-	-	85508	85197	-		
300 Win Mag	3	26"	10"	-		-	85505	-	-	85624		
	10	24"	8"	-		84304	-	-	-	-		
300 Remington Ultra Mag	3	26"	10"	-		-	-	-	-	85625		



INTERCHANGEABILITY CHART

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE.Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTE	RFIRE
25-20 Remington	38 S&W
25-20 W.C.F.	38 Colt New Police
25-20 Win	380 Webley
25-20 Win High Speed	38 Colt Special (SEE NOTE B & D)
25-20 Marlin	38 S&W Special (SEE NOTE B & D)
25 W.C.F.	8 S&W Special Mid-Range (SEE NOTE B
6mm Remington	& D)
244 Remington	38 Special Targetmaster (SEE NOTE B & D
25 Automatic	38 Special +P (SEE NOTE B & D)
5 Auto. Colt Pistol (ACP)	38-44 Special +P (SEE NOTE B & D)
25 (6.35mm) Automatic	38 Special (SEE NOTE B & D)
6.35mm Browning	38 Special Flat Point (SEE NOTE B & D)
7mm Express, Remington	38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38
280 Remington	Special.
30-30 Sav.	38 Marlin (SEE NOTE A)
30-30 Win	38 Win (SEE NOTE A)
30-30 Win Accelerator (SEE NOTE A)	38 Remington (SEE NOTE A)
30-30 Marlin	38-40 Win (SEE NOTE A)
30-30 Win High Speed	38 W.C.F. (SEE NOTE A)
30 W.C.F.	38 Automatic in 38 Super +P -
32 Colt Automatic	but not conversely
32 Auto. Colt Pistol (ACP)	380 Automatic
32 (7.65mm) Automatic	9mm Browning Short (Corto Kurz)
7.65mm Automatic Pistol	9mm Luger (SEE NOTE E)
7.65mm Browning (not interchangeable	9mm Parabellum (SEE NOTE E)
with 7.65mm Luger)	44 S&W Special (SEE NOTE F)
32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C)	44 Marlin
32 S&W in 32 S&W Long but not con-	44 Win
versely	44 Remington
32 S&W Long	44-40 Win
32 Colt New Police	44 W.C.F.
32 Colt Police Positive	45-70 Government
32 W.C.F. (SEE NOTE A)	45-70 Marlin
2 Win (SEE NOTE A)	45-70 Win
32-20 Win. High Speed (SEE NOTE A)	45-70-405
32-20 Colt L.M.R (SEE NOTE G)	
32-20 W.C.F. (SEE NOTE G)	RIMFIRE

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them. **NOTE B**: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long. your manufacture. Note: Any of the Use in 1857 Magnum revolvers but not conversely.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE E: 9mm sub machine gun cartridges should not be used in handguns. NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely. NOTE G: Not to be used in Win. M-66 and M-73.

22 W.R.F.

22 Remington Special

22 Win. Model 1890 in a 22 Win. Mag. Rimfire – but not conversely

32-20 Win (SEE NOTE G)

32-20 Marlin (SEE NOTE G)

CENTERFIRE RIFLE BALLISTICS

						17 REI	MING TU	N FIKE	BALL -	7MM-0	O KEM	INGTUN														
CARTRIROF	INDEX/	DAMAG	WT (OD)	DULLET CTVLE	PRIMER	HEIGHT	ZERO	M11771 F		VELOCIT		400	E00	MII 771 F		ENERGY		400	500	MII771 F		AJECTOR			E00	BALLIST
CARTRIDGE 17 Remington Fireball	PRA17FB	29165	(GR) 20	AccuTip-V	NO.	(INCHES) 1.5	(YARDS)	4000		200	2360	1930	500 1555	MUZZLE 710	507	358	300 247	400 165	500 107	-1.5	0.8	0.0	-5.1	-16.6	500 -37.6	0.18
17 Remnigton Friedan	L17FBV	28472	25	Jacketed Hollow Point	71/2	1.5	200	3850			2313		1547	823	595	425	297	201	133	-1.5	0.6	0.0	-5.5	-17.6	-37.0	0.16
17 Remington	PRA17RA	29162	20	AccuTip-V	71/2	1.5	200	4250		3028	2529	2081	1684	802	574	407	284	192	126	-1.5	0.6	0.0	-4.4	-14.4	-32.5	0.18
	R17R2	28460	25	Hollow Point	71/2	1.5	200	4040	3420	2881	2402	1972	1594	906	649	461	320	216	141	-1.5	0.8	0.0	-5.0	-16.1	-36.3	0.187
204 Ruger	PRA204A	29218	32	AccuTip-V	71/2	1.5	200	4225	3645	3137	2683	2272	1899	1268	944	699	512	367	256	-1.5	0.6	0.0	-4.1	-13.1	-29.0	0.210
	PRA204B	29220	40	AccuTip-V Boat Tail	71/2	1.5	200	3900	3482	3103	2755	2433	2133	1351	1077	855	674	526	404	-1.5	0.7	0.0	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	29154	35	AccuTip-V	61/2	1.5	100	3100		1590	1126	-	-	747	401	197	99	-	-	-1.5	0.0	-5.6	-25.5	-	-	0.109
	R22HN1	28376	45	Pointed Soft Point	61/2	1.5	100	2690		1505	1130	-	-	723	417	226	128	-	-	-1.5	0.0	-7.1	-30.0	-	-	0.130
220 C -16	R22HN2	28378	45	Hollow Point	61/2	1.5	100	2690		1505	1130	1710	- 1257	723	417	226	128	-	-	-1.5	0.0	-7.1	-30.0	- 20.1	-	0.130
220 Swift 221 Remington Fireball	R220S1 PRA221FB	21297 29172	50	Pointed Soft Point AccuTip-V Boat Tail	9½ 7½	1.5	200	3780 2995		2617 2246	2135	1710	1357	1586 996	1107 753	760 560	506 408	325 292	204	-1.5 -1.5	1.0	0.0	-6.2 -8.8	-20.1 -27.1	-46.1 -58.8	0.175
222 Remington	R222R1	21303	50	Pointed Soft Point	71/2	1.5	200	3140		2121	1697	1347	1368	1094	751	499	320	202	136	-1.5	1.9	0.0	-9.7	-31.8	-73.1	0.230
ZZZ Kellington	PRA222RB	29174	50	AccuTip-V Boat Tail	71/2	1.5	200	3140		2380	2045		1471	1094	835	629	464	336	240	-1.5	1.6	0.0	-7.8	-23.9	-51.7	0.242
223 Remington	L223R3	23711	55	Full Metal Jacket	71/2	1.5	200	3240		2325	1933	1586	1300	1282	929	660	456	307	206	-1.5	1.6	0.0	-8.1	-25.6	-57.1	0.202
	L223R7	23748	45	Jacketed Hollow Point	71/2	1.5	200	3550	2953	2430	1963	1559	1241	1259	871	590	385	243	154	-1.5	1.3	0.0	-7.3	-23.7	-54.7	0.173
	L223R8	23812	50	Jacketed Hollow Point	71/2	1.5	200	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-1.5	1.3	0.0	-7.3	-23.4	-52.7	0.192
	PRA223RB	29184	50	AccuTip-V Boat Tail	71/2	1.5	200	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-1.5	1.2	0.0	-6.4	-19.7	-42.4	0.242
	PRA223RC	29192	55	AccuTip-V	71/2	1.5	200	3240		2500	2172		1598	1282	995	763	576	427	312	-1.5	1.4	0.0	-7.0	-21.4	-45.9	0.255
	R223R1	28399	55	Pointed Soft Point	71/2	1.5	200	3240		2304	1904		1270	1282	921	648	443	295	197	-1.5	1.6	0.0	-8.2	-26.2		0.197
	RD223R4 PRH223R4	22107	62	Core-Lokt Ultra Bonded PSP	71/2	2.5	200	3100			1986		1411	1323	1004	746	543	388	274	-2.5	1.17	0.0	-7.6	-24.2		0.234
	HTP223R4	28919 27699	62	Core-Lokt Ultra Bonded PSP Barnes TSX BT ††††	7½ 7½	1.5 2.5	200	3260			2105	1784 1898	1501	1465	1112	832	610	438 496	310 376	-1.5 -2.5	1.4	0.0	-7.2 -6.8	-22.4	-48.6 -45.1	0.234
	PHH223R4	27700	62	Barnes TSX BT ††††	71/2	2.5	200	3100			2167	1898	1651	1323	1054	831	646	496	376	-2.5	1.0	0.0	-6.8	-21.1		0.287
	R223R6	22106	62	Open Tip Match	71/2	2.5	200	3025			1792		1218	1260	911	644	442	298	204	-2.5	1.4	0.0	-8.9		-65.0	0.207
	RM223R1	27680	69	MatchKing BTHP ††††	71/2	2.5	200	3000	2720		2208	1974		1379	1133	924	747	597	472	-2.5	1.1	0.0	-6.9	-21.0		0.336
	RM223R3	27686	77	MatchKing BTHP †††	71/2	2.5	200	2790	2539	2304	2081	1871	1676	1329	1102	907	740	598	480	-2.5	1.5	0.0	-8.0	-24.1	-50.2	0.362
22-250 Remington	L22503	23750	45	Jacketed Hollow Point	91/2	1.5	200	4000	3340	2770	2267	1820	1441	1598	1114	767	513	331	207	-1.5	0.8	0.0	-5.4	-17.7	-40.7	0.173
	L22504	23813	50	Jacketed Hollow Point	91/2	1.5	200	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	-1.5	0.9	0.0	-5.6	-18.0	-40.3	0.192
	PRA2250RB	29186	50	AccuTip-V Boat Tail	91/2	1.5	200	3800	3339	2925	2546		1878	1603	1238	949	720	536	392	-1.5	0.8	0.0	-4.9	-15.2	-32.8	0.242
	HTP2250R1	27726	50	Barnes TSX FB	91/2	1.5	200	3830		2771	2326		1570	1629	1185	853	601	411	274	-1.5	0.9	0.0	-5.5	-17.5		
/ D	R22501	21311	55	Pointed Soft Point	91/2	1.5	200	3680			2220		1490	1654	1201	860	602	409	271	-1.5 -1.5	1.0	0.0	-6.0	-19.2		0.197
6mm Remington 6mm Creedmoor	R6MM4 R6CM01	29051 29049		Core-Lokt Pointed Soft Point Core-Lokt Pointed Soft Point	91/2	1.5	200	3100			2333		1890 1524	2133 1999	1777 1567	1471 1214	1208 925	983 695	793 516	-1.5	1.4	0.0	-6.7 -8.1	-19.8 -24.7	-40.8 -52.4	0.356
omm creedmoor	RM6CM01	29049		Barnes Match Burner OTM B		2.0	200	2960				2382		-	-	-	-	-	-	-2.0	0.0	-2.4	-9.7	-22.5		0.624
243 Win	PRA243WB	29194	75	AccuTip-V Boat Tail	91/2	1.5	200	3375			2504		2008	1897	1564	1282	1044	842	671	-1.5	1.1	0.0	-5.6		-35.0	
	R243W1	27800	80	Pointed Soft Point	91/2	1.5	200	3350		2593	2258		_	1993	1550	1194	906	675	-	-1.5	1.3	0.0	-6.5	-19.8	_	0.255
	PRSC243WA	29320	90	Swift Scirocco Bonded	91/2	1.5	200	3120	2871	2635	2411	2199	1997	1946	1647	1388	1162	966	797	-1.5	1.4	0.0	-6.4	-18.7	-38.4	0.390
	PRA243WA	29196	95	AccuTip	91/2	1.5	200	3120	2847	2590	2347	2118	1902	2053	1710	1415	1162	946	763	-1.5	1.4	0.0	-6.6	-19.5	-40.2	0.355
	PRH243WC	28923		Core-Lokt Ultra Bonded PSP	91/2	1.5	200	3120	2860	2614	2382	2161	1952	2162	1817	1518	1260	1037	847	-1.5	1.4	0.0	-6.5	-19.1	-39.2	0.373
	R243W3	27802		Core-Lokt Pointed Soft Point	91/2	1.5	200		2697			1993				1332	1089	882	708	-1.5	1.7	0.0	-7.5	-22.0		0.356
25-06 Remington	R25062	21507		Core-Lokt Pointed Soft Point	91/2	1.5	200	3230				2013			1857	1476	1160	899	688	-1.5	1.3	0.0	-6.6	-19.9		0.292
25-20 Win	R25063 R25202	21515 28364		Core-Lokt Pointed Soft Point	91/2	0.9	100	2990 1460			2252	2032	1825		1985	1644 202	1351	1100	887	-1.5 -0.9	1.6	-23.5	-7.2	-21.4	-43.9	0.362
250 Savage	R250SV	29077	100	Core-Lokt Pointed Soft Point Core-Lokt Pointed Soft Point	6½ 9½	1.5	200	2820			1935	1684		407 1765	272 1392	1084	831	629		-1.5	2.0	0.0	-9.2	-27.8		0.190
257 Roberts	R257	28335		Core-Lokt Pointed Soft Point	91/2	1.5	200	2650			1663		1199		1363	999	718	512	373	-1.5	2.6	0.0	-11.7		-78 20	
6.5 Creedmoor	HTP65CR	27716		Barnes TSX BT	91/2	1.5	200	2910			2217		1815		1900	1586	1314	1080	880	-1.5	1.7	0.0	-7.6		-45.6	
	PHH65CR	27797		Barnes TSX BT	91/2	1.5	200	2910										1080	880	-1.5	1.7	0.0	-7.6	-22.2		
	R65CR1	27657	140	Core-Lokt Pointed Soft Point	91/2	1.5	200	2700	2484	2278	2082	1896	1721	2267	1918	1613	1347	1117	921	-1.5	2.1	0.0	-8.8	-25.6	-52.2	0.410
	RM65CRD	27661	140	Open Tip Match	91/2	1.5	200	2700	2548	2400	2258	2120	1988	2267	2018	1792	1585	1398	1228	-1.5	1.9	0.0	-8.0	-22.8	-45.3	0.586
6.5x55 Swedish	R65SWE1	29140		Core-Lokt Pointed Soft Point	91/2	1.5	200			2164				2021	1720	1456	1224	1023	850.00		2.4	0.0	-9.8	-27.0		
6.5 Grendel	RM65GR1	27647		Match Burner OTM BT	91/2	1.5	100			2221				-	-		-	-	-	-1.5	0.0			-36.0		
0/00 : .	R65GR1	27649		BTHP	91/2	1.5	100			2221				-	4007	- 4/04	-	-	-	-1.5	0.0	-4.5	-16.1			
260 Remington	PRA260RA	29198		AccuTip Boat Tail	91/2	1.5	200			2512						1681			1066	-1.5	1.6	0.0	-7.2	-20.7		
	R260R1 RM260R	21292 27665		Core-Lokt Pointed Soft Point Open Tip Match	91/2	1.5	200			2347 2433										-1.5 -1.5	1.9	0.0	-8.3	-24.0 -22.1		
264 Win Mag	R264W2	29493		Core-Lokt Pointed Soft Point		1.5	200			2548						2017	1680		1137	-1.5	1.5	0.0	-6.9		-41.3	
6.8 Remington SPC	L68R2	24035		Full Metal Jacket	91/2	2.5	200			2053						1076	825	625	474	-2.5	2.0	0.0	-10.3			
	RM68R1	27676		MatchKing BTHP	91/2	2.5	200			2119						1147	911	717	562	-2.5	1.9	0.0	-9.7	-29.1		
270 Win	PRA270WA	29200		AccuTip Boat Tail	91/2	1.5	200			2640									1245	-1.5	1.4	0.0	-6.4	-18.6		
	R270W1	21325		Core-Lokt Pointed Soft Point	91/2	1.5	200			2559						1455	1098		-	-1.5	1.3	0.0	-6.6	-20.4	-	0.252
	R270W2	27808	130	Core-Lokt Pointed Soft Point	91/2	1.5	200	3060	2776	2509	2258	2021	1799	2702	2224	1817	1471	1179	935	-1.5	1.5	0.0	-7.1	-21.0	-43.4	0.336
	HTP270W	27717		Barnes TSX BT	91/2	1.5	200	3050	2795	2553	2324	2107	1902	2686	2254	1882	1559	1282	1044	-1.5	1.5	0.0	-6.8	-20.1		
	PHH270W	27798		Barnes TSX BT	91/2	1.5	200			2553										-1.5	1.5	0.0		-20.1		
	PRSC270WA	29322		Swift Scirocco Bonded	91/2	1.5	200			2627						1992		1439		-1.5	1.4	0.0	-6.5	-18.8		
	PRH270WB	28955		Core-Lokt Ultra Bonded PSP	91/2	1.5	200			2466										-1.5	1.6	0.0		-21.7		
270 WCM	R270W4	27810		Core-Lokt Soft Point	9½	1.5	200			2183									640	-1.5	2.0	0.0	-9.4	-28.6		
270 WSM	R270WSM1	28940		Core-Lokt Pointed Soft Point		1.5	200			2707											1.2	0.0		-17.8		
280 Remington	PRA280RA	27715 29202		Barnes TSX BT AccuTip	91/2	1.5	200			2665 2617								1560		-1.5 -1.5	1.3	0.0	-6.2 -6.6	-18.3 -19.0		
200 Nemingtoff	R280R3	28313		Core-Lokt Pointed Soft Point	91/2	1.5	200			2528								1373		-1.5	1.5	0.0	-7.0	-19.0		
	R280R3	29069		Core-Lokt Pointed Soft Point	91/2	1.5	200			2373										-1.5	1.8	0.0	-8.0	-20.5		
	R280R2	28417		Core-Lokt Soft Point	91/2	1.5	200			2219									800	-1.5	2.0	0.0		-27.5		
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\																									

CENTERFIRE RIFLE BALLISTICS (cont.)

							M KEM	INGTON	MAGN	IUM – 3	U3 BRI	LISH														
	INDEX/		WT		PRIMER	SIGHT HEIGHT	ZERO			VELOCIT						ENERGY						AJECTOF				BALLIS
CARTRIDGE	EDI NO.	RAMAC	. ,		NO.			MUZZLE		200	300	400		MUZZLE		200	300	400		MUZZLE		200	300	400		COEFFIC
7mm-08 Remington	R7M082	28827		Hollow Point	91/2	1.5	200					1992						1058	842	-1.5	1.6	0.0	-7.3	-21.7		0.3
	R7M081	21337		Core-Lokt Pointed Soft Point	91/2	1.5	200		2625						2142	1793	1490	1228	1005	-1.5	1.8	0.0	-7.8		-46.9	
	PRA7M08RB	29216	140	AccuTip Boat Tail	91/2	1.5	200	2860	2670	2489	2314	2146	1986	2542	2216	1925	1664	1432	1225	-1.5	1.7	0.0	-7.3	-21.1	-42.5	0.48
7mm Remington Magnum	R7MM4	28821	140	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3175	2923	2684	2458	2243	2039	3133	2655	2240	1878	1564	1292	-1.5	1.3	0.0	-6.1	-18.0	-36.9	0.39
	PRA7MMRA	29204	140	AccuTip Boat Tail	9½ M	1.5	200	3175	2971	2777	2591	2412	2241	3133	2744	2397	2086	1808	1560	-1.5	1.2	0.0	-5.7	-16.7	-33.6	0.48
	HTP7MM	27718	140	Barnes TSX BT	9½ M	1.5	200	3085	2840	2609	2388	2179	1980	2958	2507	2115	1773	1476	1219	-1.5	1.4	0.0	-6.5	-19.1	-39.0	0.39
	PRA7MMRB	29206	150	AccuTip Boat Tail	9½ M	1.5	200	3110	2926	2749	2579	2415	2258	3221	2850	2516	2215	1943	1697	-1.5	1.3	0.0	-5.9	-17.0	-34.1	0.53
	R7MM2	29487	150	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	-1.5	1.4	0.0	-6.7	-19.9	-41.1	0.34
	PRSC7MMB	29316	150	Swift Scirocco Bonded	91/2 M	1.5	200	3110	2927	2751	2582	2419	2262	3222	2854	2521	2221	1949	1705	-1.5	1.3	0.0	-5.9	-17.0	-34	0.53
	PRH7MMRC	28979	160	Core-Lokt Ultra Bonded PSP	9½ M	1.5	200	3000	2774	2557	2350	2152	1965	3203	2734	2323	1962	1646	1372	-1.5	1.5	0.0	-6.9	-20	-40.7	0.41
	R7MM3	27814		Core-Lokt Pointed Soft Point	9½ M	1.5	200		2645						2718				1372	-1.5	1.7	0.0	-7.6		-44.9	0.42
7mm Mauser (7x57)	R7MSR1	29031		Core-Lokt Pointed Soft Point	91/2	1.5	200		2435			1827			1843			1037	844	-1.5	2.2	0.0	-9.3		-55.4	0.39
7 x 64 Brenneke	R7X641	29130		Core-Lokt Pointed Soft Point	91/2	1.5	200					2061			2283				1083	-1.5	1.6	0.0	-7.3		-43.6	
7mm Remington SA Ultra Mag	PR7SM2	27874			9½ M	1.5	200	3110				2087			2669				1161	-1.5	1.4	0.0	-6.7	-19.9		0.34
7mm Remington Ultra	HTP7UM	27719		Barnes TSX BT	9½ M	1.5	200		3008	2775	2554	2334		3519	3007	2560	2169	1826	1527	-1.5	1.2	0.0	-5.7		-34.1	
Magnum	PRSC7UM1	29335	150	Swift Scirocco Bonded	9½ M	1.5	200	3325	3132	2948	2771	2602	2438	3683	3269	2896	2559	2255	1980	-1.5	1.0	0.0	-5	-14.6	-29.3	0.53
	R7RUM01	27719	150	Core-Lokt Soft Point	9½ M	1.5	200	3230	2943	2674	2421	2181	1955	3476	2886	2382	1952	1585	1274	-1.5	1.2	0.0	-6.1	-18.2	-37.7	0.34
30 Carbine	L30CR1	23712	110	Full Metal Jacket	61/2	0.9	100	1990	1566	1235	1034	-	-	967	599	372	261	-	-	-0.9	0.0	-13.6	-50.0	-	-	0.16
	R30CAR	28322	110	Core-Lokt Soft Point	61/2	0.9	100	1990	1566	1235	1034	_	-	967	599	372	261	-	-	-0.9	0.0	-13.6	-50.0	_	-	0.16
300 AAC Blackout	L300AAC1	21421	120	Open Tip Flat Base	71/2	2.5	100	2200	1937	1695	1479	1294	-	1290	1000	766	583	446	_	-2.5	0.0	-6.8	-25.8	-60.8	-	0.29
	RM300AAC6	21503		MatchKing Flat Base	71/2	2.5	100	2215	1977	1755	1552	1373	-	1362	1084	854	669	523	-	-2.5	0.0	-6.4		-56.5	-	0.33
	HTP300AAC1	27710		Barnes TSX BT	71/2	2.5	100	2075			1394		-	1243	961	735	561	-		-2.5	0.0	-8.0	-29.8	_		0.30
	PHH300AAC1	27701		Barnes TSX BT	71/2	2.5	100	2075	1824	1595	1394			1243	961	735	561			-2.5	0.0	-8.0	-29.8			0.30
	S300AAC4	28430	220		7.5	2.5	100	940	918	897	877	858	841	433		393	376	360	345		0.0	-38.8	-120.7			0.30
												000	041		412			300	345	-2.5				_	_	
	L300AAC4	21422		Open Tip Flat Base	71/2	2.5	100	1015	985	958	934	-	-	503	474	448	426	-	-	-2.5	0.0	-33.3			-	0.68
30 Remington AR	R30RAR2	29485		Core-Lokt Pointed Soft Point	71/2	2.5	200					1591	-		1765		1093	843	-	-2.5	0.0	zero	-10.4	-31.5		0.31
30-30 Win	R30301	27818		Core-Lokt Soft Point	91/2	0.9	100	2390	1973	1606	1304	_	-	1902	1297	859	567	_	-	-0.9	0.0	-8.2	-30.0		-	0.19
	HTP30302	27711	150	Barnes TSX FN	91/2	0.9	100	2335	1905	1532	1237	-	-	1816	1209	782	510	-	-	-0.9	0.0	-8.8	-32.7	-	-	0.18
	PHH30302	27702	150	Barnes TSX FN	91/2	0.9	100	2335	1905	1532	1237	-	-	1816	1209	782	510	-	-	-0.9	0.0	-8.8	-32.7	-	-	0.18
	RL30301	27644	125	Core-Lokt Soft Point	91/2	0.9	100	2175	1820	1508	1255	1082	975	1313	919	631	437	325.00	264.00	-0.9	0.0	-9.1	-33.7	-	-	0.21
	R30302	27820	170	Core-Lokt Soft Point	91/2	0.9	100	2200	1895	1619	1380	_	-	1827	1355	989	719	_	_	-0.9	0.0	-8.9	-31.1	_	-	0.25
	R30303	21395		Core-Lokt Hollow Point	91/2	0.9	100	2200	1895		1380	_	_	1827	1355	989	719	_	_	-0.9	0.0	-8.9	-31.1			0.25
30-40 Krag	R30402	28345		Core-Lokt Pointed Soft Point	91/2	1.5	200		2213			1632	1/167		1956			1064	860	-1.5	2.8	0.0		-33.6	-68.8	0.38
30-06 Sprg	R30061	21401		Core-Lokt Pointed Soft Point	91/2	1.5	200		2780	2448	2139	1854			2145	1663	1270	954	707	-1.5	1.5	0.0	-7.4		-47.5	0.26
30-00 Spig	L30062			Full Metal Jacket	91/2	1.5	200	2910	2617								1445	1130	875	-1.5	1.8	0.0	-8.2	-24.4	-50.9	0.20
		27622								2342	2083	1842			2280	1826										
	PRA3006A	29208		AccuTip Boat Tail	91/2	1.5	200	2910	2685	2473	2270	2077				2037	1716		1193	-1.5	1.7	0.0	-7.4		-43.7	0.41
	R30062	27826		Core-Lokt Pointed Soft Point	91/2	1.5	200								2280			1130	875	-1.5	1.8	0.0	-8.2		-50.9	
	PRSC3006C	29318	150	Swift Scirocco Bonded	91/2	1.5	200	2910	2696	2492	2298			2821	2422	2070	1759	1485	1247	-1.5	1.65	0.0	-7.3	-21.1		0.43
	PRH3006A	29007	150	Core-Lokt Ultra Bonded PSP	91/2	1.5	200	3035	2748	2479	2226	1988	1766	3069	2517	2048	1651	1316	1038	-1.5	1.56	0.0	-7.2	-21.5	-44.7	0.33
	HTP30061	27707	168	Barnes TSX BT	91/2	1.5	200	2730	2509	2299	2099	1909	1731	2781	2349	1972	1644	1360	1118	-1.5	2.0	0.0	-8.6	-25.1	-51.2	0.40
	PHH30061	27703	168	Barnes TSX BT	91/2	1.5	200	2730	2509	2299	2099	1909	1731	2781	2349	1972	1644	1360	1118	-1.5	2.0	0.0	-8.6	-25.1	-51.2	0.40
	PRA3006B	29210	165	AccuTip Boat Tail	91/2	1.5	200	2800	2597	2403	2217	2039	1870	2872	2470	2115	1800	1523	1281	-1.5	1.8	0.0	-7.9	-22.8	-46.2	0.44
	R3006B	21415	165	Core-Lokt Pointed Soft Point	91/2	1.5	200	2800	2534	2283	2047	1826	1622	2872	2352	1910	1535	1221	963	-1.5	2.0	0.0	-8.7	-25.7	-53.1	0.33
	PRA3006C	29226		AccuTip Boat Tail	91/2	1.5	200			2360									1393	-1.5	2.0	0.0	-8.2	-23.7		0.48
	R30064	21407		Core-Lokt Soft Point	91/2	1.5	200			2023								860	627	-1.5	2.4	0.0				0.24
	R30065		180																			0.0	-9.0		-54.0	
		27828		Core-Lokt Pointed Soft Point	91/2	1.5	200		2469						2436				1104	-1.5	2.1					
	PRSC3006B	29328		Swift Scirocco Bonded	91/2	1.5	200		2522						2543				1409	-1.5	2.0	0.0	-8.3	-23.9		
	PRH3006C	29009		Core-Lokt Ultra Bonded PSP	91/2	1.5	200			2389							1907			-1.5	1.8	0.0		-23.1		
	R30067	27830		Core-Lokt Soft Point	91/2	1.5	200								2216		1301	987	758	-1.5	3.1	0.0		-39.4		0.29
300 Savage	R30SV2	21465		Core-Lokt Pointed Soft Point	91/2	1.5				2095								886	684	-1.5	2.4	0.0		-30.9		
300 Win Mag	R300W1	29495	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3290	2950	2634	2340	2065	1813	3605	2897	2311	1823	1420	1094	-1.5	1.3	0.0	-6.3	-19.0	-39.8	0.29
	HTP300W	27720	180	Barnes TSX BT	9½ M	1.5	200	2960	2752	2554	2364	2182	2009	3503	3028	2608	2234	1904	1613	-1.5	1.6	0.0	-6.9	-20.0	-40.5	0.45
	PRA300WC	29212	180	AccuTip Boat Tail	9½ M	1.5	200			2577									1693	-1.5	1.5	0.0	-6.8		-39.5	
	PRSC300WB	29330		Swift Scirocco Bonded	9½ M	1.5	200			2595										-1.5	1.5	0.0		-19.3		
	PRH300WC	29033		Core-Lokt Ultra Bonded PSP		1.5		3120							3316						1.4	0.0		-18.5		
		29497			91/2 M	1.5	200			2484											1.6	0.0	-7.3		-43.7	
200 WCM	R300W2																									
300 WSM	R300WSM1	29489			9½ M	1.5	200			2660										-1.5	1.2	0.0			-39.0	
	PRSC300WSMB	29345		Swift Scirocco Bonded	9½ M	1.5	200			2614									1791	-1.5	1.5	0.0	-6.6		-38.1	0.50
308 Marlin Express	R308ME1	27848		Core-Lokt Pointed Soft Point	91/2	1.5				1871					1724		768	511	-	-1.5	2.7	0.0		-40.8	-	0.19
308 Win	L308W4	23715	150	Full Metal Jacket	91/2	1.5	200	2820	2532	2262	2009	1774	1560	2648	2136	1704	1344	1048	810	-1.5	2.0	0.0	-8.8	-26.3	-54.8	0.31
	R308W1	27842	150	Core-Lokt Pointed Soft Point	91/2	1.5	200	2820	2532	2262	2009	1774	1560	2648	2136	1704	1344	1048	810	-1.5	2.0	0.0	-8.8	-26.3	-54.8	0.31
	PRH308WA	29119		Core-Lokt Ultra Bonded PSP	91/2	1.5	200			2381									947	-1.5	1.8	0.0			-48.7	
	PRA308WB	29214		AccuTip Boat Tail	91/2	1.5	200			2293									1155	-1.5	2.1	0.0		-25.2		
	PRSC308WB	29332		Swift Scirocco Bonded	91/2	1.5	200		2493						2277				1217	-1.5	2.1	0.0	-8.6	-24.7		
	HTP308W2	27708		Barnes TSX BT		1.5	200			2254									1070		2.1	0.0	-9.0		-53.5	
					91/2															-1.5						
	PHH308W2	27705		Barnes TSX BT	91/2	1.5	200			2254									1070	-1.5	2.1	0.0	-9.0		-53.5	
	RM308W7	21485		MatchKing BTHP	91/2	1.5	200			2315											2.1	0.0		-24.7		
		21486	175	MatchKing BTHP	91/2	1.5	200	2610	2434	2265	2103	1947	1799	2647	2302	1993	1718	1473	1257	-1.5	2.2	0.0	-9.0	-25.8	-51.9	0.49
	RM308W8																									
	R308W2	27844		Core-Lokt Soft Point	91/2	1.5	200	2620	2274	1956		1415	-	2743	2067	1528	1110	800	-	-1.5	2.6	0.0	-11.8	-36.3	-	0.24

Note: These ballistics are developed using a test barrel length of 24" except those for 30 carbine, 7.62 x 39 and 44 remington magnum which are 20" test barrels, 300 aac blackout which is a 16" test barrel and 300 rum, 27722, which is a 26" barrel. Specifications are nominal ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in. *Ramac 27699 and 27700 require 1:9" twist rate or faster barrel.

PREMIER ACCUTIP (Page 121)	CORE-LOKT (Page 126)	HIGH PERFORMANCE RIFLE (Page 13
PREMIER MATCH (Page 121)	PREMIER SCIROCCO (Page 126)	UMC (Page 137)
HTP COPPER (Page 122)	SUBSONIC (Page 132)	
HOG HAMMER (Page 125)	ULTIMATE DEFENSE RIFLE BONDED (Page 133)	

CENTERFIRE RIFLE BALLISTICS (cont.)

	_						7.6	2X39 -	450 <u>B</u> l	JSHM <u>a</u>	STER															
CARTRIDGE	INDEX/ Edi No.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	MUZZLE	100	VELOCIT 200	Y (FPS) 300	400	500	MUZZLE	100	ENERGY 200	(FT-LB) 300	400	500	MUZZLE		AJECTOF 200	RY (INCH 300	IES) 400	500	BALLI: COEFFI
300 Wby Mag	R300WB1	29279	180	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3120	2866	2627	2399	2184	1979	3890	3283	2757	2301	1905	1565	-1.5	1.4	0.0	-6.4	-18.9	-38.7	0.3
303 British	L303B1	23701	174	Full Metal Jacket	91/2	1.5	100	2475	2209	1960	1730	1521	1339	2366	1886	1484	1156	893	692	-1.5	0.0	-5.7	-20.4	-46.9	-88.4	0.3
	R303B1	21471	180	Core-Lokt Soft Point	91/2	1.5	100	2460	2125	1819	1544	1313	-	2418	1805	1322	953	689	-	-1.5	0.0	-6.3	-23.1	-54.7	-	0.2
7.62 x 39	L762391	23709	123	Full Metal Jacket	91/2	2.0	100	2365	2060	1780	1529	1315	1150	1527	1159	865	638	472	361	-2.0	0.0	-6.3	-23.6	-55.9	-108.3	0.26
	R762391	29125	125	Core-Lokt Pointed Soft Point	91/2	2.0	100	2365	2061	1782	1531			1552	1179	881	651			-2.0	0.0	-6.2	-23.5			0.26
300 Remington SA Ultra Mag	PR300SM2	27954	165	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3075	2792	2527	2277	2041	1820	3464	2856	2339	1899	1525	1213	-1.5	1.5	0.0	-7.0	-20.6	-42.7	0.33
300 Remington Ultra Mag	PRA300UM1-P1	29016	150	AccuTip Boat Tail	91/2 M	1.5	200	2910	2686	2473	2270	2077	1893	2820	2403	2037	1716	1436	1193	-1.5	1.7	0.0	-7.4	-21.5	-43.7	0.41
	PR300UM5	27950	150	Swift Scirocco Bonded	91/2 M	1.5	200	3450	3208	2980	2763	2556	2358	3965	3429	2958	2542	2176	1853	-1.5	0.9	0.0	-4.9	-14.3	-29.1	0.43
	R300RUM01	27641	180	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3175	2922	2679	2449	2231	2024	4030	3405	2863	2392	1984	1633	-1.5	1.3	0.0	-6.2	-18.1	-37.1	0.38
	PR300UM3	27936	180	Swift Scirocco Bonded	91/2 M	1.5	200	3250	3048	2856	2672	2495	2325	4182	3679	3229	2825	2462	2137	-1.5	1.1	0.0	-5.4	-15.7	-31.5	0.50
	HTP300UM	27722	180	Barnes TSX BT	91/2 M	1.5	200	3150	2936	2730	2532	2343	2162	3967	3440	2972	2558	2190	1865	-1.5	1.3	0.0	-5.9	-17.3	-35.0	0.45
32-20 Win	R32201	28410	100	Lead	61/2	0.9	100	1210	1021	913	-	-	-	325	232	185	-	-	-	-0.9	0.0	-32.3	-	-	-	0.16
32 Win Special	R32WS2	21489	170	Core-Lokt Soft Point	91/2	0.9	100	2250	1922	1627	1373	-	-	1911	1394	999	712	-	-	-0.9	0.0	-8.6	-30.5	-	-	0.23
338 Marlin Express	R338ME1	22184	250	Soft Point	91/2	1.5	200	2215	1946	1698	1477	1289		2723	2101	1601	1211	922		-1.5	3.9	0.0	-16.0	-48.0		0.29
338 Win Mag	R338W1	22189	225	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	2780	2572	2374	2184	2004	1832	3860	3305	2815	2384	2005	1677	-1.5	1.9	0.0	-8.1	-23.4	-47.5	0.43
	R338W2	22191	250	Core-Lokt Pointed Soft Point	9½ M	1.5	200	2660	2456	2261	2075	1898	1731	3927	3348	2837	2389	1999	1663	-1.5	2.1	0.0	-9.0	-26.0	-52.7	0.43
338 Remington Ultra Mag	PR338UM2	27942	250	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	2860	2647	2443	2249	2063	1887	4540	3888	3313	2807	2363	1976	-1.5	1.7	0.0	-7.6	-22.0	-44.7	0.43
338 Lapua Mag	RM338LMR1	27944	250	Scenar Match	91/2 M	1.5	200	2960	2820	2683	2551	2423	2299	4863	4412	3996	3613	3259	2932	-1.5	1.4	0.0	-6.3	-17.9	-35.4	0.67
35 Remington	R35R2	27852	200	Core-Lokt Soft Point	91/2	1.5	100	2080	1697	1374	1138	-	-	1921	1278	838	575	-	-	-1.5	0.0	-8.4	-31.7	-	-	0.19
35 Whelen	R35WH1	21495	200	Core-Lokt Pointed Soft Point	9½ M	1.5	200	2675	2378	2100	1842	1607	1400	3177	2511	1959	1507	1147	870	-1.5	2.3	0.0	-10.3	-30.9	-65.0	0.29
	R35WH3	21499	250	Pointed Soft Point	91/2 M	1.5	200	2400	2197	2005	1823	1652	1496	3197	2681	2232	1845	1516	1243	-1.5	2.9	0.0	-11.5	-33.6	-68.4	0.40
9.3 x 62	R93x621	28276	286	Pointed Soft Point	91/2	1.5	200	2360	2155	1960	1777	1607	1451	3536	2948	2440	2005	1639	1337	-1.5	3.0	0.0	-12.1	-35.2	-71.8	0.40
375 H&H Mag	R375M1	29097	270	Soft Point	91/2 M	1.5	200	2690	2363	2059	1780	1530	1317	4337	3347	2542	1900	1403	1039	-1.5	2.4	0.0	-10.6	-32.4	-69.0	0.26
375 Remington Ultra Mag	PR375UM2	29340	270	Soft Point	91/2 M	1.5	200	2900	2558	2240	1946	1677	1441	5041	3921	3008	2269	1686	1244	-1.5	1.9	0.0	-8.9	-27.1	-57.7	0.26
444 Marlin	R444M	29475	240	Core-Lokt Soft Point	91/2	0.9	100	2350	1816	1376	1087	-	-	2942	1758	1009	630	-	-	-0.9	0.0	-10.0	-38.5	-	-	0.14
45-70 Govt	HTP4570G1	27736	300	Barnes TSX FN ††	91/2	0.9	100	1925	1505	1189	1008	-	-	2469	1509	942	676	-	-	-0.9	0.0	-14.7	-54.0	-	-	0.16
	PHH4570G1	27807	300	Barnes TSX FN ††	91/2	0.9	100	1925	1505	1189	1008	_	-	2469	1509	942	676	-	_	-0.9	0.0	-14.7	-54.0	_	-	0.16
	R4570G	29473	405	Core-Lokt Soft Point †	91/2	0.9	100	1330	1169	1056	978	-	-	1590	1228	1002	860	-	_	-0.9	0.0	-24.5	-80.2	_	_	0.28
	R4570G1	21459	405	Core-Lokt Soft Point ††	91/2	0.9	100	1600	1385	1210	1084	-	-	2303	1726	1318	1057	-	-	-0.9	0.0	-17.3	-58.3	-	_	0.28
	R4570L1	21463	300	Semi-Jacketed Hollow Point#	91/2	0.9	100	1900	1574	1304	1111	-	-	2405	1651	1134	823	-	-	-0.9	0.0	-13.3	-47.1	-	-	0.21
450 Bushmaster	PRA450B1	27943	260	AccuTip	71/2	2.5	100	2180	1664	1261	1026	-	-	2743	1598	918	608	-	-	-2.5	0.0	-10.4	-42.8	-	-	0.14
	HTP450B1	27739	250	Barnes TTSX BT	71/2	2.5	100	2200	1811	1469	1206			2686	1821	1198	807			-2.5	0.0	-8.8	-33.7			0.19
	PHH450B1	27809	250	Barnes TTSX BT	71/2	2.5	100	2200	1811	1469	1206			2686	1821	1198	807			-2.5	0.0	-8.8	-33.7			0.19
Note: These ballistics are develop 7.62 x 39 and 44 remington mag test barrel and 300 rum, 27722,	num which are 20' which is a 26" barre	" test barre el. Specifi	ls, 300 ations	aac blackout which is a 16" are nominal ballistics figures			PREMIE	R ACCU	CH (Pag	e 121)			PRE	MIER SC		• • (Page	126)					GH PER AC (Pag		NCE RI	F LE (Pa	je 13 <i>6</i>
established in test barrels . Indivi at which rifle was sighted in. *Ra							HTP CO	PPER (F	Page 12	2)			SUB	SONIC (Page 13	32)										
at which rifle was sighted in. *Ramac 27699 and 27700 require 1:9" twist rate or faster barrel.							UOC UA	MMFR	/D 1	25)			1 111 71	MATER	FFFNS	E DIEI E	DONDE	D /Dam.	- 1221							

ULTIMATE DEFENSE RIFLE BONDED (Page 133)

HANDGUN BALLISTICS

				25 AUT	0 - 9MM	LUGER											
						SIGHT		V	ELOCITY (FPS))	E	NERGY (FT-L	B)	TRAJECTOR	RY (INCHES)		
CARTRIDGE	INDEX/ Edi no.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	HEIGHT (INCHES)	ZERO (YARDS)	MUZZLE	25	50	MUZZLE	25	50	25	50	BARREL LENGTH	BALLISTIC COEFFICIENT
25 Auto (6.35mm Browning)	L25AP	23716	50	Full Metal Jacket	1 1/2	0.9	25	760	733	707	64	60	56	0.0	-3.2	2	0.088
32 S&W	RPW32SW	22206	88	Lead Round Nose	1 1/2	0.9	25	680	662	644	90	86	81	0.0	-4.1	3	0.114
32 S&W Long	RPW32SWL	22210	98	Lead Round Nose	1 1/2	0.9	25	705	687	669	108	103	97	0.0	-3.7	4	0.119
32 Auto (7.65mm Browning)	L32AP	23704	71	Full Metal Jacket	1 1/2	0.9	25	905	879	854	129	122	115	0.0	-1.9	4	0.131
357 Mag**	RTP357M7	22229	110	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1295	1182	1093	410	341	292	0.0	-0.7	4**	0.098
	HD357MA	28920	125	Brass Jacketed Hollow Point	5 1/2	0.9	25	1220	1095	1009	413	333	283	0.0	-0.9	4**	0.073
	RTP357M1	22217	125	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125
	L357M12	23738	125	Jacketed Soft Point	5 1/2	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125
	PHH357M1	27799	140	Barnes XPB	5 1/2	0.9	25	1265	1192	1130	498	442	397	0.0	-0.6	4	0.151
	HTP357M1	27724	140	Barnes XPB	5 1/2	0.9	25	1265	1192	1130	498	442	397	0.0	-0.6	4	0.151
	RTP357M2	22219	158	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RTP357M3	22221	158	Soft Point	5 1/2	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RPW357M5	22223	158	Lead Semi-Wadcutter	5 1/2	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RTP357M10	22235	180	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1145	1095	1052	524	479	443	0.0	-0.9	8 3/8 **	0.163
357 Sig	GSB357SBB	29407	125	Bonded Brass Jacketed Hollow Point	5 1/2	0.9	25	1350	1245	1157	506	430	372	0.0		4	
	L357S1	23734	125	Full Metal Jacket	5 1/2	0.9	25	1350	1238	1146	506	425	365	0.0	-0.5	4	0.110
	L357S2	23692	125	Jacketed Hollow Point	5 1/2	0.9	25	1350	1245	1157	506	430	372	0.0	-0.5	4	0.118
9mm Luger	RTP9MM1	28286	115	Jacketed Hollow Point	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	RTP9MM6	28297	115	Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1250	1175	1113	399	353	316	0.0	-0.7	4	0.143
	L9MM1B	23753	115	Jacketed Hollow Point	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	L9MM3	23728	115	Full Metal Jacket	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	LL9MM11	23785	115	Flat Nose Enclosed Base	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	LL9MM2	23811	124	Flat Nose Enclosed Base	1 1/2	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173
	GSN9MMCB	29423	124	Belted Brass Jacketed Hollow Point	1 1/2	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	GSN9MMCA	29427	124	Belted Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1180	1131	1089	383	352	326	0.0	-0.8	4	0.189
	GSB9MMDB	29341	124	Bonded Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	HD9MMBN	28935	124	Brass Jacketed Hollow Point	1 1/2	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	HD9MMD	28948	124	Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1180	1131	1089	383	352	326	0.0	-0.8	4	0.189
	CHD9MMBN	28963	124	Brass Jacketed Hollow Point	1 1/2	0.9	25	1020	992	967	286	271	258	0.0	-1.3	2.7	0.189
	L9MM2	23718	124	Full Metal Jacket	1 1/2	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173
	GSB9MMCB	29343	147	Bonded Brass Jacketed Hollow Point	1 1/2	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182
	RTP9MM8	28300	147	Jacketed Hollow Point	1 1/2	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
	HD9MMC	28946	147	Brass Jacketed Hollow Point	1 1/2	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182
	L9MM9	23732	147	Full Metal Jacket	1 1/2	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
	S9MM9	28435	147	Flat Nose Enclosed Base	11/2	0.9	25	945	923	903	292	278	266	0.0	-1.7	4	0.183
	LL9MM9	23749	147	Flat Nose Enclosed Base	1 1/2	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182

HOG HAMMER (Page 125)

HANDGUN BALLISTICS (cont.)

					380 AUTO -		JEL										
	INDEX/		WT		PRIMER	SIGHT HEIGHT	ZERO	V	ELOCITY (FP:	S)	E	ENERGY (FT-L	B)	TRAJECTO	RY (INCHES)	BARREL	BALL
CARTRIDGE	EDI NO.	RAMAC	(GR)	BULLET STYLE	NO.	(INCHES)	(YARDS)	MUZZLE	25	50	MUZZLE	25	50	25	50	LENGTH	COEFF
380 Auto	RTP380A1	22247	88	Jacketed Hollow Point	1 1/2	0.9	25	990	954	923	191	178	166	0.0	-1.5	4	0.
	L380AP	23720	95	Full Metal Jacket	1 1/2	0.9	25	955	904	860	192	172	156	0.0	-1.8	4	0.
	LL380AP2	23805	95	Flat Nose Enclosed Base	1 1/2	0.9	25	955	904	860	192	172	156	0.0	-1.8	4	0
	HD380BN	28937	102	Brass Jacketed Hollow Point	1 1/2	0.9	25	940	920	901	200	192	184	0.0	-1.7	4	0
	CHD380BN	28964	102	Brass Jacketed Hollow Point	1 1/2	0.9	25	815	801	787	265	256	247	0.0	-2.5	2.7	0
88 Super Auto +P	L38SUP	23722	130	Full Metal Jacket +P ‡	1 1/2	0.9	25	1215	1152	1099	426	383	348	0.0	-0.7	4	0
8 S&W	RPW38SW	22278	146	Lead Round Nose	1 1/2	0.9	25	685	668	652	152	145	138	0.0	-4.0	4	(
8 Spl**	RTP38S10	22299	110	Semi-Jacketed Hollow Point +P‡	1 1/2	0.9	25	995	958	926	242	224	210	0.0	-1.5	4**	(
	RTP38S16	22311	110	Semi-Jacketed Hollow Point	1 ½	0.9	25	950	919	890	220	206	194	0.0	-1.7	4**	(
	RTP38S21	22283	125	Semi-Jacketed Hollow Point +P‡	1 ½	0.9	25	945	921	898	248	235	224	0.0	-1.7	4**	(
	HD38SBN	28938	125	Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	975	950	927	264	250	238	0.0	-1.5	4**	(
	CHD38SBN	28965	125	Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	895	876	857	222	213	204	0.0	-1.9	1.875**	(
	LL38S17	23789	125	Flat Nose Enclosed Base	1 ½	0.9	25	850	836	822	201	184	188	0.0	-2.2	4**	
	L38S2B	23771	125	Jacketed Hollow Point +P ‡	1 ½	0.9	25	945	921	898	248	235	224	0.0	-1.7	4**	(
	L38S11	23730	130	Full Metal Jacket	1 1/2	0.9	25	800	787	775	185	179	173	0.0	-2.6	4**	(
	RPW38S3	22267	148	TMWC	1 ½	0.9	25	710	671	634	166	148	132	0.0	-3.9	4**	(
	RPW38S6	22271	158	Lead SWC	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	(
	RPW38S5	22281	158	Lead Round Nose	1 1/2	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	(
	RTP38S12	22301	158	Lead Hollow Point +P ‡	1 1/2	0.9	25	890	872	855	278	267	256	0.0	-2.0	4**	
	L38S5	23724	158	Lead Round Nose	1 1/2	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	-
38 Short Colt**	RPW38SC	22273	125	Lead Round Nose	1 1/2	0.9	25	730	708	686	148	139	131	0.0	-3.4	6**	-
40 S&W	RTP40SW1	28348	155	Jacketed Hollow Point	1 1/2	0.9	25	1205	1146	1095	500	452	413	0.0	-0.8	4	
	L40SW4	23746	165	Full Metal Jacket	1 1/2	0.9	25	1150	1040	964	485	396	339	0.0	-1.1	4	
	GSB40SWAB	29363	165	Bonded Brass Jacketed Hollow Point	1 1/2	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	
	HD40SWA	28957	165	Brass Jacketed Hollow Point	1 1/2	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	
	HD40SWBN	28939	180	Brass Jacketed Hollow Point	1 1/2	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	
	CHD40SWBN	28966	180	Brass Jacketed Hollow Point	1 1/2	0.9	25	785	770	756	246	237	228	0.0	-2.8	3.6	
	GSB40SWBB	29365	180	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	-
	GSN40SWCB	29447	180	Belted Brass Jacketed Hollow Point	5 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	
	RTP40SW2	22332	180	Jacketed Hollow Point	1 1/2	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	
	L40SW2B	23687	180	Jacketed Hollow Point	1 1/2	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	- 1
	L40SW3	23742	180	Full Metal Jacket	1 1/2	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	
10	LL40SW5	23791	180	Flat Nose Enclosed Base	1 1/2	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	-
10mm Auto	PHH10MM1	27695	155	Barnes XPB	2 1/2	0.9	25	1150	1105	1067	455	421	392	0.0	-0.9 -0.9	6	(
	HTP10MM1	27697	155	Barnes XPB	2 1/2	0.9	25 25	1150	1105	1067	455	421	392	0.0		4	(
41 Danianton Mante	L10MM6	23706 27803	180	Full Metal Jacket	2 1/2	0.9	25	1150 1520	1103 1403	1063 1298	528 924	486 787	451 673	0.0	-0.9 -0.2		(
41 Remington Mag**	PHH41MAG1	27729	180	Barnes XPB Barnes XPB	2 ½	0.9	25	1520	1403	1298	924	787	673	0.0	-0.2	6	
	HTP41MAG1 RTP41MG1	22317	180 210	Soft Point	2 1/2	0.9	25	1300	1226	1162	788	701	629	0.0	-0.2	4**	(
AA Dominaton Maa**	L44MG7	23744	180	Jacketed Soft Point	2 1/2	0.9	25	1610	1482	1366	1036	878	745	0.0	-0.3	4**	(
44 Remington Mag**	PHH44MAG1	27804	225	Barnes XPB	2 1/2	0.9	25	1235	1172	1118	762	687	625	0.0	-0.1	7.5	(
		27730	225	Barnes XPB		0.9	25	1235		1118				0.0	-0.7		
	HTP44MAG1		240	Soft Point	2 ½	0.9	25	1180	1172 1126	1081	762 742	687 676	625 623	0.0	-0.7	7.5 4**	(
	RTP44MG2 RTP44MG3	22321 22325	240	Semi-Jacketed Hollow Point	2 1/2	0.9	25	1180	1126	1081	742	676	623	0.0	-0.8	4**	
14 S&W Spl**	RPW44SW	22323	246	Lead Round Nose	2 1/2	0.9	25	755	740	725	311	299	287	0.0	-3.1	4**	
45 Colt**		27805	200	Barnes XPB	2 1/2	0.9	25	1025	983	947	467	429	398	0.0	-3.1	6	
43 COIL	PHH45CLT1 HTP45CLT1	27732	200	Barnes XPB	2 1/2	0.9	25	1025	983	947	467	429	398	0.0	-1.4	6	
	HD45C410**	28927	230	Brass Jacketed Hollow Point	2 1/2	0.9	25	850	830	811	369	352	335	0.0	-1.4	4**	
	RPW45C1	22338	225	Lead SWC	2 1/2	0.9	25	830	804	780	344	323	304	0.0	-2.5	4**	
	RPW45C1	22336	250	Lead Round Nose	2 1/2	0.9	25	750	733	717	312	298	285	0.0	-2.5	4**	
45 Auto					0.44												
TJ MULU	L45AP1	23818	185	Full Metal Jacket	2 1/2	0.9	25	1000	968 981	939	411	385	362	0.0	-1.4 -1.4	4	
	HD45APA	28971	185	Brass Jacketed Hollow Point	2 1/2	0.9	25	1015	981	951	423	395	371	0.0	-1.4	4	
	HD45APC	28973	185	Brass Jacketed Hollow Point +P ‡	2 1/2	0.9	25	1140	1086	1042	534	485	446	0.0	-0.9	4	
	GSB45APAB	29325	185	Bonded Brass Jacketed Hollow Point		0.9	25			951	423		372			4	
	GSB45APBB	29325	230	Bonded Brass Jacketed Hollow Point	2 1/2	0.9	25	1015 875	981 853		391	395 372	354	0.0	-1.4 -2.1	4	
	GSN45APC	29327	230	Belted Brass Jacketed Hollow Point	2 ½ 2 ½	0.9	25	875 875	853 853	833 833	391	372 372	354	0.0	-2.1	4	
	RTP45AP7	21468	230	Jacketed Hollow Point	2 1/2	0.9	25	835	817	800	356	341	326	0.0	-2.4	4	
	HD45APBN	28942	230	Brass Jacketed Hollow Point	2 1/2	0.9	25	875	853	833	391	372	354	0.0	-2.4	4	
	CHD45APBN	28967	230	Brass Jacketed Hollow Point	2 1/2	0.9	25	725	710	695	210	201	193	0.0	-3.4	3	
	L45AP4	23726	230	Full Metal Jacket	2 1/2	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	(
	S45AP4	28428	230	Flat Nose Enclosed Base	2 1/2	0.9	25	830	812	795	352	337	323	0.0	-2.4	5	
	L45AP7B	23689	230	Jacketed Hollow Point	2 1/2	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	
	LL45AP8	23793	230	Flat Nose Enclosed Base	2 1/2	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	
45 GAP	L45GAP4	23/93	230	Full Metal Jacket	2 1/2	0.9	25	880	860	841	395	378	361	0.0	-2.4	5	(
45 GAP 454 Casull	PHH454CAS1	27806	250	Barnes XPB	7 1/2	0.9	25	1700	1582	1472	1605	1390	1203	0.0	0.0	7.5	(
TUT COOUII	TTITI434CA3T	27734	250	Barnes XPB	7 1/2	0.9	25	1700	1582	1472	1605	1390	1203	0.0	0.0	7.5	(

‡Ammunition with "+p" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. *Test Barrel Length ** Vented Barrel Ballistics

GOLDEN SABER BONDED (Page 120)
GOLDEN SABER BLACK BELT (Page 121)
ULTIMATE DEFENSE FULL SIZE (Page 122)
ULTIMATE DEFENSE COMPACT (Page 122)

PERFORMANCE WHEELGUN (Page 124) HTP (Page 123) HTP COPPER (Page 125) UMC LEADLESS (Page 128) HOG HAMMER (Page 125) **UMC** (Page 128) SUBSONIC (Page 124)

SS SLUG BALLISTICS

GAUGE/	INDEX/		LENGTH			SIGHT HEIGHT		VELOCITY (FPS)			ENERGY (FT-LB)		TR	AJECTORY (INCH	ES)	BALLISTIC
BORE	EDI NO.	RAMAC	(INCHES)	WEIGHT	SLUG STYLE	(INCHES)	MUZZLE	50	100	MUZZLE	50	100	50	100	150	COEFFICIENT
410	SP41RS	20618	21/2	1/5 OZ.	Rifled Slug	1.5	1830	1335	1040	654	348	211	0.0	-3.5		0.064
16	SP16RS	20614	2¾	4/s oz .	Rifled Slug HP	1.5	1600	1175	965	1989	1072	724	0.0	-4.8		0.063
20	PRX20	20815	2¾	250 gr.	Tipped TSX	1.5	1825	1631	1457	1849	1477	1178	0.0	-1.8	-7.7	0.179
	PRX20M	20817	3	250 gr.	Tipped TSX	1.5	1900	1700	1519	2004	1605	1280	0.0	-1.5	-6.8	0.179
	PRA20	20496	2¾	260 gr.	Power Port Tip	1.5	1850	1610	1399	1976	1496	1130	0.0	-1.9	-8.2	0.144
	PRA20M	20498	3	260 gr.	Power Port Tip	1.5	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0	0.144
	SPHV20RS	28608	2¾	1/2 oz.	Rifled Slug	1.5	1800	1800	1321	1037	1575	848	0.0	-2.2		0.130
	PR20CS	20824	2¾	5/8 OZ.	Copper Solid HP	1.5	1500	1360	1240	1444	1187	986	0.0	-3.2		0.206
	SP20RS	20616	2¾	5/8 OZ.	Rifled Slug HP	1.5	1580	1240	1034	1513	931	648	0.0	-4.2		0.081
12	PR12CS	20716	2¾	1 oz.	Copper Solid HP	1.5	1450	1320	1208	2040	1689	1417	0.0	-3.5	-12.9	0.211
	PR12MCS	20718	3	1 oz.	Copper Solid HP	1.5	1550	1408	1283	2331	1923	1597	0.0	-2.9	-11.1	0.211
	PRA12	20727	2¾	385 Ggr.	Power Port Tip	1.5	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0	0.145
	PRA12M	20731	3	385 gr.	Power Port Tip	1.5	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0	0.145
	SPHV12RS	28600	2¾	7/8 OZ.	Rifled Slug	1.5	1800	1252	978	2751	1517	813	0.0	-4.1		0.055
	SPHV12MRS	28604	3	7/8 OZ.	Rifled Slug	1.5	1875	1302	998	2989	1442	847	0.0	-3.7		0.055
	RL12RS	20290	2¾	1 oz.	Rifled Slug	1.5	1200	988	873	1397	948	739	0.0	-7.4		0.068
	PRX12	20696	2¾	438 gr.	Tipped TSX	1.5	1450	1313	1198	2042	1676	1395	0.0	-3.5	-13.2	0.200
	PRX12M	20715	3	438 gr.	Tipped TSX	1.5	1550	1397	1264	2334	1895	1551	0.0	-3.0	-11.4	0.200
	SP12RS	20300	2¾	1 oz.	Rifled Slug	1.5	1560	1203	1004	2361	1403	976	0.0	-4.5		0.075
	S12SRS	20302	2¾	1 oz.	Rifled Slug	1.5	1680	1285	1045	2378	1605	1059	0.0	-3.8		0.075
	S12MRS	20270	3	1 oz.	Rifled Slug	1.5	1760	1345	1075	3005	1753	1121	0.0	-3.4		0.075

MUZZLELOADER BALLISTICS

									50 CALI	BER														
	INDEX/		WT		SIGHT HEIGHT			VELOCIT	Y (FPS)					ENERGY	(FT-LB)				TR	AJECTOR	Y (INCHE	S)		BALLISTIC
CARTRIDGE	EDI NO.	RAMAC	(GR)	BULLET STYLE	(INCHES)	MUZZLE	50	100	150	200	300	MUZZLE	50	100	150	200	300	MUZZLE	50	100	150	200	300	COEFFICIENT
50 Caliber	RBMLR2A	30610	250	AccuTip FB	1.5	2400	2188	1987	1797	1621	1319	3198	2658	2191	1793	1459	966	-1.5	0.09	1.49	0.0	-4.28	-23.57	0.195

SLUGGER (Page 158)

SLUGGER HIGH VELOCITY (Page 158)

PREMIER EXPANDER (Page 154)

PREMIER ACCUTIP SLUG (Page 154)

PREMIER ACCUTIP (Page 121)

MANAGED RECOIL SLUGGER (Page 158)

PREMIER COPPER SOLID


RIMFIRE BALLISTICS

*0.0 indicates yardage at which shotgun was sighted in.

LINE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	MUZZLE	50 VE	ELOCITY (FP 100	S) 150	200	MUZZLE	50 EN	VERGY (FT-LI	B) 150	200	MUZZLE	TRAJ 50	ECTORY (IN 100	CHES) 150	200	BALLISTIC COEFFICIENT
Golden Bullet, High Velocity	1022 1000*	21000 21001	29	Plated Round Nose	1095	986	903	829	-	77	63	52	44	-	0.3	0	-7.4	-25.5	-	0.084
Yellow Jacket, Hyper Velocity	1722 1700*	21074 21280	33	Plated Truncated Cone HP	1500	1243	1075	983	-	165	113	85	71	-	-0.2	0	-4.1	-15.8	-	0.095
Viper, Hyper Velocity	1922 1900*	21080 21288	36	Plated Truncated Cone Solid	1410	1186	1056	976	-	159	112	89	76	-	-0.1	0	-4.7	-17.1	-	0.103
Cyclone, High Velocity	CY-22HP***	21222	36	Lead Hollow Point	1280	1104	1010	939	-	131	97	82	71	-	0.0	0	-5.6	-19.7	-	0.104
Golden Bullet, High Velocity	1622 1600* 1622E** 1622C** 1622B****	21008 21278 21229 21250 21231	36	Plated Hollow Point	1280	1104	1010	939	-	131	97	82	71	-	0.0	0	-5.6	-19.7	-	0.104
Golden Bullet, High Velocity	1522 1500*	21006 21276	40	Plated Round Nose	1255	1103	1017	952	-	140	108	92	80	-	0.0	0	-5.6	-19.6	-	0.116
Thunderbolt, High Velocity	TB-22A TB-22B***	21238 21241	40	Lead Round Nose	1255	1103	1017	952	-	140	108	92	80	-	0.0	0	-5.6	-19.6	-	0.116
Target	6122 6100*	21022 21284	40	Lead Round Nose	1150	1046	976	916	w-	117	97	85	75	-	0.2	0	-6.4	-22.0	-	0.116
Subsonic	SUB22HP SUB22HP1*	21140 21141	38	Lead Hollow Point	1050	969	901	839	-	93	79	68	59	-	0.3	0	-7.7	-26.2	-	0.100
CBee, Low Noise, Low Velocity	CB-22LI00*	21119	33	Plated Truncated Cone HP	740	687	638	592	-	40	35	30	26	-	1.4	0	-16.9	-55.2	-	0.095
Eley Match	RE22EPS	21259	40	Lead Flat Nose	1085	1005	941	884	-	105	90	79	69	-	0.3	0	-7.1	-24.0	-	0.115
Eley Club Xtra	RE22CX	21256	40	Lead Flat Nose	1085	1005	941	884	-	105	90	79	69	-	0.3	0	-7.1	-24.0	-	0.115
Eley Target Rifle	RE22T	21252	40	Lead Flat Nose	1085	1005	941	884	-	105	90	79	69	-	0.3	0	-7.1	-24.0	-	0.115
Premier Magnum Rimfire	PR17HM1	28464	17	AccuTip-V BT	2550	2212	1901	1620	1378	246	185	136	99	72	-1.5	0.2	zero	-2.6	-8.5	0.125
Premier Magnum Rimfire	PR22M1	21184	33	AccuTip-V BT	2000	1730	1495	1289	1135	293	220	163	122	94	-1.5	0.7	zero	-4.6	-14.5	0.136
Magnum Rimfire	R22M1	21170	40	JHP	1910	1610	1355	1160	1032	324	230	163	119	95	-1.5	0.9	zero	-5.7	-17.8	0.117
Magnum Rimfire	R22M2	21172	40	PSP	1910	1600	1340	1143	1018	324	228	159	116	78	-1.5	1	zero	-5.8	-18.3	0.113

^{*} Available in 100-round slide-open plastic packs. ** Available in 225-round and 525-round bulk packs. *** Available in 500-round bulk packs. *** Available in 1400-round buckets.





Remington.

FOR CONSUMER INFORMATION, ARMS SERVICE, PARTS & REPAIRS AND CUSTOM SHOP:

Call (800) 243-9700 or visit www.remington.com



11-87, 597, 700, 750, 783, 870, 887, 1100, 1911 R1, 2020, Accelerator, All-In, ArmorLokt, Black Belt, Brakeout, BriteBore, Bullet, CBee22, Core-Lokt, Copper-Lokt, Copper Solid, Crossfire, Disintegrator Express, Express Bit, F.A.S.T., Fieldmaster, Golden Saber, Gun Club, Hi-Speed, Hog Hammer, HyperSonic Steel, Kleanbore, Managed-Recoil, Marine Magnum, Model 7, Moistureguard, Nitro 27, Nitro Mag, Nitro Pheasant, Nitro-Steel, Nitro Turkey, Parker, Power Level, Power-Lokt, Power Piston, Premier, ProBore, R-15, R-25, R51, Rem, Remington, Sendero, ShurShot, Slugger, Speedmaster, Sportsman, STS, Super Cell, Super Slug, Thunderbolt, TriNyte, Ultra Bonded, Ultra Mag, UMC, VERSA MAX, VersaPort, Viper, Wingmaster, Woodsmaster, Wood Tech, Yellow Jacket, Xelerator, X-Mark Pro are trademarks of RA Brands, L.L.C. or Remington Arms Company, LLC. Crimson Trace is a trademark of the Crimson Trace Corporation. Novak is a trademark of Wayne Novak. Mossy Oak, Mossy Oak Bottomland, Breakup, Mossy Oak Brush, Mossy Oak Duck Blind, Infinity, Mossy Oak Obsession, Mossy Oak Shadow Grass, and Treestand are trademarks of Haas Outdoors, Inc. RealTree, AP, HD, Hardwoods, Max-1, and Max-4 are trademarks of Jordan Outdoor Enterprises, Ltd. Kryptek is a trademark of Kryptek Outdoor Group, LLC. Kuiu is a trademark of Kuiu, Inc.. MDT and Tac21 are trademarks of Modular Driven Technologies Corp. Cerakote is a trademark of NIC Industries, Inc.. MagPul, PRS, and MOE are trademarks of MagPul Industries Corp. SB Tactical is a trademark of NST Global, LLC. Bell and Carlson is a trademark of Bell and Carlson. Hogue is a trade- mark of Hogue, Inc. A-TACS is a trademark of Concealment Systems, LLC. TruGlo is a trademark of TruGlo, Inc. McMillan is a trademark of McMillan Fiberglass Stocks, Inc. Shilen is a trademark of Shilen Rifles, Inc.. HiViz is a trademark of North Pass Ltd. Ducks Unlimited is a trademark of Ducks Unlimited, Inc. XS is a trademark of XS Sight Systems, Inc.. Pachmayr is a trademark of Pachmayr Gun Works, Inc. Blackhawk, Knoxx, and SpecOps are trademarks of Blackhawk Industries Product Group Unlimited LLC. Swift, A-Frame, and Scirocco are trademarks of Hober-Reed, Inc. Sierra and MatchKing are trademarks of Sierra Bullets, LLC. Hornady is a trademark of Hornady Manufacturing Company Corporation. Scenar is a trademark of Lapua, Ltd. Taurus and Judge are trademarks of Taurus International MFG, Inc. USA. Elev is a trademark of Elev. Ltd. Cordura is a trademark of Invista. Teflon is a trademark of The Chemours Company FC, LLC. H-S Precision is a trademark of H-S Precision, Inc. Magpul is a registered trade mark of Magpul Industries Corp.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, LLC, 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.



